

Safety Data Sheet

AIRTECH CAR LIME ML 7



Safety Data Sheet dated 4/7/2019, version 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: AIRTECH CAR LIME ML 7

Trade code: 1420

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Car air freshener

Uses advised against:

Strictly adhere to the recommended uses.

1.3. Details of the supplier of the safety data sheet

Supplier:

Arexons S.p.A.

via Antica di Cassano, 23, 20063

Cernusco sul Naviglio (MI), Italy

Arexons S.p.A.

Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306

Competent person responsible for the safety data sheet:

arexons@arexons.it

1.4. Emergency telephone number

Arexons S.p.A.

Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306

Centro Antiveleni di Pavia IRCCS- Fondazione Maugeri tel. +39 (0)382 24444 (h24; it, en)

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

In Ireland: Beaumont Hospital - National Poisons Information Centre 01 809 2166 (7days, 8:00 - 22:00)

In South Africa: Poison Information Helpline 0861 555 777

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP):

⚠ Warning, Skin Irrit. 2, Causes skin irritation.

⚠ Warning, Eye Irrit. 2, Causes serious eye irritation.

⚠ Warning, Skin Sens. 1B, May cause an allergic skin reaction.

⚠ Aquatic Chronic 2, Toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

Safety Data Sheet

AIRTECH CAR LIME ML 7



P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.
P273 Avoid release to the environment.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

None

Contains

d-limonene
citral: May produce an allergic reaction.
3,7-dimethyl-3-octanol: May produce an allergic reaction.
hexyl cinnamal: May produce an allergic reaction.
p-Mentha-1,4(8)-diene TERPINOLENE: May produce an allergic reaction.
2,6 OCTADIENAL 3,7 DIMETHYL: May produce an allergic reaction.
CITRONELLOL: May produce an allergic reaction.
GERANIOL: May produce an allergic reaction.
2,4-dimethylcyclohex-3-ene-1-carbaldehyde: May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

>= 50% - < 60% Dipropylen glycol methyl ether

REACH No.: 01-2119450011-60, CAS: 34590-94-8, EC: 252-104-2

Substance with a Union workplace exposure limit.

>= 7% - < 10% d-limonene

Index number: 601-029-00-7, CAS: 5989-27-5, EC: 227-813-5

⚠ 2.6/3 Flam. Liq. 3 H226

⚠ 3.10/1 Asp. Tox. 1 H304

⚠ 3.2/2 Skin Irrit. 2 H315

⚠ 3.4.2/1B Skin Sens. 1B H317

⚠ 4.1/A1 Aquatic Acute 1 H400

⚠ 4.1/C1 Aquatic Chronic 1 H410

>= 7% - < 10% citral

REACH No.: 01-2119462829-23, Index number: 605-019-00-3, CAS: 5392-40-5, EC: 226-394-6

⚠ 3.2/2 Skin Irrit. 2 H315

⚠ 3.4.2/1B Skin Sens. 1B H317

>= 5% - < 7% 3,7-dimethyl-3-octanol

REACH No.: 01-2119454788-21, CAS: 78-69-3, EC: 201-133-9

⚠ 3.2/2 Skin Irrit. 2 H315

⚠ 3.4.2/1B Skin Sens. 1B H317

Safety Data Sheet

AIRTECH CAR LIME ML 7



⚠ 3.3/2 Eye Irrit. 2 H319

>= 1% - < 2% hexyl cinnamal

REACH No.: 01-2119533092-50, CAS: 101-86-0, EC: 202-983-3

⚠ 3.4.2/1B Skin Sens. 1B H317

⚠ 4.1/A1 Aquatic Acute 1 H400

⚠ 4.1/C2 Aquatic Chronic 2 H411

>= 1% - < 2% ALD. C 10 PURA - 1-Decanal

CAS: 112-31-2

⚠ 4.1/C3 Aquatic Chronic 3 H412

⚠ 3.3/2 Eye Irrit. 2 H319

>= 0.5% - < 1% p-Mentha-1,4(8)-diene TERPINOLENE

REACH No.: 01-2119982325-32, CAS: 586-62-9, EC: 209-578-0

⚠ 3.10/1 Asp. Tox. 1 H304

⚠ 3.4.2/1B Skin Sens. 1B H317

⚠ 4.1/A1 Aquatic Acute 1 H400

⚠ 4.1/C1 Aquatic Chronic 1 H410

>= 0.5% - < 1% 2,6 OCTADIENAL 3,7 DIMETHYL

CAS: 90480-35-6, EC: 291-768-8

⚠ 4.1/C3 Aquatic Chronic 3 H412

⚠ 2.6/2 Flam. Liq. 2 H225

⚠ 3.2/2 Skin Irrit. 2 H315

⚠ 3.4.2/1B Skin Sens. 1B H317

>= 0.5% - < 1% MYRCENE

REACH No.: 01-2119514321-56, CAS: 123-35-3, EC: 204-622-5

⚠ 4.1/A1 Aquatic Acute 1 H400

⚠ 4.1/C2 Aquatic Chronic 2 H411

⚠ 3.10/1 Asp. Tox. 1 H304

⚠ 3.3/2 Eye Irrit. 2 H319

⚠ 2.6/3 Flam. Liq. 3 H226

⚠ 3.2/2 Skin Irrit. 2 H315

>= 0.25% - < 0.5% CITRONELLOL

REACH No.: 01-2119453995-23, CAS: 106-22-9, EC: 203-375-0

⚠ 3.2/2 Skin Irrit. 2 H315

⚠ 3.3/2 Eye Irrit. 2 H319

⚠ 3.4.2/1B Skin Sens. 1B H317

>= 0.25% - < 0.5% GERANIOL

REACH No.: 01-2119552430-49, CAS: 106-24-1, EC: 203-377-1

⚠ 3.2/2 Skin Irrit. 2 H315

⚠ 3.4.2/1 Skin Sens. 1 H317

⚠ 3.3/1 Eye Dam. 1 H318

>= 0.1% - < 0.25% 2,4-dimethylcyclohex-3-ene-1-carbaldehyde

REACH No.: 01-2119514321-56, CAS: 68039-49-6, EC: 943-728-2

⚠ 3.2/2 Skin Irrit. 2 H315

⚠ 3.4.2/1B Skin Sens. 1B H317

⚠ 4.1/C2 Aquatic Chronic 2 H411

Safety Data Sheet

AIRTECH CAR LIME ML 7



SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Appropriate Extinguishing Media:

To dust.

Not Recommended Extinguishing Media:

Do not use direct water jets.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

1420/5

Page n. 4 of 15

Safety Data Sheet

AIRTECH CAR LIME ML 7



Avoid contact with skin and eyes, inhalation of vapours and mists.
Don't use empty container before they have been cleaned.
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
See also section 8 for recommended protective equipment.
Advice on general occupational hygiene:
Contaminated clothing should be changed before entering eating areas.
Do not eat or drink while working.

- 7.2. Conditions for safe storage, including any incompatibilities
Store in well-closed containers, preferably in a cool place, away from sources of heat and direct sunlight.
Store in a dry place.
Keep away from food, drink and feed.
None in particular.
Instructions as regards storage premises:
Adequately ventilated premises.
- 7.3. Specific end use(s)
None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Dipropylen glycol methyl ether - CAS: 34590-94-8
EU - TWA(8h): 308 mg/m³, 50 ppm - Notes: Skin
ACGIH - TWA(8h): 100 ppm - STEL: 150 ppm - Notes: Skin - Eye and URT irr, CNS impair
citral - CAS: 5392-40-5
ACGIH - TWA(8h): 5 ppm - Notes: (IFV), Skin, DSEN, A4 - Body weight eff, URT irr, eye dam

DNEL Exposure Limit Values

Dipropylen glycol methyl ether - CAS: 34590-94-8
Consumer: 13.33-16.67 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects
Worker Professional: 295-325 mg/m³ - Consumer: 22.2-52.2 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects
Worker Professional: 50-80 mg/kg - Consumer: 0-30 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects
citral - CAS: 5392-40-5
Worker Professional: 13.3-16.7 mg/kg - Consumer: 14-16 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects
Worker Professional: 6-24 mg/m³ - Consumer: 12.3-17.7 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects
Consumer: 14.4-15.6 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

3,7-dimethyl-3-octanol - CAS: 78-69-3

Worker Professional: 12.5-17.75 mg/kg - Consumer: 13.75-16.25 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects
Worker Professional: 12.25-17.75 mg/m³ - Consumer: 14.32-15.68 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects
Consumer: 14.4-15.2 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

ALD. C 10 PURA - 1-Decanal - CAS: 112-31-2

Worker Professional: 8-22 mg/kg - Consumer: 11.5-18.5 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects
Worker Professional: 9.9-39.9 mg/m³ - Consumer: 8.9-21.1 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects
Consumer: 11.5-18.5 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Safety Data Sheet

AIRTECH CAR LIME ML 7



CITRONELLOL - CAS: 106-22-9

Worker Professional: 312.4-342.4 mg/kg - Consumer: 181.4-211.4 mg/kg - Exposure:

Human Dermal - Frequency: Long Term, systemic effects

Worker Professional: 146.6-176.6 mg/m³ - Consumer: 32.8-62.8 mg/m³ - Exposure:

Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 1.2-28.8 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Worker Professional: 5-25 mg/m³ - Consumer: 5-25 mg/m³ - Exposure: Human

Inhalation - Frequency: Long Term, local effects

Worker Professional: 5-25 mg/m³ - Consumer: 5-25 mg/m³ - Exposure: Human

Inhalation - Frequency: Short Term, local effects

GERANIOL - CAS: 106-24-1

Worker Professional: 8.3 mg/kg - Consumer: 5 mg/kg - Exposure: Human Dermal -
Frequency: Long Term, systemic effects

Worker Professional: 29.4 mg/m³ - Consumer: 8.7 mg/m³ - Exposure: Human Inhalation
- Frequency: Long Term, systemic effects

Consumer: 2.5 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

Dipropylen glycol methyl ether - CAS: 34590-94-8

Target: Fresh Water - Value: 4-34 mg/l

Target: Marine water - Value: 13.1-16.9 mg/l

Target: Marine water sediments - Value: 55.2-85.2 mg/kg

Target: Freshwater sediments - Value: 7.98-22.02 mg/kg

Target: 09 - Value: 4153-4183 mg/l

citral - CAS: 5392-40-5

Target: Fresh Water - Value: 14.99-15.01 mg/l

Target: Marine water - Value: 15 mg/l

Target: Freshwater sediments - Value: 14.88-15.13 mg/kg

Target: Marine water sediments - Value: 14.99-15.01 mg/kg

Target: 09 - Value: 13.4-16.6 mg/l

3,7-dimethyl-3-octanol - CAS: 78-69-3

Target: Fresh Water - Value: 14.99-15.01 mg/l

Target: Marine water - Value: 15.13 mg/l

Target: Freshwater sediments - Value: 14.88 mg/kg

Target: Marine water sediments - Value: 14.99-15.01 mg/kg

Target: 09 - Value: 435-465 mg/l

ALD. C 10 PURA - 1-Decanal - CAS: 112-31-2

Target: Fresh Water - Value: 15 mg/l

Target: Marine water - Value: 15 mg/l

Target: Freshwater sediments - Value: 15 mg/kg

Target: Marine water sediments - Value: 15 mg/kg

Target: 09 - Value: 11.84-18.16 mg/l

CITRONELLOL - CAS: 106-22-9

Target: Fresh Water - Value: 15 mg/l

Target: Marine water - Value: 15 mg/l

Target: Freshwater sediments - Value: 14.97-15.03 mg/kg

Target: Marine water sediments - Value: 15 mg/kg

Target: 09 - Value: 565-595 mg/l

GERANIOL - CAS: 106-24-1

Target: Fresh Water - Value: 0.0108 mg/l

Target: Marine water - Value: 0.00108 mg/l

Target: Freshwater sediments - Value: 0.115 mg/kg

Target: Marine water sediments - Value: 0.0115 mg/kg

Target: 09 - Value: 0.7 mg/l

8.2. Exposure controls

Eye protection:

Anti-splash goggles

Compliant with EN 166

Safety Data Sheet

AIRTECH CAR LIME ML 7



Protection for skin:
protective clothing

Protection for hands:
Nitrile or Viton gloves.
Compliant with EN 374.

Respiratory protection:
In case of insufficient ventilation, use adequate respiratory protection equipment.

Thermal Hazards:
None

Environmental exposure controls:
None

Appropriate engineering controls:
None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Liquid	--	--
Odour:	Characteristic	--	--
Odour threshold:	N.A.	--	--
pH:	N.A.	--	--
Melting point / freezing point:	N.A.	--	--
Initial boiling point and boiling range:	158°C	--	--
Flash point:	70°C	--	--
Evaporation rate:	N.A.	--	--
Solid/gas flammability:	N.A.	--	--
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	1676 Pa	--	--
Vapour density:	N.A.	--	--
Relative density:	0,954	--	--
Solubility in water:	N.A.	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient (n-octanol/water):	N.A.	--	--
Auto-ignition temperature:	225°C	--	--
Decomposition temperature:	N.A.	--	--

Safety Data Sheet

AIRTECH CAR LIME ML 7



Viscosity:	N.A.	--	--
Explosive properties:	N.A.	--	--
Oxidizing properties:	N.A.	--	--

9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	N.A.	--	--
Fat Solubility:	N.A.	--	--
Conductivity:	N.A.	--	--
Substance Groups relevant properties	N.A.	--	--

NA=not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Excessive heat.

Flames and other sources of ignition.

10.5. Incompatible materials

Strong acids.

Strong alkali.

Strong oxidising agents.

10.6. Hazardous decomposition products

Thermal decomposition may result in carbon monoxide, carbon dioxide and other unidentified organic compounds.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the product:

AIRTECH CAR LIME ML 7

a) acute toxicity

Based on available data, the classification criteria are not met

b) skin corrosion/irritation

The product is classified: Skin Irrit. 2 H315

c) serious eye damage/irritation

The product is classified: Eye Irrit. 2 H319

d) respiratory or skin sensitisation

The product is classified: Skin Sens. 1B H317

e) germ cell mutagenicity

Based on available data, the classification criteria are not met

f) carcinogenicity

Safety Data Sheet

AIRTECH CAR LIME ML 7



Based on available data, the classification criteria are not met
g) reproductive toxicity

Based on available data, the classification criteria are not met
h) STOT-single exposure

Based on available data, the classification criteria are not met
i) STOT-repeated exposure

Based on available data, the classification criteria are not met
j) aspiration hazard

Based on available data, the classification criteria are not met
Toxicological information of the main substances found in the product:

Dipropylen glycol methyl ether - CAS: 34590-94-8

a) acute toxicity:

Test: LD50 - Route: Oral > 2000 mg/kg

Test: LD50 - Route: Skin > 2000 mg/kg

Test: LC50 - Route: Inhalation > 20 mg/l - Duration: 4h

d-limonene - CAS: 5989-27-5

a) acute toxicity:

Test: LD50 - Route: Oral > 2000 mg/kg

Test: LD50 - Route: Oral > 2000 mg/kg

citral - CAS: 5392-40-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat 4950 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit 2250 mg/kg

Test: LC50 - Route: Inhalation > 20 mg/l - Duration: 4h

3,7-dimethyl-3-octanol - CAS: 78-69-3

a) acute toxicity:

Test: LD50 - Route: Oral > 2000 mg/kg

Test: LD50 - Route: Skin > 2000 mg/kg

Test: LC50 - Route: Inhalation > 20 mg/l - Duration: 4h

hexyl cinnamal - CAS: 101-86-0

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg

Test: LD50 - Route: Skin - Species: vitro > 2000 mg/kg

ALD. C 10 PURA - 1-Decanal - CAS: 112-31-2

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat 41750 mg/kg

Test: LD50 - Route: Skin > 2000 mg/kg

Test: LC50 - Route: Inhalation > 20 mg/l - Duration: 4h

p-Mentha-1,4(8)-diene TERPINOLENE - CAS: 586-62-9

a) acute toxicity:

Test: LD50 - Route: Skin > 2000 mg/kg

Test: LD50 - Route: Oral > 2000 mg/kg

2,6 OCTADIENAL 3,7 DIMETHYL - CAS: 90480-35-6

a) acute toxicity:

Test: LD50 - Route: Oral > 2000 mg/kg

Test: LD50 - Route: Skin > 2000 mg/kg

Test: LC50 - Route: Inhalation > 20 mg/l

MYRCENE - CAS: 123-35-3

a) acute toxicity:

Test: LD50 - Route: Oral > 2000 mg/kg

Test: LCLo - Route: Skin > 2000 mg/kg

CITRONELLOL - CAS: 106-22-9

a) acute toxicity:

Safety Data Sheet

AIRTECH CAR LIME ML 7



Test: LD50 - Route: Oral - Species: Rat 4200 mg/kg

Test: LD50 - Route: Skin 2650 mg/kg

Test: LCLo - Route: Inhalation > 20 mg/kg

GERANIOL - CAS: 106-24-1

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat 4200 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit 5100 mg/kg

Test: LC50 - Route: Inhalation > 20 mg/l

2,4-dimethylcyclohex-3-ene-1-carbaldehyde - CAS: 68039-49-6

a) acute toxicity:

Test: LD50 - Route: Oral > 2000 mg/kg

Test: LD50 - Route: Skin > 2000 mg/kg

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Dipropylene glycol methyl ether - CAS: 34590-94-8

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 10000 mg/l - Duration h: 96

Endpoint: LC50 - Species: Daphnia 1919 mg/l - Duration h: 48

d-limonene - CAS: 5989-27-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 0.1-1 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia 0.1-1 mg/l

Endpoint: EC50 - Species: Algae 0.1-1 mg/l

citral - CAS: 5392-40-5

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae 16 mg/l - Duration h: 72

Endpoint: LC50 - Species: Fish 6.1 mg/l - Duration h: 24

Endpoint: EC50 - Species: Daphnia 11 mg/l - Duration h: 24

3,7-dimethyl-3-octanol - CAS: 78-69-3

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 8.9 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia 14.2 mg/l

Endpoint: EC50 - Species: Algae 21.6 mg/l

hexyl cinnamal - CAS: 101-86-0

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 0.1-1 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia 0.1-1 mg/l

Endpoint: EC50 - Species: Algae 0.1-1 mg/l

ALD. C 10 PURA - 1-Decanal - CAS: 112-31-2

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 10-100 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia 10-100 mg/l

Endpoint: EC50 - Species: Algae 10-100 mg/l

p-Mentha-1,4(8)-diene TERPINOLENE - CAS: 586-62-9

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 0.1-1 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia 0.1-1 mg/l

Endpoint: EC50 - Species: Algae 0.1-1 mg/l

2,6 OCTADIENAL 3,7 DIMETHYL - CAS: 90480-35-6

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 10-100 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia 10-100 mg/l

Endpoint: EC50 - Species: Algae 10-100 mg/l

MYRCENE - CAS: 123-35-3

Safety Data Sheet

AIRTECH CAR LIME ML 7



- a) Aquatic acute toxicity:
Endpoint: LC50 - Species: Fish 0.1-1 mg/l - Duration h: 96
Endpoint: EC50 - Species: Daphnia 0.1-1 mg/l
Endpoint: EC50 - Species: Algae 0.1-1 mg/l
2,4-dimethylcyclohex-3-ene-1-carbaldehyde - CAS: 68039-49-6
- a) Aquatic acute toxicity:
Endpoint: LC50 - Species: Fish 1-10 mg/l - Duration h: 96
Endpoint: EC50 - Species: Daphnia 1-10 mg/l
Endpoint: EC50 - Species: Algae 1-10 mg/l
- 12.2. Persistence and degradability
None
Dipropylen glycol methyl ether - CAS: 34590-94-8
Biodegradability: Readily biodegradable - Duration: 28gg - %: 73
citral - CAS: 5392-40-5
Biodegradability: 4 - Duration: 28gg - %: 92
3,7-dimethyl-3-octanol - CAS: 78-69-3
Biodegradability: Non-readily biodegradable - Duration: 28gg - %: 61
GERANIOL - CAS: 106-24-1
Biodegradability: 4 - Duration: 21GG - %: 70
- 12.3. Bioaccumulative potential
Dipropylen glycol methyl ether - CAS: 34590-94-8
Bioaccumulation: Not bioaccumulative - Test: log Pow -0.06
Test: BCF - Bioconcentration factor 1
citral - CAS: 5392-40-5
Bioaccumulation: Bioaccumulative - Test: log Pow 3.45
Test: BCF - Bioconcentration factor 10
3,7-dimethyl-3-octanol - CAS: 78-69-3
Bioaccumulation: Bioaccumulative - Test: BCF - Bioconcentration factor 99
Test: log Pow 3.6
hexyl cinnamal - CAS: 101-86-0
Bioaccumulation: Not bioaccumulative - Test: BCF - Bioconcentration factor 17
ALD. C 10 PURA - 1-Decanal - CAS: 112-31-2
Test: BCF - Bioconcentration factor 420
Test: log Pow 3.76
GERANIOL - CAS: 106-24-1
Bioaccumulation: Bioaccumulative - Test: BCF - Bioconcentration factor 110
Test: log Pow 3.56
- 12.4. Mobility in soil
3,7-dimethyl-3-octanol - CAS: 78-69-3
Mobility in soil: Mobile - Test: Log Koc 56
- 12.5. Results of PBT and vPvB assessment
vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects
None

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods
Recover if possible. In so doing, comply with the local and national regulations currently in force.
Additional disposal information:
Reuse if possible. Act in accordance with the local and national laws in force.

SECTION 14: Transport information



1420/5

Page n. 11 of 15

Safety Data Sheet

AIRTECH CAR LIME ML 7



- 14.1. UN number
ADR-UN Number: 3082
IATA-UN Number: 3082
IMDG-UN Number: 3082
- 14.2. UN proper shipping name
ADR-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(d-limonene)
ADR-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE
IATA-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(d-limonene)
IMDG-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(d-limonene)
- 14.3. Transport hazard class(es)
ADR-Class: 9
ADR - Hazard identification number: 90
IATA-Class: 9
IATA-Label: 9
IMDG-Class: 9
Sea (IMO): Class 9
- 14.4. Packing group
ADR-Packing Group: III
IATA-Packing group: III
IMDG-Packing group: III
- 14.5. Environmental hazards
ADR-Environmental Pollutant: Yes
IMDG-Marine pollutant: Marine Pollutant
- 14.6. Special precautions for user
ADR-Subsidiary hazards: -
ADR-S.P.: 274 335 375 601
ADR-Transport category (Tunnel restriction code): 3 (E)
IATA-Passenger Aircraft: 964
IATA-Subsidiary hazards: -
IATA-Cargo Aircraft: 964
IATA-S.P.: A97 A158 A197
IATA-ERG: 9L
IMDG-EmS: F-A,
S-F
IMDG-Subsidiary hazards: -
IMDG-Stowage and handling: Category A
IMDG-Segregation: -
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code
No
Limited Quantity: 5 L
Exempted Quantity: E1

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) 2015/830
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)

Safety Data Sheet

AIRTECH CAR LIME ML 7



Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restriction 40

Restrictions related to the substances contained:

No restriction.

Volatile Organic compounds - VOCs = 57.88 %

Volatile Organic compounds - VOCs = 578.80 g/Kg

Volatile Organic compounds - VOCs = 552.18 g/l

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

Product belongs to category: E2

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out:

None

SECTION 16: Other information

Text of phrases referred to under heading 3:

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

H225 Highly flammable liquid and vapour.

H318 Causes serious eye damage.

Hazard class and hazard category	Code	Description
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1

Safety Data Sheet
AIRTECH CAR LIME ML 7



Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Paragraphs modified from the previous revision:

- SECTION 3: Composition/information on ingredients
- SECTION 7: Handling and storage
- SECTION 14: Transport information
- SECTION 15: Regulatory information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method
Skin Sens. 1B, H317	Calculation method
Aquatic Chronic 2, H411	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

- ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities
- SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
- ATE: Acute Toxicity Estimate
- ATEmix: Acute toxicity Estimate (Mixtures)
- CAS: Chemical Abstracts Service (division of the American Chemical Society).
- CLP: Classification, Labeling, Packaging.
- DNEL: Derived No Effect Level.
- EINECS: European Inventory of Existing Commercial Chemical Substances.

Safety Data Sheet

AIRTECH CAR LIME ML 7



GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NA:	Not applicable
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.