

Safety Data Sheet dated 22/4/2021, version 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Mixture identification: Trade name: AIRTECH CAR LIME REFILL ML 7 Trade code: 1425 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Car air freshener Uses advised against: Strictly adhere to the recommended uses. 1.3. Details of the supplier of the safety data sheet Supplier: Arexons S.p.A. via Antica di Cassano, 23, 20063 Cernusco sul Naviglio (MI), Italy Arexons S.p.A. Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306 Competent person responsible for the safety data sheet: arexons@arexons.it 1.4. Emergency telephone number Arexons S.p.A. Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306 In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111 In Ireland: Beaumont Hospital - National Poisons Information Centre 01 809 2166 (7days, 8:00 -22:00) In South Africa: Poison Information Helpline 0861 555 777 In Malta: emergency number 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP):

- Warning, Skin Irrit. 2, Causes skin irritation.
- Warning, Eye Irrit. 2, Causes serious eye irritation.
- Warning, Skin Sens. 1B, May cause an allergic skin reaction.
- Aquatic Chronic 2, Toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements Hazard pictograms:



Warning Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

1425/7 Page n. 1 of 16



Precautionary statements:

P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P273 Avoid release to the environment. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P501 Dispose of contents/container in accordance with applicable regulations. Special Provisions: EUH208 Contains (R)-p-mentha-1,8-diene; d-limonene. May produce an allergic reaction. EUH208 Contains 3,7-dimethyl-3-octanol. May produce an allergic reaction. EUH208 Contains p-Mentha-1,4(8)-diene TERPINOLENE. May produce an allergic reaction. EUH208 Contains 2,6-OCTADIENAL,3,7-DIMETHYL. May produce an allergic reaction. EUH208 Contains (2E)-2-(Phenylmethylidene)octanal. May produce an allergic reaction. EUH208 Contains CITRONELLOL. May produce an allergic reaction. EUH208 Contains GERANIOL. May produce an allergic reaction. EUH208 Contains Reaction mass of 3,5-dimethylcyclohex-3-ene-1-carbaldehyde and 2,4-dimethylcyclohex-3-ene-1-carbaldehyde. May produce an allergic reaction. Contains

citral

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$ Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification: >= 50% - < 60% Dipropylen glycol methyl ether

REACH No.: 01-2119450011-60, CAS: 34590-94-8, EC: 252-104-2 Substance with a Union workplace exposure limit.

>= 7% - < 10% Methoxymethylbutanol

REACH No.: 01-2119976333-33, CAS: 56539-66-3, EC: 260-252-4 1.3/2 Eye Irrit. 2 H319

>= 7% - < 10% citral

REACH No.: 01-2119462829-23, Index number: 605-019-00-3, CAS: 5392-40-5, EC: 226-394-6 1.2/2 Skin Irrit. 2 H315 1.3/2 Eye Irrit. 2 H319

>= 7% - < 10% (R)-p-mentha-1,8-diene; d-limonene Index number: 601-029-00-7, CAS: 5989-27-5, EC: 227-813-5 2.6/3 Flam. Lig. 3 H226

1425/7 Page n. 2 of 16



3.10/1 Asp. Tox. 1 H304 1.2/2 Skin Irrit. 2 H315 3.4.2/1B Skin Sens. 1B H317 4.1/A1 Aguatic Acute 1 H400 4.1/C1 Aquatic Chronic 1 H410 >= 5% - < 7% 3,7-dimethyl-3-octanol REACH No.: 01-2119454788-21, CAS: 78-69-3, EC: 201-133-9 3.2/2 Skin Irrit. 2 H315 3.4.2/1B Skin Sens. 1B H317 13.3/2 Eye Irrit. 2 H319 >= 1% - < 2% octanal REACH No.: 01-2119638274-38, CAS: 124-13-0, EC: 204-683-8 2.6/3 Flam. Liq. 3 H226 1.2/2 Skin Irrit. 2 H315 13.3/2 Eye Irrit. 2 H319 4.1/C3 Aquatic Chronic 3 H412 >= 1% - < 2% 3,7-DIMETHYLNONA-2,6-DIENENITRILE REACH No.: 01-2119967769-11, CAS: 61792-11-8, EC: 263-214-5 4.1/C2 Aquatic Chronic 2 H411 >= 1% - < 2% ALD. C 10 PURA - 1-Decanal REACH No.: 01-2119967771-26, CAS: 112-31-2, EC: 203-957-4 4.1/C3 Aquatic Chronic 3 H412 13.3/2 Eye Irrit. 2 H319 >= 0.5% - < 1% 2,6-OCTADIENAL,3,7-DIMETHYL CAS: 147060-73-9, EC: 291-768-8 2.6/3 Flam. Liq. 3 H226 3.4.2/1B Skin Sens. 1B H317 4.1/C3 Aquatic Chronic 3 H412 >= 0.5% - < 1% p-Mentha-1,4(8)-diene TERPINOLENE REACH No.: 01-2119982325-32, CAS: 586-62-9, EC: 209-578-0 3.10/1 Asp. Tox. 1 H304 3.4.2/18 Skin Sens. 1B H317 4.1/A1 Aquatic Acute 1 H400 4.1/C1 Aquatic Chronic 1 H410 >= 0.5% - < 1% (2E)-2-(Phenylmethylidene)octanal REACH No.: 01.2119533092-50, CAS: 165184-98-5, EC: 639-566-4 4.1/A1 Aquatic Acute 1 H400 4.1/C1 Aquatic Chronic 1 H410 3.4.2/1B Skin Sens. 1B H317 >= 0.5% - < 1% MYRCENE REACH No.: 01-2119514321-56, CAS: 123-35-3, EC: 204-622-5 4.1/A1 Aquatic Acute 1 H400 4.1/C2 Aquatic Chronic 2 H411 3.10/1 Asp. Tox. 1 H304 3.3/2 Eye Irrit. 2 H319 2.6/3 Flam. Liq. 3 H226 1 3.2/2 Skin Irrit. 2 H315

1425/7 Page n. 3 of 16



>= 0.1% - < 0.25% Reaction mass of 3,5-dimethylcyclohex-3-ene-1-carbaldehyde and 2,4-dimethylcyclohex-3-ene-1-carbaldehyde

REACH No.: 01-2119982384-28, EC: 943-728-2

1.2/2 Skin Irrit. 2 H315

1.3/2 Eye Irrit. 2 H319

3.4.2/1B Skin Sens. 1B H317

4.1/C2 Aquatic Chronic 2 H411

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Appropriate Extinguishing Media:
 - To dust.

Not Recommended Extinguishing Media:

Do not use direct water jets.

- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters

1425/7 Page n. 4 of 16



Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Suitable material for taking up: absorbing material, organic, sand

- 6.3. Methods and material for containment and cleaning up
 - Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
 - Avoid contact with skin and eyes, inhalation of vapours and mists.
 - Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Store in well-closed containers, preferably in a cool place, away from sources of heat and direct sunlight.

Store in a dry place. Keep away from food, drink and feed. None in particular. Instructions as regards storage premises: Adequately ventilated premises.

- 7.3. Specific end use(s) None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Dipropylen glycol methyl ether - CAS: 34590-94-8

EU - TWA(8h): 308 mg/m3, 50 ppm - Notes: Skin

ACGIH - TWÁ(8h): 100 ppm - STEL: 150 ppm - Notes: Skin - Eye and URT irr, CNS impair

citral - CAS: 5392-40-5

ACGIH - TWA(8h): 5 ppm - Notes: (IFV), Skin, DSEN, A4 - Body weight eff, URT irr, eye dam

DNEL Exposure Limit Values

Dipropylen glycol methyl ether - CAS: 34590-94-8

Consumer: 36 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects Worker Professional: 308 mg/m3 - Consumer: 37.2 mg/m3 - Exposure: Human Inhalation -Frequency: Long Term, systemic effects

1425/7

Page n. 5 of 16



Worker Professional: 283 mg/kg - Consumer: 121 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

3,7-dimethyl-3-octanol - CAS: 78-69-3

Worker Professional: 3.16 mg/kg - Consumer: 1.58 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Professional: 11.14 mg/m3 - Consumer: 2.75 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 1.58 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects octanal - CAS: 124-13-0

Worker Professional: 0.37 mg/kg - Consumer: 0.19 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Professional: 1.13 mg/m3 - Consumer: 0.32 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 0.19 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects 3,7-DIMETHYLNONA-2,6-DIENENITRILE - CAS: 61792-11-8

Consumer: 0.75 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects Worker Professional: 1.5 mg/kg - Consumer: 0.75 mg/kg - Exposure: Human Dermal -Frequency: Long Term, systemic effects

Worker Professional: 5.29 mg/m3 - Consumer: 1.3 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Professional: 3 mg/kg - Consumer: 1.5 mg/kg - Exposure: Human Dermal - Frequency: Short Term, systemic effects

Worker Professional: 10.58 mg/m3 - Consumer: 2.61 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, systemic effects

ALD. C 10 PURA - 1-Decanal - CAS: 112-31-2

Worker Professional: 7.05 mg/kg - Consumer: 3.52 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Professional: 24.86 mg/m3 - Consumer: 6.13 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 3.52 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects Worker Professional: 49.71 mg/m3 - Consumer: 12.26 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, systemic effects

Worker Professional: 14.1 mg/kg - Consumer: 7.05 mg/kg - Exposure: Human Dermal - Frequency: Short Term, systemic effects

CITRONELLOL - CAS: 106-22-9

Worker Professional: 327.4 mg/kg - Consumer: 196.4 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Professional: 161.6 mg/m3 - Consumer: 47.8 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 13.8 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects Worker Professional: 10 mg/m3 - Consumer: 10 mg/m3 - Exposure: Human Inhalation -Frequency: Long Term, local effects

Worker Professional: 10 mg/m3 - Consumer: 10 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, local effects

PNEC Exposure Limit Values

Dipropylen glycol methyl ether - CAS: 34590-94-8

Target: Fresh Water - Value: 19 mg/l

Target: Marine water - Value: 1.9 mg/l

Target: Marine water sediments - Value: 70.2 mg/kg

Target: Freshwater sediments - Value: 7.02 mg/kg

Target: 09 - Value: 4168 mg/l

3,7-dimethyl-3-octanol - CAS: 78-69-3

Target: Fresh Water - Value: 0.009 mg/l

Target: Marine water - Value: 0.001 mg/l

Target: Freshwater sediments - Value: 0.082 mg/kg

Target: Marine water sediments - Value: 0.008 mg/kg

1425/7 Page n. 6 of 16



Target: 09 - Value: 450 mg/l octanal - CAS: 124-13-0 Target: Fresh Water - Value: 0.002 mg/l Target: Marine water - Value: 0 mg/l Target: Freshwater sediments - Value: 0.071 mg/kg Target: Marine water sediments - Value: 0.007 mg/kg Target: 09 - Value: 3.16 mg/l 3,7-DIMETHYLNONA-2,6-DIENENITRILE - CAS: 61792-11-8 Target: Fresh Water - Value: 0.002 mg/l Target: Marine water - Value: 0 mg/l Target: Freshwater sediments - Value: 0.248 mg/kg Target: Marine water sediments - Value: 0.025 mg/kg Target: 09 - Value: 0.9 mg/l ALD. C 10 PURA - 1-Decanal - CAS: 112-31-2 Target: Fresh Water - Value: 0.00117 mg/l Target: Marine water - Value: 0.0000117 mg/l Target: Freshwater sediments - Value: 0.097 mg/kg Target: Marine water sediments - Value: 0.01 mg/kg Target: 09 - Value: 3.16 mg/l CITRONELLOL - CAS: 106-22-9 Target: Fresh Water - Value: 0.002 mg/l Target: Marine water - Value: 0 mg/l Target: Freshwater sediments - Value: 0.026 mg/kg Target: Marine water sediments - Value: 0.003 mg/kg Target: 09 - Value: 580 mg/l 8.2. Exposure controls Eye protection: Anti-splash goggles Compliant with EN 166 Protection for skin: protective clothing Protection for hands: Nitrile or Viton gloves. Compliant with EN 374. Respiratory protection: In case of insufficient ventilation, use adequate respiratory protection equipment. Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties				
Properties	Value	Method:	Notes:	
Physical state:	Liquid			
Colour:	yellow			
Odour:	Characteristic			
Melting point/freezing point:	N.A.			
Boiling point or initial	169°C			



boiling point and boiling range:				
Flammability:	N.A.			
Lower and upper explosion limit:	N.A.			
Flash point:	77°C			
Auto-ignition temperature:	225°C			
Decomposition temperature:	N.A.			
pH:	N.A.			
Kinematic viscosity:	N.A.			
Solubility in water:	N.A.			
Solubility in oil:	N.A.			
Partition coefficient n- octanol/water (log value):	N.A.			
Vapour pressure:	1356 Pa			
Density and/or relative density:	0,955			
Relative vapour density:	N.A.			
Particle characteristics:				
Particle size:	N.A.			

9.2. Other information

No other relevant information

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - Stable under normal conditions
- 10.2. Chemical stability
 - Stable at normal ambient temperatures and when used as recommended.
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid Excessive heat.
 - Flames and other sources of ignition.
- 10.5. Incompatible materials Strong acids.
 - Strong alkali.
- 10.6. Hazardous decomposition products

1425/7 Page n. 8 of 16



Thermal decomposition may result in carbon monoxide, carbon dioxide and other unidentified organic compounds.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information of the product: AIRTECH CAR LIME REFILL ML 7 a) acute toxicity Not classified Based on available data, the classification criteria are not met Test: oecd 10 - Route: Oral > 2000 mg/kg Test: oecd 10 - Route: Skin > 2000 mg/kg Test: oecd 10 - Route: Inhalation > 20 mg/l - Duration: 4h b) skin corrosion/irritation The product is classified: Skin Irrit. 2 H315 c) serious eye damage/irritation The product is classified: Eye Irrit. 2 H319 d) respiratory or skin sensitisation The product is classified: Skin Sens. 1B H317 e) germ cell mutagenicity Not classified Based on available data, the classification criteria are not met f) carcinogenicity Not classified Based on available data, the classification criteria are not met g) reproductive toxicity Not classified Based on available data, the classification criteria are not met h) STOT-single exposure Not classified Based on available data, the classification criteria are not met i) STOT-repeated exposure Not classified Based on available data, the classification criteria are not met i) aspiration hazard Not classified Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product: Dipropylen glycol methyl ether - CAS: 34590-94-8 a) acute toxicity: Test: LD50 - Route: Oral > 2000 mg/kg Test: LD50 - Route: Skin > 2000 mg/kg Test: LC50 - Route: Inhalation > 20 mg/l - Duration: 4h Methoxymethylbutanol - CAS: 56539-66-3 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg citral - CAS: 5392-40-5 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg (R)-p-mentha-1,8-diene; d-limonene - CAS: 5989-27-5 a) acute toxicity: Test: LD50 - Route: Oral > 2000 mg/kg Test: LD50 - Route: Oral > 2000 mg/kg 3,7-dimethyl-3-octanol - CAS: 78-69-3 1425/7 Page n. 9 of 16



a) acute toxicity: Test: LD50 - Route: Oral > 2000 mg/kg Test: LD50 - Route: Skin > 2000 mg/kg Test: LC50 - Route: Inhalation > 20 mg/l - Duration: 4h octanal - CAS: 124-13-0 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat 4617 mg/kg Test: LD50 - Route: Skin - Species: Rabbit 5207 mg/kg Test: LC50 - Route: Inhalation > 20 mg/l - Duration: 4h 3,7-DIMETHYLNONA-2,6-DIENENITRILE - CAS: 61792-11-8 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat 2600 mg/kg Test: LD50 - Route: Skin > 2000 mg/kg Test: LC50 - Route: Inhalation > 20 mg/l - Duration: 4h ALD. C 10 PURA - 1-Decanal - CAS: 112-31-2 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat 41750 mg/kg Test: LD50 - Route: Skin > 2000 mg/kg Test: LC50 - Route: Inhalation > 20 mg/l - Duration: 4h 2,6-OCTADIENAL,3,7-DIMETHYL - CAS: 147060-73-9 a) acute toxicity: Test: LD50 - Route: Oral > 2000 mg/kg Test: LD50 - Route: Skin > 2000 mg/kg p-Mentha-1,4(8)-diene TERPINOLENE - CAS: 586-62-9 a) acute toxicity: Test: LD50 - Route: Skin > 2000 mg/kg Test: LD50 - Route: Oral > 2000 mg/kg (2E)-2-(Phenylmethylidene)octanal - CAS: 165184-98-5 a) acute toxicity: Test: LD50 - Route: Oral > 2000 mg/kg Test: LD50 - Route: Skin > 2000 mg/kg MYRCENE - CAS: 123-35-3 a) acute toxicity: Test: LD50 - Route: Oral > 2000 mg/kg Test: LD50 - Route: Skin > 2000 mg/kg CITRONELLOL - CAS: 106-22-9 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat 4200 mg/kg Test: LD50 - Route: Skin 2650 mg/kg Test: LC50 - Route: Inhalation > 20 mg/kg GERANIOL - CAS: 106-24-1 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat 4200 mg/kg Test: LD50 - Route: Skin - Species: Rabbit 5100 mg/kg Test: LC50 - Route: Inhalation > 20 mg/l Reaction mass of 3,5-dimethylcyclohex-3-ene-1-carbaldehyde and 2,4-dimethylcyclohex-3-ene-1-carbaldehyde a) acute toxicity: Test: LD50 - Route: Oral > 2000 mg/kg Test: LD50 - Route: Skin > 2000 mg/kg 11.2. Information on other hazards Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%



SECTION 12: Ecological information

12.1. Toxicity Adopt good working practices, so that the product is not released into the environment. Dipropylen glycol methyl ether - CAS: 34590-94-8 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish 10000 mg/l - Duration h: 96 Endpoint: LC50 - Species: Daphnia 1919 mg/l - Duration h: 48 (R)-p-mentha-1,8-diene; d-limonene - CAS: 5989-27-5 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish 0.1-1 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia 0.1-1 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae 0.1-1 mg/l - Duration h: 72 3,7-dimethyl-3-octanol - CAS: 78-69-3 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish 8.9 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia 14.2 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae 21.6 mg/l - Duration h: 72 octanal - CAS: 124-13-0 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish 13.5 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia 1.54 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae 4.5 mg/l - Duration h: 72 3,7-DIMETHYLNONA-2,6-DIENENITRILE - CAS: 61792-11-8 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish 2.4 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia 2.7 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae 3.6 mg/l - Duration h: 72 ALD. C 10 PURA - 1-Decanal - CAS: 112-31-2 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish 10-100 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia 10-100 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae 10-100 mg/l - Duration h: 72 2,6-OCTADIENAL,3,7-DIMETHYL - CAS: 147060-73-9 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish 10-100 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia 10-100 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae 10-100 mg/l - Duration h: 72 p-Mentha-1,4(8)-diene TERPINOLENE - CAS: 586-62-9 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish 0.1-1 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia 0.1-1 mg/l Endpoint: EC50 - Species: Algae 0.1-1 mg/l (2E)-2-(Phenylmethylidene)octanal - CAS: 165184-98-5 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish 0.1-1 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia 0.1-1 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae 0.1-1 mg/l - Duration h: 72 MYRCENE - CAS: 123-35-3 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish 0.1-1 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia 0.1-1 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae 0.1-1 mg/l - Duration h: 72 Reaction mass of 3,5-dimethylcyclohex-3-ene-1-carbaldehyde and 2,4-dimethylcyclohex-3-ene-1-carbaldehyde a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish 1-10 mg/l - Duration h: 96

Page n. 11 of 16

1425/7



Endpoint: EC50 - Species: Daphnia 1-10 mg/l Endpoint: EC50 - Species: Algae 1-10 mg/l 12.2. Persistence and degradability None Dipropylen glycol methyl ether - CAS: 34590-94-8 Biodegradability: Readily biodegradable - Duration: 28gg - %: 73 3,7-dimethyl-3-octanol - CAS: 78-69-3 Biodegradability: Non-readily biodegradable - Duration: 28gg - %: 61 octanal - CAS: 124-13-0 Biodegradability: Non-readily biodegradable - Duration: 28gg - %: 46 3,7-DIMETHYLNONA-2,6-DIENENITRILE - CAS: 61792-11-8 Duration: 28gg - %: 32 GERANIOL - CAS: 106-24-1 Biodegradability: 4 - Duration: 21GG - %: 70 12.3. Bioaccumulative potential Dipropylen glycol methyl ether - CAS: 34590-94-8 Bioaccumulation: Not bioaccumulative - Test: log Pow -0.06 Test: BCF - Bioconcentrantion factor 1 3,7-dimethyl-3-octanol - CAS: 78-69-3 Bioaccumulation: Bioaccumulative - Test: BCF - Bioconcentrantion factor 99 Test: log Pow 3.6 octanal - CAS: 124-13-0 Test: BCF - Bioconcentrantion factor 100 Test: log Pow 2.78 3,7-DIMETHYLNONA-2,6-DIENENITRILE - CAS: 61792-11-8 Test: BCF - Bioconcentrantion factor 60 Test: Kow - Partition coefficient 3.1 ALD. C 10 PURA - 1-Decanal - CAS: 112-31-2 Test: BCF - Bioconcentrantion factor 420 Test: log Pow 3.76 GERANIOL - CAS: 106-24-1 Bioaccumulation: Bioaccumulative - Test: BCF - Bioconcentrantion factor 110 Test: log Pow 3.56 12.4. Mobility in soil 3,7-dimethyl-3-octanol - CAS: 78-69-3 Mobility in soil: Mobile - Test: Log Koc 56 octanal - CAS: 124-13-0 Test: Koc 430 3,7-DIMETHYLNONA-2,6-DIENENITRILE - CAS: 61792-11-8 Test: Koc 1000 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None 12.6. Endocrine disrupting properties No endocrine disruptor substances present in concentration >= 0.1% 12.7. Other adverse effects None


SECTION 13: Disposal considerations

13.1. Waste treatment methods Recover if possible. In so doing, comply with the local and national regulations currently in force.Additional disposal information: Reuse if possible. Act in accordance with the local and national laws in force.

SECTION 14: Transport information

1425/7 Page n. 12 of 16





 14.1. UN number or ID number ADR-UN Number: IATA-UN Number: IMDG-UN Number: 14.2. UN proper shipping name ADR-Shipping Name: 	3082 3082 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.((R)-p-mentha-1,8-diene; d-limonene,	
IATA-Shipping Name: IMDG-Shipping Name:	3,7-DIMETHYLNONA-2,6-DIENENITRILE) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S.((R)-p-mentha-1,8-diene; d-limonene, 3,7-DIMETHYLNONA-2,6-DIENENITRILE) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID	
14.3. Transport hazard class(es) ADR-Class: ADR - Hazard identification nur	N.O.S.((R)-p-mentha-1,8-diene; d-limonene, 3,7-DIMETHYLNONA-2,6-DIENENITRILE) 9 nber: 90	
IATA-Class: IATA-Label: IMDG-Class:	9 9 9 9 Class 9	
Sea (IMO): 14.4. Packing group ADR-Packing Group: IATA-Packing group: IMDG-Packing group:		
14.5. Environmental hazards ADR-Enviromental Pollutant: IMDG-Marine pollutant: IMDG-EmS:	Yes Marine Pollutant F-A,	
 14.6. Special precautions for user ADR-Subsidiary hazards: ADR-S.P.: ADR-Transport category (Tunne IATA-Passenger Aircraft: IATA-Subsidiary hazards: IATA-Cargo Aircraft: IATA-S.P.: IATA-ERG: IMDG-Subsidiary hazards: IMDG-Stowage and handling: IMDG-Segregation: 14.7. Maritime transport in bulk accord No Limited Quantity: 5 L 	964 - 964 A97 A158 A197 9L - Category A	
Exempted Quantity: 51		

SECTION 15: Regulatory information

 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values)

1425/7 Page n. 13 of 16



Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: **Restriction 3** Restriction 40 Restrictions related to the substances contained: No restriction. Volatile Organic compounds - VOCs = 59.02 % Volatile Organic compounds - VOCs = 590.20 g/Kg Volatile Organic compounds - VOCs = 563.64 g/l Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 Product belongs to category: E2 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture. Substances for which a Chemical Safety Assessment has been carried out: None

SECTION 16: Other information

Text of phrases referred to under heading 3:

H319 Causes serious eye irritation.

H315 Causes skin irritation.

- H317 May cause an allergic skin reaction.
- H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H400 Very toxic to aquatic life.


H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H318 Causes serious eye damage.

1425/7 Page n. 14 of 16



arexons

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method
Skin Sens. 1B, H317	Calculation method
Aquatic Chronic 2, H411	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ATE: Acute Toxicity Estimate

1425/7 Page n. 15 of 16



Acute toxicity Estimate (Mixtures)
Chemical Abstracts Service (division of the American Chemical Society).
Classification, Labeling, Packaging.
Derived No Effect Level.
European Inventory of Existing Commercial Chemical Substances.
Ordinance on Hazardous Substances, Germany.
Globally Harmonized System of Classification and Labeling of Chemicals.
International Air Transport Association.
Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
International Civil Aviation Organization.
Technical Instructions by the "International Civil Aviation Organization" (ICAO).
International Maritime Code for Dangerous Goods.
International Nomenclature of Cosmetic Ingredients.
Explosion coefficient.
Lethal concentration, for 50 percent of test population.
Lethal dose, for 50 percent of test population.
Not applicable
Predicted No Effect Concentration.
Regulation Concerning the International Transport of Dangerous Goods by Rail.
Short Term Exposure limit.
Specific Target Organ Toxicity.
Threshold Limiting Value.
Time-weighted average
German Water Hazard Class.