

Safety Data Sheet

Fresca Foglia Travel Cuba



Safety Data Sheet dated 17/1/2019, version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: Fresca Foglia Travel Cuba
Trade code: 1477

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Car air freshener

Uses advised against:

Strictly adhere to the recommended uses.

1.3. Details of the supplier of the safety data sheet

Supplier:

Arexons S.p.A.
via Antica di Cassano, 23, 20063
Cernusco sul Naviglio (MI), Italy
Arexons S.p.A.
Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306

Competent person responsible for the safety data sheet:

arexons@arexons.it

1.4. Emergency telephone number

Arexons S.p.A.
Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306
Centro Antiveleni di Pavia IRCCS- Fondazione Maugeri tel. +39 (0)382 24444 (h24; it, en)
In England and Wales: NHS 111 - dial 111
In Scotland: NHS 24 - dial 111
In Ireland: Beaumont Hospital - National Poisons Information Centre 01 809 2166 (7days, 8:00 - 22:00)
In South Africa: Poison Information Helpline 0861 555 777

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP):

- ⚠ Warning, Skin Irrit. 2, Causes skin irritation.
- ⚠ Warning, Eye Irrit. 2, Causes serious eye irritation.
- ⚠ Warning, Skin Sens. 1, May cause an allergic skin reaction.
- ⚠ Aquatic Chronic 2, Toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

Safety Data Sheet

Fresca Foglia Travel Cuba



P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P273 Avoid release to the environment.
P280 Wear protective gloves and eye/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P391 Collect spillage.
P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

None

Contains

CARVONE LAEVO (l-carvone)
citral: May produce an allergic reaction.
Menthone: May produce an allergic reaction.
2,4-dimethylcyclohex-3-ene-1-carbaldehyde: May produce an allergic reaction.
d-limonene: May produce an allergic reaction.
Alpha-pinene: May produce an allergic reaction.
Beta Pinene: May produce an allergic reaction.
Linalool: May produce an allergic reaction.
Cineole: May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

>= 5% - < 7% TERPINEOL

REACH No.: 01-2119553062-49, CAS: 8000-41-7, EC: 232-268-1

⚠ 3.2/2 Skin Irrit. 2 H315

⚠ 3.3/2 Eye Irrit. 2 H319

>= 5% - < 7% CARVONE LAEVO (l-carvone)

REACH No.: 01-2119962458-25, CAS: 6485-40-1, EC: 229-352-5

⚠ 3.4.2/1 Skin Sens. 1 H317

>= 3% - < 5% 1,7,7-TRIMETIL-1,2,2- BICICLO-2-EPTENONE (Camfor)

CAS: 76-22-2, EC: 244-350-4

⚠ 2.7/2 Flam. Sol. 2 H228

⚠ 3.1/4/Oral Acute Tox. 4 H302

⚠ 3.1/4/Inhal Acute Tox. 4 H332

⚠ 3.8/2 STOT SE 2 H371

>= 3% - < 5% citral

REACH No.: 01-2119462829-23, Index number: 605-019-00-3, CAS: 5392-40-5, EC: 226-394-6

Safety Data Sheet

Fresca Foglia Travel Cuba



- ⚠ 3.2/2 Skin Irrit. 2 H315
- ⚠ 3.4.2/1 Skin Sens. 1 H317
- ⚠ 3.3/2 Eye Irrit. 2 H319

>= 1% - < 2% 2,4-dimethylcyclohex-3-ene-1-carbaldehyde

REACH No.: 01-2119982384-28, CAS: 68039-49-6, EC: 268-264-1

- ⚠ 3.2/2 Skin Irrit. 2 H315
- ⚠ 3.4.2/1 Skin Sens. 1 H317
- ⚠ 4.1/C2 Aquatic Chronic 2 H411

>= 1% - < 2% ACETATO DI ETILE

REACH No.: 01-2119475103-46, Index number: 607-022-00-5, CAS: 141-78-6, EC: 205-500-4

- ⚠ 2.6/2 Flam. Liq. 2 H225
 - ⚠ 3.3/2 Eye Irrit. 2 H319
 - ⚠ 3.8/3 STOT SE 3 H336
- EUH066

>= 1% - < 2% Menthone

CAS: 89-80-5, EC: 201-941-1

- ⚠ 3.2/2 Skin Irrit. 2 H315
- ⚠ 3.4.2/1 Skin Sens. 1 H317

>= 1% - < 2% d-limonene

REACH No.: 01-2119529223-47, Index number: 601-029-00-7, CAS: 5989-27-5, EC: 227-813-5

- ⚠ 2.6/3 Flam. Liq. 3 H226
- ⚠ 4.1/C1 Aquatic Chronic 1 H410
- ⚠ 3.2/2 Skin Irrit. 2 H315
- ⚠ 3.4.2/1 Skin Sens. 1 H317

>= 0,5% - < 1% Alpha-pinene

REACH No.: 01-2119519223-49, CAS: 80-56-8, EC: 201-291-9

- ⚠ 2.6/3 Flam. Liq. 3 H226
- ⚠ 3.4.2/1 Skin Sens. 1 H317
- ⚠ 3.1/4/Oral Acute Tox. 4 H302
- ⚠ 3.2/2 Skin Irrit. 2 H315
- ⚠ 4.1/A1 Aquatic Acute 1 H400
- ⚠ 3.10/1 Asp. Tox. 1 H304
- ⚠ 4.1/C1 Aquatic Chronic 1 H410

>= 0,5% - < 1% Beta Pinene

REACH No.: 01-2119519230-54, CAS: 127-91-3, EC: 204-872-5

- ⚠ 3.10/1 Asp. Tox. 1 H304
- ⚠ 3.4.2/1 Skin Sens. 1 H317
- ⚠ 2.6/3 Flam. Liq. 3 H226
- ⚠ 4.1/A1 Aquatic Acute 1 H400
- ⚠ 3.2/2 Skin Irrit. 2 H315
- ⚠ 4.1/C1 Aquatic Chronic 1 H410

>= 0,1% - < 0,25% Linalool

REACH No.: 01-2119474016-42, CAS: 78-70-6, EC: 201-134-4

- ⚠ 3.2/2 Skin Irrit. 2 H315
- ⚠ 3.4.2/1B Skin Sens. 1B H317
- ⚠ 3.3/2 Eye Irrit. 2 H319

>= 0,1% - < 0,25% BHT [Butyl hydroxy toluene]

REACH No.: 01-2119565113-46, CAS: 128-37-0, EC: 204-881-4

- ⚠ 4.1/C1 Aquatic Chronic 1 H410

Safety Data Sheet

Fresca Foglia Travel Cuba



>= 0,1% - < 0,25% Cineole

REACH No.: 01-2119967772-24, CAS: 470-82-6, EC: 207-431-5

⚠ 2.6/3 Flam. Liq. 3 H226

⚠ 3.4.2/1B Skin Sens. 1B H317

1 ppb p-cresol

REACH No.: 01-2119448336-36, Index number: 604-004-00-9, CAS: 106-44-5, EC: 203-398-6

⚠ 3.1/3/Dermal Acute Tox. 3 H311

4.1/C3 Aquatic Chronic 3 H412

⚠ 3.1/3/Oral Acute Tox. 3 H301

⚠ 3.2/1B Skin Corr. 1B H314

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

In case of inhalation: move the patient to a well-ventilated area and keep at rest.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Appropriate Extinguishing Media:

To carbon dioxide.

To water.

Not Recommended Extinguishing Media:

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.



SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
 - Wear personal protection equipment.
 - Remove persons to safety.
 - See protective measures under point 7 and 8.
- 6.2. Environmental precautions
 - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
 - Retain contaminated washing water and dispose it.
 - In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
 - Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
 - Wash with plenty of water.
- 6.4. Reference to other sections
 - See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
 - Avoid contact with skin and eyes, inhalation of vapours and mists.
 - Don't use empty container before they have been cleaned.
 - Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
 - Contaminated clothing should be changed before entering eating areas.
 - Do not eat or drink while working.
 - See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities
 - Do not store this material near food and drinks.
 - Keep away from food, drink and feed.
 - None in particular.
 - Instructions as regards storage premises:
 - Adequately ventilated premises.
- 7.3. Specific end use(s)
 - None in particular

SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters
 - 1,7,7-TRIMETIL-1,2,2- BICICLO-2-EPTENONE (Camfor) - CAS: 76-22-2
 - ACGIH - TWA(8h): 2 ppm - STEL: 3 ppm - Notes: A4 - Eye and URT irr, anosmia
 - citral - CAS: 5392-40-5
 - ACGIH - TWA(8h): 5 ppm - Notes: (IFV), Skin, DSEN, A4 - Body weight eff, URT irr, eye dam
 - ACETATO DI ETILE - CAS: 141-78-6
 - ACGIH - TWA(8h): 400 ppm - Notes: URT and eye irr
 - EU - TWA(8h): 734 mg/m³, 200 ppm - STEL: 1468 mg/m³, 400 ppm
 - Alpha-pinene - CAS: 80-56-8
 - ACGIH - TWA(8h): 20 ppm - Notes: DSEN, A4 - Lung irr
 - Beta Pinene - CAS: 127-91-3
 - ACGIH - TWA(8h): 20 ppm - Notes: DSEN, A4 - Lung irr
 - BHT [Butyl hydroxy toluene] - CAS: 128-37-0
 - ACGIH - TWA(8h): 2 mg/m³ - Notes: (IFV), A4 - URT irr
 - p-cresol - CAS: 106-44-5
 - EU - TWA(8h): 22 mg/m³, 5 ppm
 - ACGIH - TWA(8h): 20 mg/m³ - Notes: (IFV), Skin, A4 - URT irr
- DNEL Exposure Limit Values
 - N.A.

Safety Data Sheet
Fresca Foglia Travel Cuba



PNEC Exposure Limit Values
 N.A.
 8.2. Exposure controls
 Eye protection:
 Face protection shield.
 Protection for skin:
 protective clothing
 Protection for hands:
 Compliant with EN 374.
 Respiratory protection:
 Not required under normal conditions of use.
 Thermal Hazards:
 None
 Environmental exposure controls:
 None
 Appropriate engineering controls:
 None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Deodorante in cartonfeltro	--	--
Odour:	N.A.	--	--
Odour threshold:	N.A.	--	--
pH:	N.A.	--	--
Melting point / freezing point:	N.A.	--	--
Initial boiling point and boiling range:	N.A.	--	--
Flash point:	>60°C	--	--
Evaporation rate:	N.A.	--	--
Solid/gas flammability:	N.A.	--	--
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	N.A.	--	--
Vapour density:	N.A.	--	--
Relative density:	0,989-1,009g/ml @20°C	--	--
Solubility in water:	N.A.	--	--
Solubility in oil:	N.A.	--	--

Safety Data Sheet
Fresca Foglia Travel Cuba



Partition coefficient (n-octanol/water):	N.A.	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
Viscosity:	N.A.	--	--
Explosive properties:	N.A.	--	--
Oxidizing properties:	N.A.	--	--

9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	N.A.	--	--
Fat Solubility:	N.A.	--	--
Conductivity:	N.A.	--	--
Substance Groups relevant properties	N.A.	--	--

NA=not applicable

SECTION 10: Stability and reactivity

- 10.1. Reactivity
Stable under normal conditions
- 10.2. Chemical stability
Stable at normal ambient temperatures and when used as recommended.
- 10.3. Possibility of hazardous reactions
None
- 10.4. Conditions to avoid
Stable under normal conditions.
- 10.5. Incompatible materials
None in particular.
- 10.6. Hazardous decomposition products
None.

SECTION 11: Toxicological information

- 11.1. Information on toxicological effects
Toxicological information of the product:
Fresca Foglia Travel Cuba
 - a) acute toxicity

Based on available data, the classification criteria are not met
 - b) skin corrosion/irritation
The product is classified: Skin Irrit. 2 H315
 - c) serious eye damage/irritation
The product is classified: Eye Irrit. 2 H319
 - d) respiratory or skin sensitisation
The product is classified: Skin Sens. 1 H317

Safety Data Sheet

Fresca Foglia Travel Cuba



e) germ cell mutagenicity

Based on available data, the classification criteria are not met

f) carcinogenicity

Based on available data, the classification criteria are not met

g) reproductive toxicity

Based on available data, the classification criteria are not met

h) STOT-single exposure

Based on available data, the classification criteria are not met

i) STOT-repeated exposure

Based on available data, the classification criteria are not met

j) aspiration hazard

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

1,7,7-TRIMETIL-1,2,2- BICICLO-2-EPTENONE (Camfor) - CAS: 76-22-2

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Mouse = 1310 mg/kg

Test: LC50 - Route: Skin - Species: Rat > 70 mg/kg

citral - CAS: 5392-40-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Mouse = 1310 mg/kg

Test: LC50 - Route: Skin - Species: Rat > 70 mg/kg

d-limonene - CAS: 5989-27-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat 4400 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg

Test: LD50 - Route: Oral - Species: Mouse 5600 mg/kg

Alpha-pinene - CAS: 80-56-8

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat 2100 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit 5005 mg/kg

Beta Pinene - CAS: 127-91-3

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 4700 mg/kg

Linalool - CAS: 78-70-6

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat 2.790 mg/kg

Test: LD50 - Route: Oral - Species: Mouse 2.200 mg/kg

Test: LC50 - Route: Inhalation - Species: Mouse Positive - Duration: 1.5h

Test: LD50 - Route: Skin - Species: Rabbit 5.610 mg/kg

b) skin corrosion/irritation:

Test: Skin Irritant - Route: Skin - Species: Rabbit Positive - Duration: 7h

c) serious eye damage/irritation:

Test: Eye Irritant - Route: Skin - Species: Rabbit Positive - Duration: 72h

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Route: Skin - Species: CAVIA Negative

Test: Inhalation Sensitization - Route: Inhalation - Species: CAVIA Negative

e) germ cell mutagenicity:

Test: Mutagenesis - Species: Salmonella Typhimurium Negative

Test: Genotoxicity - Species: Mouse Negative

Safety Data Sheet

Fresca Foglia Travel Cuba



SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

1,7,7-TRIMETIL-1,2,2- BICICLO-2-EPTENONE (Camfor) - CAS: 76-22-2

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 110 mg/l - Duration h: 96

Endpoint: LC50 - Species: Daphnia > 9303 mg/l - Duration h: 48

citral - CAS: 5392-40-5

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae 16 mg/l - Duration h: 72

Endpoint: EC50 - Species: Algae 19 mg/l - Duration h: 96

Endpoint: LC50 - Species: Fish 4.6-10 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia 7 mg/l - Duration h: 48

d-limonene - CAS: 5989-27-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 0.72 mg/l - Duration h: 96

Endpoint: EC50 - Species: Fish 0.688 mg/l - Duration h: 96

Alpha-pinene - CAS: 80-56-8

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 0.28 mg/l - Duration h: 96

BHT [Butyl hydroxy toluene] - CAS: 128-37-0

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia 0.31 mg/l - Duration h: 48

Endpoint: LC50 - Species: Fish 0.57 mg/l - Duration h: 96

12.2. Persistence and degradability

None

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

Additional disposal information:

Reuse if possible. Act in accordance with the local and national laws in force.

SECTION 14: Transport information



14.1. UN number

ADR-UN Number: 3082

IATA-UN Number: 3082

IMDG-UN Number: 3082

14.2. UN proper shipping name

ADR-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.(d-limonene,

Safety Data Sheet

Fresca Foglia Travel Cuba



2,4-dimethylcyclohex-3-ene-1-carbaldehyde)
IATA-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.(d-limonene,
2,4-dimethylcyclohex-3-ene-1-carbaldehyde)
IMDG-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.(d-limonene,
2,4-dimethylcyclohex-3-ene-1-carbaldehyde)

- 14.3. Transport hazard class(es)
ADR-Class: 9
ADR - Hazard identification number: 90
IATA-Class: 9
IATA-Label: 9
IMDG-Class: 9
- 14.4. Packing group
ADR-Packing Group: III
IATA-Packing group: III
IMDG-Packing group: III
- 14.5. Environmental hazards
ADR-Environmental Pollutant: Yes
IMDG-Marine pollutant: Marine Pollutant
- 14.6. Special precautions for user
ADR-Subsidiary risks: -
ADR-S.P.: 274 335 375 601
ADR-Transport category (Tunnel restriction code): 3 (-)
IATA-Passenger Aircraft: 964
IATA-Subsidiary risks: -
IATA-Cargo Aircraft: 964
IATA-S.P.: A97 A158 A197
IATA-ERG: 9L
IMDG-EmS: F-A,
S-F
IMDG-Subsidiary risks: -
IMDG-Stowage and handling: Category A
IMDG-Segregation: -
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code
No
Limited Quantity: 5 L
Exempted Quantity: E1

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) 2015/830
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation

Safety Data Sheet

Fresca Foglia Travel Cuba



(EC) 1907/2006 (REACH) and subsequent modifications:
None

Volatile Organic compounds - VOCs = 3.27 %
Volatile Organic compounds - VOCs = 32.70 g/Kg
Volatile Organic compounds - VOCs = 32.67 g/l

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)
Regulation (EC) nr 648/2004 (detergents).
Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):
Seveso III category according to Annex 1, part 1
Product belongs to category: E2

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out:

None

SECTION 16: Other information

Text of phrases referred to under heading 3:

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H228 Flammable solid.
H302 Harmful if swallowed.
H332 Harmful if inhaled.
H371 May cause damage to organs.
H411 Toxic to aquatic life with long lasting effects.
H225 Highly flammable liquid and vapour.
H336 May cause drowsiness or dizziness.
EUH066 Repeated exposure may cause skin dryness or cracking.
H226 Flammable liquid and vapour.
H410 Very toxic to aquatic life with long lasting effects.
H400 Very toxic to aquatic life.
H304 May be fatal if swallowed and enters airways.
H311 Toxic in contact with skin.
H412 Harmful to aquatic life with long lasting effects.
H301 Toxic if swallowed.
H314 Causes severe skin burns and eye damage.

Hazard class and hazard category	Code	Description
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Flam. Sol. 2	2.7/2	Flammable solid, Category 2
Acute Tox. 3	3.1/3/Dermal	Acute toxicity (dermal), Category 3
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4

Safety Data Sheet
Fresca Foglia Travel Cuba



Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
STOT SE 2	3.8/2	Specific target organ toxicity - single exposure, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method
Skin Sens. 1, H317	Calculation method
Aquatic Chronic 2, H411	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

Safety Data Sheet

Fresca Foglia Travel Cuba



ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NA:	Not applicable
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.