

Safety Data Sheet dated 4/7/2019, version 5

SECTION 1: Identification of the subs	tance/mixture and of the company/undertaking
1.1. Product identifier	tance/mixture and of the company/undertaking
Mixture identification:	
Trade name:	MY WORLD IS GEL PASSION g 9
Trade code:	1508
	bstance or mixture and uses advised against
Recommended use:	
Car air freshener	
1.3. Details of the supplier of the safet	v data sheet
Supplier:	,
Arexons S.p.A.	
via Antica di Cassano, 23, 2006	3
Cernusco sul Naviglio (MI), Italy	
Arexons S.p.A.	
Tel. +39 (0)2/924361 - Fax +39	(0)2/92436306
Competent person responsible for the	
arexons@arexons.it	
1.4. Emergency telephone number	
Arexons S.p.A.	
Tel. +39 (0)2/924361 - Fax +39	(0)2/92436306
Centro Antiveleni di Pavia IRCO	S- Fondazione Maugeri tel. +39 (0)382 24444 (h24; it, en)
In England and Wales: NHS 11	1 - dial 111
In Scotland: NHS 24 - dial 111	
In Ireland: Beaumont Hospital -	National Poisons Information Centre 01 809 2166 (7days, 8:00 -
22:00)	
In South Africa: Poison Informa	tion Helpline 0861 555 777

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture EC regulation criteria 1272/2008 (CLP):

Warning, Flam. Sol. 2, Flammable solid.

Warning, Skin Sens. 1, May cause an allergic skin reaction.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H228 Flammable solid.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

1508/5

Page n. 1 of 13



smoking.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P370+P378 In case of fire, use a foam fire extinguisher to extinguish.

P501 Dispose of contents/container in accordance with applicable regulations. Special Provisions:

PACK2 The packing must have tactive indications of danger for blind people. Contains

3,7-dimethyl-3-octanol

d-limonene: May produce an allergic reaction.

Ciclohexanol-4-(1,1-dimethylethyl)-acetate: May produce an allergic reaction. STANNANE, DIBUTYLBIS[81-OXODODECYL): May produce an allergic reaction. 5-PHENYL-3-METHYL-2-PENTENONITRILE: May produce an allergic reaction. methyl 2-octynoate: May produce an allergic reaction. 2-BUTEN-1-ONE-(2,6,6-TRIMETHYL-1,3-CYCLOHEXADIEN): May produce an allergic

reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

PBT Substances:

>= 0.25% - < 0.5% Octamethylcyclotetrasiloxane - Index number: 014-018-00-1, CAS: 556-67-2, EC: 209-136-7

vPvB Substances:

>= 0.25% - < 0.5% Octamethylcyclotetrasiloxane - Index number: 014-018-00-1, CAS: 556-67-2, EC: 209-136-7

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification: >= 3% - < 5% 2-TERT-BUTYLCYCLOHEXYL ACETATE

- >= 3% < 5% DIPROPYLENEGLYCOL MONOMETHYLETHER REACH No.: 01-2119450011-60, CAS: 34590-94-8, EC: 252-104-2 Substance with a Union workplace exposure limit.
- >= 2% < 3% BENZYL ACETATE REACH No.: 01-2119638272-42, CAS: 140-11-4, EC: 205-399-7 4.1/C3 Aquatic Chronic 3 H412

- 3.3/2 Eye Irrit. 2 H319
- ✓ 3.3/2 Eye IIII. 2 H3 19

1508/5 Page n. 2 of 13

3.3/2 Eye Irrit. 2 H319



3.1/4/Inhal Acute Tox. 4 H332 1.8/3 STOT SE 3 H335 >= 0.5% - < 1% d-limonene Index number: 601-029-00-7, CAS: 138-86-3, EC: 205-341-0 2.6/3 Flam. Liq. 3 H226 3.10/1 Asp. Tox. 1 H304 1.2/2 Skin Irrit. 2 H315 3.4.2/1B Skin Sens. 1B H317 4.1/A1 Aquatic Acute 1 H400 4.1/C1 Aquatic Chronic 1 H410 >= 0.5% - < 1% Ciclohexanol-4-(1,1-dimethylethyl)-acetate CAS: 32210-23-4. EC: 250-954-9 3.4.2/1B Skin Sens. 1B H317 >= 0.25% - < 0.5% Octamethylcyclotetrasiloxane Index number: 014-018-00-1, CAS: 556-67-2, EC: 209-136-7 3.7/2 Repr. 2 H361 4.1/C4 Aquatic Chronic 4 H413 >= 0.1% - < 0.25% 3-Decen-5-ol, 4-methyl-CAS: 81782-77-6, EC: 279-815-0 4.1/A1 Aquatic Acute 1 H400 4.1/C2 Aquatic Chronic 2 H411 >= 0.1% - < 0.25% STANNANE, DIBUTYLBIS[81-OXODODECYL) CAS: 77-58-7 3.2/1C Skin Corr. 1C H314 1 3.4.2/1 Skin Sens. 1 H317 3.5/2 Muta. 2 H341 3.7/1B Repr. 1B H360 3.8/1 STOT SE 1 H370 3.9/1 STOT RE 1 H372 4.1/A1 Aquatic Acute 1 H400 4 1/C1 Aquatic Chronic 1 H410 >= 0.05% - < 0.1% 5-PHENYL-3-METHYL-2-PENTENONITRILE CAS: 93893-89-1 3.4.2/1A Skin Sens. 1A H317 4.1/C3 Aquatic Chronic 3 H412 >= 0.02% - < 0.05% methyl 2-octynoate CAS: 111-12-6 4.1/A1 Aguatic Acute 1 H400 4.1/C2 Aquatic Chronic 2 H411 3.4.2/1A Skin Sens. 1A H317 >= 0.01% - < 0.02% 2-BUTEN-1-ONE-(2,6,6-TRIMETHYL-1,3-CYCLOHEXADIEN) CAS: 23696-85-7 1.2/2 Skin Irrit. 2 H315 1 3.4.2/1A Skin Sens. 1A H317 4.1/C2 Aquatic Chronic 2 H411 SVHC Substances:

1508/5 Page n. 3 of 13



>= 0.25% - < 0.5% Octamethylcyclotetrasiloxane Index number: 014-018-00-1, CAS: 556-67-2, EC: 209-136-7 Substance PBT and vPvB and SVHC

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose off safely.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do NOT induce vomiting.

- In case of Inhalation:
 - Remove casualty to fresh air and keep warm and at rest.
- 4.2. Most important symptoms and effects, both acute and delayed None

4.3. Indication of any immediate medical attention and special treatment needed In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Appropriate Extinguishing Media: To carbon dioxide. Foam Water spray. Not Recommended Extinguishing Media: Do not use direct water jets.

- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove all sources of ignition. Remove persons to safety. See protective measures under point 7 and 8.
6.2. Environmental precautions Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

- Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up Wash with plenty of water.
- 6.4. Reference to other sections

1508/5

Page n. 4 of 13



See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling
Avoid contact with skin and eyes, inhalation of vapours and mists.
Don't use empty container before they have been cleaned.
Before making transfer operations, assure that there aren't any incompatible material residuals
in the containers.
See also section 8 for recommended protective equipment.
Advice on general occupational hygiene:
Contamined clothing should be changed before entering eating areas.
Do not eat or drink while working.
7.2. Conditions for safe storage, including any incompatibilities
Store in hermetically sealed containers, preferably in a cool place, away from sources of heat
and direct sunlight.
Only store in the original container.
Store at below 50 °C. Keep away from unguarded flame and heat sources. Avoid direct
exposure to sunlight.
Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight. Keep away from food, drink and feed.
None in particular.
Instructions as regards storage premises:
Cool and adequately ventilated.
7.3. Specific end use(s)
None in particular
SECTION 8: Exposure controls/personal protection
8.1. Control parameters
DIPROPYLENEGLYCOL MONOMETHYLETHER - CAS: 34590-94-8
EU - TWA(8h): 308 mg/m3, 50 ppm - Notes: Skin
ACGIH - TWA(8h): 100 ppm - STEL: 150 ppm - Notes: Skin - Eye and URT irr, CNS
impair
BENZYL ACETATE - CAS: 140-11-4
ACGIH - TWA(8h): 10 ppm - Notes: A4 - URT irr
TETRAETHOXY SILANE - CAS: 78-10-4
VLEP - TWA(8h): 86 mg/m3
EU - TWA(8h): 44 mg/m3, 5 ppm
ACGIH - TWÁ(8h): 10 ppm - Notes: URT and eye irr, kidney dam
d-limonene - CAS: 138-86-3
TLV TWA - 1320 mg/m3
STANNANE, DIBUTYLBIS[81-OXODODECYL) - CAS: 77-58-7
VLEP - TWA(8h): 1 mg/m3 - Notes: China
DNEL Exposure Limit Values
N.A.
PNEC Exposure Limit Values
N.A.
8.2. Exposure controls
Eye protection:
Safety goggles.
Compliant with EN 166
Protection for skin:
No special precaution must be adopted for normal use.
Protection for hands:
Nitrile or Viton gloves.
Compliant with EN 374.
Respiratory protection:
In case of insufficient ventilation, use adequate respiratory protection equipment.
1508/5

Page n. 5 of 13



Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Solid Purple		
Odour:	Characteristic		
Odour threshold:	N.A.		
pH:	N.A.		
Melting point / freezing point:	N.A.		
Initial boiling point and boiling range:	N.A.		
Flash point:	72°C		
Evaporation rate:	N.A.		
Solid/gas flammability:	N.A.		
Upper/lower flammability or explosive limits:	N.A.		
Vapour pressure:	N.A.		
Vapour density:	N.A.		
Relative density:	N.A.		
Solubility in water:	N.A.		
Solubility in oil:	N.A.		
Partition coefficient (n- octanol/water):	N.A.		
Auto-ignition temperature:	N.A.		
Decomposition temperature:	N.A.		
Viscosity:	493 mm2/s		
Explosive properties:	N.A.		
Oxidizing properties:	N.A.		

1508/5 Page n. 6 of 13



9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	N.A.		
Fat Solubility:	N.A.		
Conductivity:	N.A.		
Substance Groups relevant properties	N.A.		

NA=not applicable

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - Stable under normal conditions
- 10.2. Chemical stability
 - Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid Excessive heat. Flames and other sources of ignition.
- 10.5. Incompatible materials
 - Avoid contact with combustible materials. The product could catch fire.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects Toxicological information of the product: MY WORLD IS GEL PASSION g 9 a) acute toxicity

Based on available data, the classification criteria are not met b) skin corrosion/irritation

Based on available data, the classification criteria are not met c) serious eye damage/irritation

Based on available data, the classification criteria are not met d) respiratory or skin sensitisation

The product is classified: Skin Sens. 1 H317

e) germ cell mutagenicity

Based on available data, the classification criteria are not met f) carcinogenicity

Based on available data, the classification criteria are not met g) reproductive toxicity

Based on available data, the classification criteria are not met h) STOT-single exposure

1508/5 Page n. 7 of 13



Based on available data, the classification criteria are not met i) STOT-repeated exposure

Based on available data, the classification criteria are not met j) aspiration hazard

Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product: 3,7-dimethyl-3-octanol - CAS: 78-69-3 a) acute toxicity: Test: LD50 - Route: Skin > 5000 mg/kg Test: LD50 - Route: Oral > 5000 mg/kg Test: LC50 - Route: Inhalation > 100 mg/l **TETRAETHOXY SILANE - CAS: 78-10-4** a) acute toxicity: Test: LD50 - Route: Skin > 5000 mg/kg Test: LD50 - Route: Oral > 5000 mg/kg Test: LC50 - Route: Inhalation = 11 mg/l d-limonene - CAS: 138-86-3 a) acute toxicity: Test: LD50 - Route: Skin > 5000 Test: LD50 - Route: Oral > 5000 Test: LC50 - Route: Inhalation > 100 Ciclohexanol-4-(1,1-dimethylethyl)-acetate - CAS: 32210-23-4 a) acute toxicity: Test: LD50 - Route: Skin > 5000 mg/kg Test: LD50 - Route: Oral = 3370 mg/kg Test: LC50 - Route: Inhalation > 100 mg/l Octamethylcyclotetrasiloxane - CAS: 556-67-2 a) acute toxicity: Test: LD50 - Route: Skin > 5000 mg/kg Test: LD50 - Route: Oral > 5000 mg/kg Test: LC50 - Route: Inhalation > 100 mg/l STANNANE, DIBUTYLBIS[81-OXODODECYL) - CAS: 77-58-7 a) acute toxicity: Test: LD50 - Route: Skin > 5000 mg/kg Test: LD50 - Route: Oral > 5000 mg/kg Test: LC50 - Route: Inhalation > 100 mg/l 5-PHENYL-3-METHYL-2-PENTENONITRILE - CAS: 93893-89-1 a) acute toxicity: Test: LD50 - Route: Skin > 5000 mg/kg Test: LD50 - Route: Oral = 500 mg/kg Test: LC50 - Route: Inhalation > 100 mg/l methyl 2-octynoate - CAS: 111-12-6 a) acute toxicity: Test: LD50 - Route: Skin > 5000 mg/kg Test: LD50 - Route: Oral = 1530 mg/kg Test: LC50 - Route: Inhalation > 100 mg/l 2-BUTEN-1-ONE-(2,6,6-TRIMETHYL-1,3-CYCLOHEXADIEN) - CAS: 23696-85-7 a) acute toxicity: Test: LD50 - Route: Skin = 2900 mg/kg Test: LD50 - Route: Oral > 5000 mg/kg Test: LC50 - Route: Inhalation > 100 mg/l

SECTION 12: Ecological information 12.1. Toxicity

1508/5 Page n. 8 of 13



Adopt good working practices, so that the product is not released into the environment. N.A.

12.2. Persistence and degradability None

N.A.

12.3. Bioaccumulative potential

N.A.

- 12.4. Mobility in soil N.A.
- 12.5. Results of PBT and vPvB assessment PBT Substances:
 - >= 0.25% < 0.5% Octamethylcyclotetrasiloxane CAS: 556-67-2 vPvB Substances:
 - >= 0.25% < 0.5% Octamethylcyclotetrasiloxane CAS: 556-67-2
- 12.6. Other adverse effects None

SECTION 13: Disposal considerations

13.1. Waste treatment methods
 Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

 Additional disposal information:

Reuse if possible. Act in accordance with the local and national laws in force.

SECTION 14: Transport information



•		
14.1.	UN number ADR-UN Number: IATA-UN Number: IMDG-UN Number:	1325 1325 1325
14.2.	UN proper shipping name ADR-Shipping Name: ADR-Shipping Name: IATA-Shipping Name: IMDG-Shipping Name:	FLAMMABLE SOLID, ORGANIC, N.O.S SOLID ORGANIC FLAMMABLE N.O.S FLAMMABLE SOLID, ORGANIC, N.O.S FLAMMABLE SOLID, ORGANIC, N.O.S
14.3.	Transport hazard class(es) ADR-Class: ADR - Hazard identification num IATA-Class: IATA-Label: IMDG-Class:	4.1 nber: 40 4.1 4.1 4.1
	Packing group ADR-Packing Group: IATA-Packing group: IMDG-Packing group: Environmental hazards	
	ADR-Environmental Pollutant: IMDG-Marine pollutant: Special precautions for user ADR-Subsidiary hazards:	No No
1508/5	ADR-S.P.: ADR-Transport category (Tunn	274 el restriction code): 2 (E)

Page n. 9 of 13



IATA-Passenger Aircraft: 445 IATA-Subsidiary hazards: IATA-Cargo Aircraft: 448 A3 A803 IATA-S.P.: IATA-ERG: 3L IMDG-EmS: F-A, S-G IMDG-Subsidiary hazards: IMDG-Stowage and handling: Category B IMDG-Segregation: 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code No Limited Quantity: 1 kg Exempted Quantity: E2

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: **Restriction 40** Restrictions related to the substances contained: Restriction 70 Volatile Organic compounds - VOCs = 21.00 % Volatile Organic compounds - VOCs = 209.96 g/Kg Volatile Organic compounds - VOCs = 190.22 g/l Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) SVHC Substances: Substances in candidate list (Art. 59 Reg. 1907/2006, REACH): Octamethylcyclotetrasiloxane PBT, vPvB Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None 15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture. Substances for which a Chemical Safety Assessment has been carried out:

1508/5 Page n. 10 of 13



None

SECTION 16: Other information

Text of phrases referred to under heading 3: H361 Suspected of damaging fertility or the unborn child. H413 May cause long lasting harmful effects to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H226 Flammable liquid and vapour. H332 Harmful if inhaled. H335 May cause respiratory irritation. H304 May be fatal if swallowed and enters airways. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H314 Causes severe skin burns and eye damage. H341 Suspected of causing genetic defects. H360 May damage fertility or the unborn child.

H370 Causes damage to organs.

H372 Causes damage to organs through prolonged or repeated exposure.

H302 Harmful if swallowed.

Hazard class and hazard category	Code	Description
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Flam. Sol. 2	2.7/2	Flammable solid, Category 2
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Skin Corr. 1C	3.2/1C	Skin corrosion, Category 1C
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1A	3.4.2/1A	Skin Sensitisation, Category 1A
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Muta. 2	3.5/2	Germ cell mutagenicity, Category 2
Repr. 1B	3.7/1B	Reproductive toxicity, Category 1B
Repr. 2	3.7/2	Reproductive toxicity, Category 2
STOT SE 1	3.8/1	Specific target organ toxicity - single exposure, Category 1



STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
STOT RE 1	3.9/1	Specific target organ toxicity - repeated exposure, Category 1
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3
Aquatic Chronic 4	4.1/C4	Chronic (long term) aquatic hazard, category 4

Paragraphs modified from the previous revision:

SECTION 2: Hazards identification SECTION 3: Composition/information on ingredients SECTION 7: Handling and storage SECTION 12: Ecological information SECTION 14: Transport information SECTION 15: Regulatory information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Flam. Sol. 2, H228	On basis of test data
Skin Sens. 1, H317	Calculation method
Aquatic Chronic 3, H412	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of
	Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical
	Society).
CLP:	Classification, Labeling, Packaging.

1508/5 Page n. 12 of 13



DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport
	Association" (IATA).
ICAO:	International Civil Áviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization"
	(ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NA:	Not applicable
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods
	by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.