

Safety Data Sheet dated 4/7/2019, version 6

	substance/mixture and of the company/undertaking
1.1. Product identifier	
Mixture identification:	
Trade name:	FRESCA FOGLIA BOCCETTINO POUR HOMME ML 4,5
Trade code:	1579
	the substance or mixture and uses advised against
 1.3. Details of the supplier of the 	e safety data sheet
Supplier:	
Arexons S.p.A.	
via Antica di Cassano, 23	, 20063
Cernusco sul Naviglio (MI	l), Italy
Arexons S.p.A.	
Tel. +39 (0)2/924361 - Fa	ix +39 (0)2/92436306
Competent person responsible f	for the safety data sheet:
arexons@arexons.it	•
1.4. Emergency telephone numb	per
Arexons S.p.A.	
Tel. +39 (0)2/924361 - Fa	ux +39 (0)2/92436306
	a IRCCS- Fondazione Maugeri tel. +39 (0)382 24444 (h24; it, en)
In England and Wales: N	
In Scotland: NHS 24 - dia	
In Ireland: Beaumont Hos	pital - National Poisons Information Centre 01 809 2166 (7days, 8:00 -
22:00)	
,	formation Helpline 0861 555 777

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP):

Warning, Skin Irrit. 2, Causes skin irritation.

Warning, Eye Irrit. 2, Causes serious eye irritation.

Warning, Skin Sens. 1B, May cause an allergic skin reaction.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements Hazard pictograms:



Warning

Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves and eye/face protection.

P501 Dispose of contents/container in accordance with applicable regulations.

1579/6

Page n. 1 of 10

Safety Data Sheet arexons	
FRESCA FOGLIA BOCCETTINO POUR HOMME	
ML 4,5	
Special Provisions: None	
Contains Linalool	
	Caryophy
	May produce
	an allergic
Special provisions according to Annex XVII of REACH and subsequent amendments: None	reaction.
2.3. Other hazards vPvB Substances: None - PBT Substances: None	
Other Hazards: No other hazards	
SECTION 3: Composition/information on ingredients 3.1. Substances	-
N.A. 3.2. Mixtures	
Hazardous components within the meaning of the CLP regulation and related classification: >= 70% - < 80% Dipropylen glycol methyl ether REACH No.: 01-2119450011-60, CAS: 34590-94-8, EC: 252-104-2 Substance with a Union workplace exposure limit.	
>= 7% - < 10% 2,6-dimethyloct-7-en-2-ol REACH No.: 01-2119457274-37, CAS: 18479-58-8, EC: 242-362-4 ∲ 3.2/2 Skin Irrit. 2 H315 ∲ 3.3/2 Eye Irrit. 2 H319	
>= 3% - < 5% Linalyl acetate REACH No.: 01-2119454789-19, CAS: 115-95-7, EC: 204-116-4	
>= 3% - < 5% ALLYL ISOAMYLHOXY ACETATE CAS: 67634-00-8, EC: 266-803-5	
>= 3% - < 5% Linalool REACH No.: 01-2119474016-42, CAS: 78-70-6, EC: 201-134-4	
>= 3% - < 5% Cineole CAS: 470-82-6 ∲ 2.6/3 Flam. Liq. 3 H226 ∲ 3.4.2/1B Skin Sens. 1B H317	
>= 3% - < 5% ISOBUTYL SALICYLATE CAS: 87-19-4, EC: 201-729-9	
1579/6 Page n. 2 of 10	



3.1/4/Oral Acute Tox. 4 H302

- >= 3% < 5% BENZYL ACETATE CAS: 140-11-4 4.1/C3 Aquatic Chronic 3 H412

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Appropriate Extinguishing Media:

Not Recommended Extinguishing Media:

5.2. Special hazards arising from the substance or mixture

- Do not inhale explosion and combustion gases.
- Burning produces heavy smoke.
- 5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

1579/6 Page n. 3 of 10



Wear personal protection equipment. Remove persons to safety. See protective measures under point 7 and 8.

- 6.2. Environmental precautions
 - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

- Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
 - Wash with plenty of water.
- 6.4. Reference to other sections
 - See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

- Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed.
 None in particular.
 Instructions as regards storage premises:
 Adequately ventilated premises.
- 7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters Dipropylen glycol methyl ether - CAS: 34590-94-8 20101.10 - TWA(8h): 308 mg/m3, 50 ppm EU - TWA(8h): 308 mg/m3, 50 ppm - Notes: Skin ACGIH - TWA(8h): 100 ppm - STEL: 150 ppm - Notes: Skin - Eye and URT irr, CNS impair BENZYL ACETATE - CAS: 140-11-4 ACGIH - TWA(8h): 10 ppm - Notes: A4 - URT irr **DNEL Exposure Limit Values** Dipropylen glycol methyl ether - CAS: 34590-94-8 Consumer: 1.67 mg/kg - Exposure: Human Oral - Frequency: Long Term, local effects Consumer: 1.67 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects Worker Professional: 310 mg/m3 - Consumer: 37.2 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects Worker Professional: 65 mg/kg - Consumer: 15 mg/kg - Exposure: Human Dermal -Frequency: Long Term, systemic effects **PNEC Exposure Limit Values** Dipropylen glycol methyl ether - CAS: 34590-94-8 Target: Fresh Water - Value: 19 mg/l Target: Marine water - Value: 1.9 mg/l Target: Marine water sediments - Value: 7.02 mg/kg Target: Freshwater sediments - Value: 70.2 mg/kg Target: 09 - Value: 4168 mg/l 1579/6



8.2. Exposure controls Eye protection: Use close fitting safety goggles, don't use eye lens. Protection for skin: Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton. Protection for hands: Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. Respiratory protection: Not needed for normal use. Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Liquid Light		
Odour:	Characteristic		
Odour threshold:	N.A.		
pH:	N.A.		
Melting point / freezing point:	N.A.		
Initial boiling point and boiling range:	N.A.		
Flash point:	N.A.		
Evaporation rate:	N.A.		
Solid/gas flammability:	76°C		
Upper/lower flammability or explosive limits:	N.A.		
Vapour pressure:	N.A.		
Vapour density:	N.A.		
Relative density:	0,920 - 0,959		
Solubility in water:	N.A.		
Solubility in oil:	N.A.		
Partition coefficient (n- octanol/water):	N.A.		



Auto-ignition temperature:	N.A.	
Decomposition temperature:	N.A.	
Viscosity:	N.A.	
Explosive properties:	N.A.	
Oxidizing properties:	N.A.	

9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	N.A.		
Fat Solubility:	N.A.		
Conductivity:	N.A.		
Substance Groups relevant properties	N.A.		

NA=not applicable

SECTION 10: Stability and reactivity

- 10.1. Reactivity
- Stable under normal conditions 10.2. Chemical stability
- Stable under normal conditions
- 10.3. Possibility of hazardous reactions
- 10.4. Conditions to avoid
 - Stable under normal conditions.
- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

- Toxicological information of the product: FRESCA FOGLIA BOCCETTINO POUR HOMME ML 4,5 a) acute toxicity

 - Based on available data, the classification criteria are not met
 - b) skin corrosion/irritation
 - The product is classified: Skin Irrit. 2 H315
 - c) serious eye damage/irritation
 - The product is classified: Eye Irrit. 2 H319
 - d) respiratory or skin sensitisation
 - The product is classified: Skin Sens. 1B H317
 - e) germ cell mutagenicity

Based on available data, the classification criteria are not met f) carcinogenicity

1579/6 Page n. 6 of 10



Based on available data, the classification criteria are not met g) reproductive toxicity

Based on available data, the classification criteria are not met h) STOT-single exposure

Based on available data, the classification criteria are not met i) STOT-repeated exposure

Based on available data, the classification criteria are not met j) aspiration hazard

Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product: Dipropylen glycol methyl ether - CAS: 34590-94-8 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 4000 mg/kg Test: LD50 - Route: Skin - Species: Rabbit 9510 mg/kg Test: LC50 - Route: Inhalation - Species: Rat 3.35 mg/l - Duration: 4h 2,6-dimethyloct-7-en-2-ol - CAS: 18479-58-8 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 3600 mg/kg Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg Linalyl acetate - CAS: 115-95-7 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 9000 mg/kg Test: LD50 - Route: Oral - Species: Mouse = 12000 mg/kg Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg

SECTION 12: Ecological information

12.1. Toxicity Adopt good working practices, so that the product is not released into the environment. Dipropylen glycol methyl ether - CAS: 34590-94-8 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish 10000 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia 1919 mg/l - Duration h: 48 Endpoint: CE5 - Species: Algae 4168 mg/l - Duration h: 72 2,6-dimethyloct-7-en-2-ol - CAS: 18479-58-8 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish > 4.81 mg/l - Duration h: 96 Endpoint: LC50 - Species: Daphnia = 5.70 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae = 3.88 mg/l - Duration h: 72 Linalyl acetate - CAS: 115-95-7 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 11 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia = 15 mg/l - Duration h: 48 Endpoint: NOEC - Species: Algae = 9.6 mg/l - Duration h: 72 12.2. Persistence and degradability None Dipropylen glycol methyl ether - CAS: 34590-94-8 Biodegradability: Readily biodegradable - %: 1000-10000 12.3. Bioaccumulative potential Dipropylen glycol methyl ether - CAS: 34590-94-8 Bioaccumulation: Not bioaccumulative - Test: Kow - Partition coefficient 0.0043 12.4. Mobility in soil 1579/6

Page n. 7 of 10



- N.A. 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None 12.6. Other adverse effects
 - None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

- 14.2. UN proper shipping name
 - N.A.
- 14.3. Transport hazard class(es) N.A.
- 14.4. Packing group N.A.
- 14.5. Environmental hazards ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No
- 14.6. Special precautions for user NΑ
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code No

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: **Restriction 3 Restriction 40** Restrictions related to the substances contained: No restriction.

1579/6 Page n. 8 of 10

Safety Data Sheet



FRESCA FOGLIA BOCCETTINO POUR HOMME

ML 4,5

Volatile Organic compounds - VOCs = 61.45 % Volatile Organic compounds - VOCs = 614.49 g/Kg Volatile Organic compounds - VOCs = 580.08 g/I Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture. Substances for which a Chemical Safety Assessment has been carried out: None

SECTION 16: Other information

Text of phrases referred to under heading 3:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H226 Flammable liquid and vapour.

H412 Harmful to aquatic life with long lasting effects.

H304 May be fatal if swallowed and enters airways.

Hazard class and hazard category	Code	Description
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Paragraphs modified from the previous revision:

SECTION 2: Hazards identification SECTION 3: Composition/information on ingredients SECTION 7: Handling and storage SECTION 15: Regulatory information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:



Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method
Skin Sens. 1B, H317	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of
A T C	Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical
CLP:	Society). Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	
GHS:	Globally Harmonized System of Classification and Labeling of
Ono.	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport
	Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization"
	(ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NA:	Not applicable
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods
0751	by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.