

Safety Data Sheet dated 19/5/2022, version 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: ZEN ESSENCE ORCHID

Trade code: 1797

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Car air freshener

1.3. Details of the supplier of the safety data sheet

Supplier:

Arexons S.p.A.

via Antica di Cassano, 23, 20063

Cernusco sul Naviglio (MI), Italy

Arexons S.p.A.

Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306

Competent person responsible for the safety data sheet:

arexons@arexons.it

1.4. Emergency telephone number

Arexons S.p.A.

Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

In Ireland: Beaumont Hospital - National Poisons Information Centre 01 809 2166 (7days, 8:00 -

22:00)

In South Africa: Poison Information Helpline 0861 555 777

In Malta: emergency number 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP):

- Warning, Skin Irrit. 2, Causes skin irritation.
- ♦ Warning, Eye Irrit. 2, Causes serious eye irritation.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

1797/8

Page n. 1 of 13



P273 Avoid release to the environment.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eve irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

EUH208 Contains

[3R-(3a,3aß,6ß,7ß,8aa)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene. May produce an allergic reaction.

EUH208 Contains 3,4,5,6,6,PENTAMETHYLHEPT-3-EN-2-ONE (and isomers). May produce an allergic reaction.

EUH208 Contains 2-METHOXY-4-(PROP-1-ENYL) PHENOL. May produce an allergic reaction. EUH208 Contains DELTA DAMASCONE. May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1% Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

>= 50% - < 60% DIPROPYLENEGLYCOL MONOMETHYLETHER

REACH No.: 01-2119450011-60, CAS: 34590-94-8, EC: 252-104-2

Substance with a Union workplace exposure limit.

>= 10% - < 12.5% 1-HEXANOL,3,5,5-TRIMETHYL-,1 ACETATE

REACH No.: 01-2119972325-34, CAS: 58430-94-7, EC: 261-245-9

3.2/2 Skin Irrit. 2 H315

4.1/C2 Aquatic Chronic 2 H411

>= 3% - < 5% Tetrahydro-4-methyl-2-(2-methylpropyl)-2H-pyran-4-ol

REACH No.: 01-0000015458-64, CAS: 63500-71-0, EC: 405-040-6

4 3.3/2 Eye Irrit. 2 H319

>= 3% - < 5% BENZYL ACETATE

REACH No.: 01-2119638272-42, CAS: 140-11-4, EC: 205-399-7

4.1/C3 Aquatic Chronic 3 H412

>= 3% - < 5% Dimethyl benzyl carbinyl acetate

CAS: 151-05-3, EC: 205-781-3 4.1/C3 Aquatic Chronic 3 H412

>= 1% - < 2% Patchouli Essence

REACH No.: 01-2119967775-18, CAS: 8014-09-3, EC: 282-493-4

♦ 3.10/1 Asp. Tox. 1 H304

4.1/C2 Aquatic Chronic 2 H411



>= 1% - < 2% 3-methyl-h-(2,2,3-trimethyl-3-cyclopenten-1-yl)-4-penten-2-ol (& isomers)

REACH No.: 01-2119940039-39, CAS: 67801-20-1, EC: 267-140-4

4.1/C2 Aquatic Chronic 2 H411

>= 1% - < 2% Phenylethyl alcohol

REACH No.: 01-2119963921-31, CAS: 60-12-8, EC: 200-456-2

3.1/4/Oral Acute Tox. 4 H302

◆ 3.3/2 Eye Irrit. 2 H319

>= 0.5% - < 1%

[3R-(3a,3aß,6ß,7ß,8aa)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene

CAS: 19870-74-7, EC: 243-384-7 3.4.2/1B Skin Sens. 1B H317

>= 0.5% - < 1% ISOBUTYL SALICYLATE

REACH No.: 01-2120767470-53, CAS: 87-19-4, EC: 201-729-9

◆ 3.1/4/Oral Acute Tox. 4 H302

4.1/C1 Aquatic Chronic 1 H410

>= 0.5% - < 1% p-METILANISOLE

REACH No.: 01-2119513371-52, CAS: 104-93-8, EC: 203-253-7

◆ 3.1/4/Oral Acute Tox. 4 H302

3.2/2 Skin Irrit. 2 H315

♦ 3.7/2 Repr. 2 H361

>= 0.5% - < 1% 3,4,5,6,6,PENTAMETHYLHEPT-3-EN-2-ONE (and isomers)

REACH No.: 01-2119980043-42, CAS: 81786-75-6, EC: 279-825-5

3.4.2/1 Skin Sens. 1 H317

4.1/C2 Aquatic Chronic 2 H411

>= 0.05% - < 0.1% 2-METHOXY-4-(PROP-1-ENYL) PHENOL

CAS: 97-54-1, EC: 202-590-7

◆ 3.1/4/Dermal Acute Tox. 4 H312

◆ 3.1/4/Oral Acute Tox. 4 H302

4 3.2/2 Skin Irrit. 2 H315

◆ 3.3/2 Eye Irrit. 2 H319

3.4.2/1A Skin Sens. 1A H317

>= 0.02% - < 0.05% DELTA DAMASCONE

CAS: 57378-68-4, EC: 260-709-8

3.1/4/Oral Acute Tox. 4 H302

♦ 4.1/A1 Aquatic Acute 1 H400

3.2/2 Skin Irrit. 2 H315

3.4.2/1A Skin Sens. 1A H317

4.1/C1 Aquatic Chronic 1 H410

6 ppb toluene

REACH No.: 01-2119471310-51, CAS: 108-88-3, EC: 203-625-9

2.6/2 Flam. Liq. 2 H225

◆ 3.8/3 STOT SE 3 H336

♦ 3.10/1 Asp. Tox. 1 H304



3.7/2 Repr. 2 H361
 3.9/2 STOT RE 2 H373

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Appropriate Extinguishing Media:

To water.

To carbon dioxide.

Not Recommended Extinguishing Media:

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Suitable material for taking up: absorbing material, organic, sand



6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Do not store this material near food and drinks.

Keep away from food, drink and feed.

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DIPROPYLENEGLYCOL MONOMETHYLETHER - CAS: 34590-94-8

EU - TWA(8h): 308 mg/m3, 50 ppm - Notes: Skin

ACGIH - TWA(8h): 100 ppm - STEL: 150 ppm - Notes: Skin - Eye and URT irr, CNS

impair

BENZYL ACETATE - CAS: 140-11-4

ACGIH - TWA(8h): 10 ppm - Notes: A4 - URT irr

toluene - CAS: 108-88-3

EU - TWA(8h): 192 mg/m3, 50 ppm - STEL: 384 mg/m3, 100 ppm - Notes: Skin

ACGIH - TWA(8h): 20 ppm - Notes: A4, BEI - Visual impair, female repro, pregnancy loss

DNEL Exposure Limit Values

Tetrahydro-4-methyl-2-(2-methylpropyl)-2H-pyran-4-ol - CAS: 63500-71-0

Worker Industry: 12.2 mg/m3 - Consumer: 3.62 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects - Notes: ECHA

Worker Industry: 3.47 mg/kg - Consumer: 2.08 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects - Notes: ECHA

Consumer: 1.04 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

- Notes: ECHA

BENZYL ACETATE - CAS: 140-11-4

Worker Industry: 21.9 mg/m3 - Consumer: 5.5 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects - Notes: ECHA

Worker Industry: 6.25 mg/kg - Consumer: 3.125 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects - Notes: ECHA

Consumer: 3.125 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic

effects - Notes: ECHA

PNEC Exposure Limit Values

N.A.

8.2. Exposure controls

Eye protection:

Safety goggles.



Compliant with EN 166

Protection for skin:

protective clothing

Protection for hands:

PVC (polyvinyl chloride).

Neoprene.

Nitrile.

Compliant with EN 374.

Respiratory protection:

Not required under normal conditions of use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid		
Colour:	Light yellow		
Odour:	Characteristic		
Melting point/freezing point:	N.A.		
Boiling point or initial boiling point and boiling range:	N.A.		
Flammability:	N.A.		
Lower and upper explosion limit:	N.A.		
Flash point:	>61°C		
Auto-ignition temperature:	N.A.		
Decomposition temperature:	N.A.		
pH:	N.A.		
Kinematic viscosity:	N.A.		
Solubility in water:	N.A.		
Solubility in oil:	N.A.		
Partition coefficient n-octanol/water (log value):	N.A.		



Vapour pressure:	N.A.				
Density and/or relative density:	0,936				
Relative vapour density:	N.A.				
Particle characteristics:					
Particle size:	N.A.				

9.2. Other information

No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information of the product:

ZEN ESSENCE ORCHID WHITE FLOWERS ML 4,5

a) acute toxicity

Not classified

Based on available data, the classification criteria are not met

b) skin corrosion/irritation

The product is classified: Skin Irrit. 2 H315

c) serious eye damage/irritation

The product is classified: Eye Irrit. 2 H319

d) respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

e) germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity

Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure

Not classified



```
Based on available data, the classification criteria are not met
      i) STOT-repeated exposure
            Not classified
            Based on available data, the classification criteria are not met
      i) aspiration hazard
            Not classified
            Based on available data, the classification criteria are not met
Toxicological information of the main substances found in the product:
      DIPROPYLENEGLYCOL MONOMETHYLETHER - CAS: 34590-94-8
      a) acute toxicity:
            Test: LD50 - Route: Oral - Species: Rat 8740 mg/kg
            Test: LD50 - Route: Skin - Species: Rabbit = 9510 mg/kg
            Test: LC50 - Route: Inhalation - Species: Rat 3404 mg/kg
      1-HEXANOL,3,5,5-TRIMETHYL-,1 ACETATE - CAS: 58430-94-7
      a) acute toxicity:
            Test: LD50 - Route: Oral - Species: Rat = 4250 mg/kg - Notes: OECD 401
            Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg - Notes: OECD 402
      Tetrahydro-4-methyl-2-(2-methylpropyl)-2H-pyran-4-ol - CAS: 63500-71-0
      a) acute toxicity:
            Test: LD50 - Route: Oral - Species: Rat > 5000
            Test: LD50 - Route: Skin - Species: Rabbit > 2000
      b) skin corrosion/irritation:
            Test: Skin Irritant - Route: Skin - Species: Rabbit Negative
      BENZYL ACETATE - CAS: 140-11-4
      a) acute toxicity:
            Test: LD50 - Route: Oral - Species: Rat = 2490 mg/kg
            Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg
            Test: LC50 - Route: Inhalation - Species: Rat > 0.77 mg/l - Duration: 8h
      g) reproductive toxicity:
            Test: NOAEL 1000 mg/kg
      methyl anthranilate - CAS: 134-20-3
      a) acute toxicity:
            Test: LD50 - Route: Oral - Species: Rat 2910 mg/kg
            Test: LD50 - Route: Skin - Species: Rabbit 5000 mg/kg
      3-methyl-h-(2,2,3-trimethyl-3-cyclopenten-1-yl)-4-penten-2-ol (& isomers) - CAS: 67801-20-1
      a) acute toxicity:
            Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg
            Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg
      Phenylethyl alcohol - CAS: 60-12-8
      a) acute toxicity:
            Test: LD50 - Route: Oral - Species: Rat = 2234 mg/kg
            Test: LD50 - Route: Skin - Species: Rabbit = 2535 mg/kg
            Test: LC50 - Route: Inhalation - Species: Rat > 4.63 mg/l
      g) reproductive toxicity:
            Test: NOAEL 439 mg/kg
      ISOBUTYL SALICYLATE - CAS: 87-19-4
      a) acute toxicity:
            Test: LD50 - Route: Oral - Species: Rat 1310 mg/kg
      3,4,5,6,6,PENTAMETHYLHEPT-3-EN-2-ONE (and isomers) - CAS: 81786-75-6
      a) acute toxicity:
            Test: LD50 - Route: Oral - Species: Rat = 6100 mg/kg
            Test: LD50 - Route: Oral - Species: Rat = 2400 mg/kg
            Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg
      DELTA DAMASCONE - CAS: 57378-68-4
      a) acute toxicity:
            Test: LD50 - Route: Oral - Species: Rat 1821 mg/kg
```



toluene - CAS: 108-88-3

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg

Test: LD50 - Route: Inhalation - Species: Rat > 20 mg/l - Duration: 4h

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. DIPROPYLENEGLYCOL MONOMETHYLETHER - CAS: 34590-94-8

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96 Endpoint: LC50 - Species: Daphnia = 1919 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae > 969 mg/l - Duration h: 72

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Daphnia 0.5 mg/l - Duration h: 72 1-HEXANOL,3,5,5-TRIMETHYL-,1 ACETATE - CAS: 58430-94-7

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia > 5.4 mg/l - Duration h: 24 - Notes: OECD 202

Endpoint: EC50 - Species: Algae > 3.8 mg/l - Duration h: 72

Endpoint: LC50 - Species: Fish = 7.7 mg/l - Duration h: 96 - Notes: OECD 203

Tetrahydro-4-methyl-2-(2-methylpropyl)-2H-pyran-4-ol - CAS: 63500-71-0

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 354 mg/l - Duration h: 96 - Notes: OECD 203 Endpoint: EC50 - Species: Daphnia = 320 mg/l - Duration h: 48 - Notes: OECD 203 Endpoint: NOEC - Species: Algae = 94 mg/l - Duration h: 72 - Notes: OECD 203

BENZYL ACETATE - CAS: 140-11-4

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 4 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia = 17 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae = 92 mg/l - Duration h: 72

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish = 0.92 mg/l

methyl anthranilate - CAS: 134-20-3

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 9.12 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia 18.2 mg/l - Duration h: 48

3-methyl-h-(2,2,3-trimethyl-3-cyclopenten-1-yl)-4-penten-2-ol (& isomers) - CAS: 67801-20-1 a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 2.3 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia 1.9 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae 24 mg/l - Duration h: 72

Phenylethyl alcohol - CAS: 60-12-8

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia 287.17 mg/l - Duration h: 48

ISOBUTYL SALICYLATE - CAS: 87-19-4

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia 3.96 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae 0.745 mg/l - Duration h: 72

3,4,5,6,6,PENTAMETHYLHEPT-3-EN-2-ONE (and isomers) - CAS: 81786-75-6

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 4.8 mg/l - Duration h: 96



Endpoint: EC50 - Species: Daphnia 6.1 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae 21 mg/l - Duration h: 72

Endpoint: NOEC - Species: Algae 12 mg/l DELTA DAMASCONE - CAS: 57378-68-4

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 0.977 mg/l - Duration h: 96

12.2. Persistence and degradability

None

ISOBUTYL SALICYLATE - CAS: 87-19-4

Biodegradability: Readily biodegradable - Test: BIOGDG10 - Duration: 28gg - %: 80

p-METILANISOLE - CAS: 104-93-8

Test: BIOGDG10 - %: 30 - Notes: >30%

12.3. Bioaccumulative potential toluene - CAS: 108-88-3

Bioaccumulation: Bioaccumulative - Test: BCF - Bioconcentrantion factor 90

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force. Additional disposal information:

Reuse if possible. Act in accordance with the local and national laws in force.

SECTION 14: Transport information

14.1. UN number or ID number

14.2. UN proper shipping name

ADR-Shipping Name: *ENTER PROPER SHIPPING NAME*
IATA-Shipping Name: *ENTER PROPER SHIPPING NAME*
IMDG-Shipping Name: *ENTER PROPER SHIPPING NAME*

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

1797/8

Page n. 10 of 13



Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2016/1179 (ATP 10 CLP)
Regulation (EU) n. 2018/669 (ATP 11 CLP)
Regulation (EU) n. 2018/1480 (ATP 13 CLP)
Regulation (EU) n. 2019/521 (ATP 12 CLP)
Regulation (EU) n. 2020/217 (ATP 14 CLP)
Regulation (EU) n. 2020/1182 (ATP 15 CLP)
Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

Restriction 40 Restriction 48

Volatile Organic compounds - VOCs = 14.99 % Volatile Organic compounds - VOCs = 149.90 g/Kg

Volatile Organic compounds - VOCs = 140.31 g/l

Where applicable, refer to the following regulatory provisions:

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture. Substances for which a Chemical Safety Assessment has been carried out:

None

SECTION 16: Other information

Text of phrases referred to under heading 3:

H315 Causes skin irritation.

H411 Toxic to aquatic life with long lasting effects.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

H304 May be fatal if swallowed and enters airways.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

H361 Suspected of damaging fertility or the unborn child.

H312 Harmful in contact with skin.

H400 Very toxic to aquatic life.

H225 Highly flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.



Hazard class and hazard category	Code	Description
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1A	3.4.2/1A	Skin Sensitisation, Category 1A
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Repr. 2	3.7/2	Reproductive toxicity, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
STOT RE 2	3.9/2	Specific target organ toxicity - repeated exposure, Category 2
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Paragraphs modified from the previous revision:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

SECTION 3: Composition/information on ingredients

SECTION 11: Toxicological information SECTION 12: Ecological information SECTION 14: Transport information SECTION 15: Regulatory information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method



Aquatic Chronic 3, H412

Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.
INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

NA: Not applicable

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWA: Time-weighted average
WGK: German Water Hazard Class.