



**Safety Data Sheet dated 19/1/2022, version 7**

---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

1.1. Product identifier

Mixture identification:

Trade name: ZEN ESSENCE DELHI

Trade code: 1839

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Car air freshener

1.3. Details of the supplier of the safety data sheet

Supplier:

Arexons S.p.A.

via Antica di Cassano, 23, 20063

Cernusco sul Naviglio (MI), Italy

Arexons S.p.A.

Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306

Competent person responsible for the safety data sheet:

arexons@arexons.it

1.4. Emergency telephone number

Arexons S.p.A.

Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

In Ireland: Beaumont Hospital - National Poisons Information Centre 01 809 2166 (7days, 8:00 - 22:00)

In South Africa: Poison Information Helpline 0861 555 777

In Malta: emergency number 112

---

**SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP):

⚠ Warning, Skin Irrit. 2, Causes skin irritation.

⚠ Warning, Eye Irrit. 2, Causes serious eye irritation.

⚠ Warning, Skin Sens. 1, May cause an allergic skin reaction.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

# Safety Data Sheet

## ZEN ESSENCE DELHI



P102 Keep out of reach of children.  
P103 Read carefully and follow all instructions.  
P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P501 Dispose of contents/container in accordance with applicable regulations.

### Special Provisions:

EUH208 Contains 3-(p-ethylphenyl)-2,2-dimethylpropionaldehyde. May produce an allergic reaction.  
EUH208 Contains Linalyl acetate. May produce an allergic reaction.  
EUH208 Contains 2-Methylundecanal. May produce an allergic reaction.  
EUH208 Contains 3,4,5,6,6,PENTAMETHYLHEPT-3-EN-2-ONE (and isomers). May produce an allergic reaction.  
EUH208 Contains DELTA DAMASCONE. May produce an allergic reaction.

### Contains

3,7-dimethyl-3-octanol

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

### 2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration  $\geq 0.1\%$

### Other Hazards:

No other hazards

---

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

N.A.

### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

$\geq 60\%$  -  $< 70\%$  DIPROPYLENEGLYCOL MONOMETHYLETHER  
REACH No.: 01-2119450011-60, CAS: 34590-94-8, EC: 252-104-2  
Substance with a Union workplace exposure limit.

$\geq 7\%$  -  $< 10\%$  3,7-dimethyl-3-octanol  
REACH No.: 01-2119454788-21, CAS: 78-69-3, EC: 201-133-9  
⚠ 3.2/2 Skin Irrit. 2 H315  
⚠ 3.4.2/1 Skin Sens. 1 H317  
⚠ 3.3/2 Eye Irrit. 2 H319

$\geq 3\%$  -  $< 5\%$  2,6-dimethyloct-7-en-2-ol  
REACH No.: 01-2119457274-37, CAS: 18479-58-8, EC: 242-362-4  
⚠ 3.2/2 Skin Irrit. 2 H315  
⚠ 3.3/2 Eye Irrit. 2 H319

$\geq 3\%$  -  $< 5\%$  2,6-Dimethyl-2-heptanol  
REACH No.: 01-2120275178-48, CAS: 13254-34-7, EC: 236-244-1  
⚠ 3.2/2 Skin Irrit. 2 H315  
⚠ 3.3/2 Eye Irrit. 2 H319

$\geq 3\%$  -  $< 5\%$  1-Decanal  
REACH No.: 01-2119967771-26, CAS: 112-31-2, EC: 203-957-4

## Safety Data Sheet

### ZEN ESSENCE DELHI



4.1/C3 Aquatic Chronic 3 H412

⚠ 3.3/2 Eye Irrit. 2 H319

>= 3% - < 5% 1-HEXANOL,3,5,5-TRIMETHYL-,1 ACETATE

REACH No.: 01-2119972325-34, CAS: 58430-94-7, EC: 261-245-9

⚠ 3.2/2 Skin Irrit. 2 H315

⚠ 4.1/C2 Aquatic Chronic 2 H411

>= 0.5% - < 1% 3-(p-ethylphenyl)-2,2-dimethylpropionaldehyde

REACH No.: 01-2120758796-34, CAS: 67634-15-5, EC: 266-819-2

⚠ 3.2/2 Skin Irrit. 2 H315

⚠ 3.4.2/1B Skin Sens. 1B H317

⚠ 4.1/A1 Aquatic Acute 1 H400

⚠ 4.1/C2 Aquatic Chronic 2 H411

>= 0.5% - < 1% Linalyl acetate

REACH No.: 01-2119454789-19, CAS: 115-95-7, EC: 204-116-4

⚠ 3.2/2 Skin Irrit. 2 H315

⚠ 3.4.2/1 Skin Sens. 1 H317

⚠ 3.3/2 Eye Irrit. 2 H319

>= 0.1% - < 0.25% 3,4,5,6,6,PENTAMETHYLHEPT-3-EN-2-ONE (and isomers)

REACH No.: 01-2119980043-42, CAS: 81786-75-6, EC: 279-825-5

⚠ 3.4.2/1 Skin Sens. 1 H317

⚠ 4.1/C2 Aquatic Chronic 2 H411

>= 0.1% - < 0.25% 2-Methylundecanal

REACH No.: 01-2119969443-29, CAS: 110-41-8, EC: 203-765-0

⚠ 3.2/2 Skin Irrit. 2 H315

⚠ 3.4.2/1B Skin Sens. 1B H317

⚠ 4.1/A1 Aquatic Acute 1 H400 M=1.

⚠ 4.1/C1 Aquatic Chronic 1 H410 M=1.

>= 0.02% - < 0.05% DELTA DAMASCONE

CAS: 57378-68-4, EC: 260-709-8

⚠ 3.1/4/Oral Acute Tox. 4 H302

⚠ 4.1/A1 Aquatic Acute 1 H400

⚠ 3.2/2 Skin Irrit. 2 H315

⚠ 3.4.2/1A Skin Sens. 1A H317

⚠ 4.1/C1 Aquatic Chronic 1 H410

1 ppm 3-methylbutan-1-ol

CAS: 123-51-3, EC: 204-633-5

⚠ 2.6/3 Flam. Liq. 3 H226

⚠ 3.1/4/Inhal Acute Tox. 4 H332

335 ppb isopentyl acetate [2]

REACH No.: 01-2119548408-32, CAS: 123-92-2, EC: 204-662-3

⚠ 2.6/3 Flam. Liq. 3 H226

EUH066

---

## SECTION 4: First aid measures

4.1. Description of first aid measures

1839/7

Page n. 3 of 13

## Safety Data Sheet

### ZEN ESSENCE DELHI



In case of skin contact:

- Immediately take off all contaminated clothing.
- Remove contaminated clothing immediately and dispose off safely.
- After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

- After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.
- Protect uninjured eye.

In case of Ingestion:

- Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

- Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

- In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

---

#### SECTION 5: Firefighting measures

5.1. Extinguishing media

Appropriate Extinguishing Media:

To carbon dioxide.

To water.

Not Recommended Extinguishing Media:

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

---

#### SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

---

#### SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

1839/7

Page n. 4 of 13

## Safety Data Sheet

### ZEN ESSENCE DELHI



Don't use empty container before they have been cleaned.  
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

#### 7.2. Conditions for safe storage, including any incompatibilities

Do not store this material near food and drinks.

Keep away from food, drink and feed.

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

#### 7.3. Specific end use(s)

None in particular

---

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

DIPROPYLENEGLYCOL MONOMETHYLETHER - CAS: 34590-94-8

EU - TWA(8h): 308 mg/m<sup>3</sup>, 50 ppm - Notes: Skin

ACGIH - TWA(8h): 100 ppm - STEL: 150 ppm - Notes: Skin - Eye and URT irr, CNS impair

3-methylbutan-1-ol - CAS: 123-51-3

EU - TWA(8h): 18 mg/m<sup>3</sup>, 5 ppm - STEL: 37 mg/m<sup>3</sup>, 10 ppm

ACGIH - TWA(8h): 100 ppm - STEL: 125 ppm - Notes: Eye and URT irr

isopentyl acetate [2] - CAS: 123-92-2

EU - TWA(8h): 270 mg/m<sup>3</sup>, 50 ppm - STEL: 540 mg/m<sup>3</sup>, 100 ppm

ACGIH - TWA(8h): 50 ppm - STEL: 100 ppm - Notes: URT irr

### DNEL Exposure Limit Values

2,6-dimethyloct-7-en-2-ol - CAS: 18479-58-8

Worker Industry: 73.5 mg/m<sup>3</sup> - Consumer: 21.7 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA

Worker Industry: 20.8 mg/kg - Consumer: 12.5 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA

Consumer: 12.5 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

1-Decanal - CAS: 112-31-2

Worker Industry: 24.9 mg/m<sup>3</sup> - Consumer: 6.1 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 7 mg/kg - Consumer: 3.5 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Consumer: 3.5 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Linalyl acetate - CAS: 115-95-7

Worker Industry: 2.75 mg/m<sup>3</sup> - Consumer: 0.68 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA

Worker Industry: 2.5 mg/kg - Consumer: 1.25 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA

Consumer: 0.2 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

### PNEC Exposure Limit Values

N.A.

### 8.2. Exposure controls

#### Eye protection:

Eye glasses with side protection.

Compliant with EN 166

#### Protection for skin:

1839/7

Page n. 5 of 13

## Safety Data Sheet

### ZEN ESSENCE DELHI



No special precaution must be adopted for normal use.

Protection for hands:  
 PVC (polyvinyl chloride).  
 Neoprene.  
 Nitrile.  
 Compliant with EN 374.

Respiratory protection:  
 Not needed for normal use.

Thermal Hazards:  
 None

Environmental exposure controls:  
 None

Appropriate engineering controls:  
 None

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid	--	--
Colour:	Yellow	--	--
Odour:	Characteristic	--	--
Melting point/freezing point:	N.A.	--	--
Boiling point or initial boiling point and boiling range:	N.A.	--	--
Flammability:	N.A.	--	--
Lower and upper explosion limit:	N.A.	--	--
Flash point:	>61°C	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
pH:	N.A.	--	--
Kinematic viscosity:	N.A.	--	--
Solubility in water:	N.A.	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient n-octanol/water (log value):	N.A.	--	--
Vapour pressure:	N.A.	--	--
Density and/or relative	0,917	--	--

# Safety Data Sheet

## ZEN ESSENCE DELHI



density:			
Relative vapour density:	N.A.	--	--
Particle characteristics:			
Particle size:	N.A.	--	--

- 9.2. Other information  
No other relevant information

---

### SECTION 10: Stability and reactivity

- 10.1. Reactivity  
Stable under normal conditions
- 10.2. Chemical stability  
Stable under normal conditions
- 10.3. Possibility of hazardous reactions
- 10.4. Conditions to avoid  
Stable under normal conditions.
- 10.5. Incompatible materials  
None in particular.
- 10.6. Hazardous decomposition products  
None.

---

### SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

ZEN ESSENCE DELHI ML 4,5

- a) acute toxicity  
Not classified  
Based on available data, the classification criteria are not met
- b) skin corrosion/irritation  
The product is classified: Skin Irrit. 2 H315
- c) serious eye damage/irritation  
The product is classified: Eye Irrit. 2 H319
- d) respiratory or skin sensitisation  
The product is classified: Skin Sens. 1 H317
- e) germ cell mutagenicity  
Not classified  
Based on available data, the classification criteria are not met
- f) carcinogenicity  
Not classified  
Based on available data, the classification criteria are not met
- g) reproductive toxicity  
Not classified  
Based on available data, the classification criteria are not met
- h) STOT-single exposure  
Not classified  
Based on available data, the classification criteria are not met
- i) STOT-repeated exposure  
Not classified  
Based on available data, the classification criteria are not met
- j) aspiration hazard



## Safety Data Sheet

### ZEN ESSENCE DELHI



Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

DIPROPYLENEGLYCOL MONOMETHYLEETHER - CAS: 34590-94-8

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat 8740 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit = 9510 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat 3404 mg/kg

3,7-dimethyl-3-octanol - CAS: 78-69-3

c) serious eye damage/irritation:

Test: Eye Irritant Positive

d) respiratory or skin sensitisation:

Test: OECD TG 403 - Route: Inhalation = 0.885 mg/m<sup>3</sup>

e) germ cell mutagenicity:

Test: NOAEL - Species: esseri umani 500 mg/kg - Notes: maternal

Test: NOAEL - Species: esseri umani 1000 mg/kg - Notes: foetal

g) reproductive toxicity:

Test: NOAEL 500 mg/kg

2,6-dimethyloct-7-en-2-ol - CAS: 18479-58-8

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 3600 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg

g) reproductive toxicity:

Test: NOAEL 1000 mg/kg - Notes: maternal, foetal

1-Decanal - CAS: 112-31-2

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat 33320 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit 4173 ml/kg

1-HEXANOL,3,5,5-TRIMETHYL-,1 ACETATE - CAS: 58430-94-7

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 4250 mg/kg - Notes: OECD 401

Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg - Notes: OECD 402

Linalyl acetate - CAS: 115-95-7

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 9000 mg/kg

Test: LD50 - Route: Oral - Species: Mouse = 12000 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg

g) reproductive toxicity:

Test: NOAEL 500 mg/kg

3,4,5,6,6,PENTAMETHYLHEPT-3-EN-2-ONE (and isomers) - CAS: 81786-75-6

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg

Test: LD50 - Route: Oral - Species: Rat = 2400 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg

2-Methylundecanal - CAS: 110-41-8

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg

DELTA DAMASCONE - CAS: 57378-68-4

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat 1821 mg/kg

3-methylbutan-1-ol - CAS: 123-51-3

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rabbit 7400 mg/kg

Test: LD50 - Route: Oral - Species: Rat 16600 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 5 g/kg





- 11.2. Information on other hazards  
Endocrine disrupting properties:  
No endocrine disruptor substances present in concentration  $\geq 0.1\%$

---

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

DIPROPYLENEGLYCOL MONOMETHYLETHER - CAS: 34590-94-8

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96

Endpoint: LC50 - Species: Daphnia = 1919 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae > 969 mg/l - Duration h: 72

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Daphnia 0.5 mg/l - Duration h: 72

2,6-dimethyloct-7-en-2-ol - CAS: 18479-58-8

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 4.81 mg/l - Duration h: 96

Endpoint: LC50 - Species: Daphnia = 5.70 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae = 3.88 mg/l - Duration h: 96

1-Decanal - CAS: 112-31-2

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae 4.5 mg/l - Duration h: 72

Endpoint: EC50 - Species: Daphnia 1.17 mg/l - Duration h: 48

Endpoint: LC50 - Species: Fish 1.45 mg/l - Duration h: 96

1-HEXANOL,3,5,5-TRIMETHYL-,1 ACETATE - CAS: 58430-94-7

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia > 5.4 mg/l - Duration h: 24 - Notes: OECD 202

Endpoint: EC50 - Species: Algae > 3.8 mg/l - Duration h: 72

Endpoint: LC50 - Species: Fish = 7.7 mg/l - Duration h: 96 - Notes: OECD 203

Linalyl acetate - CAS: 115-95-7

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 11 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia = 15 mg/l - Duration h: 48

Endpoint: NOEC - Species: Algae = 9.6 mg/l - Duration h: 72

3,4,5,6,6,PENTAMETHYLHEPT-3-EN-2-ONE (and isomers) - CAS: 81786-75-6

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 4.8 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia 6.1 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae 21 mg/l - Duration h: 72

Endpoint: NOEC - Species: Algae 12 mg/l

2-Methylundecanal - CAS: 110-41-8

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 0.35 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia = 0.21 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae = 0.18 mg/l - Duration h: 72

Endpoint: NOEC - Species: Algae = 0.089 mg/l - Duration h: 72

DELTA DAMASCONE - CAS: 57378-68-4

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 0.977 mg/l - Duration h: 96

### 12.2. Persistence and degradability

None

2,6-dimethyloct-7-en-2-ol - CAS: 18479-58-8

Biodegradability: Readily biodegradable - Test: BIOGDG06 - Duration: 28gg - %: 72.1

Linalyl acetate - CAS: 115-95-7

Biodegradability: Readily biodegradable - Test: BIOGDG06 - Duration: 28gg - %: 76

## Safety Data Sheet

### ZEN ESSENCE DELHI



3,4,5,6,6,PENTAMETHYLHEPT-3-EN-2-ONE (and isomers) - CAS: 81786-75-6

Biodegradability: Non-readily biodegradable

2-Methylundecanal - CAS: 110-41-8

Biodegradability: Readily biodegradable - Test: BIOGDG10 - Duration: 28gg - %: 60

#### 12.3. Bioaccumulative potential

1-Decanal - CAS: 112-31-2

Test: BCF - Bioconcentration factor 420

Test: log Pow 3.76

#### 12.4. Mobility in soil

N.A.

#### 12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

#### 12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration  $\geq 0.1\%$

#### 12.7. Other adverse effects

None

---

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

Additional disposal information:

Reuse if possible. Act in accordance with the local and national laws in force.

---

### SECTION 14: Transport information

#### 14.1. UN number or ID number

#### 14.2. UN proper shipping name

ADR-Shipping Name:

\*ENTER PROPER SHIPPING NAME\*

IATA-Shipping Name:

\*ENTER PROPER SHIPPING NAME\*

IMDG-Shipping Name:

\*ENTER PROPER SHIPPING NAME\*

#### 14.3. Transport hazard class(es)

#### 14.4. Packing group

#### 14.5. Environmental hazards

#### 14.6. Special precautions for user

#### 14.7. Maritime transport in bulk according to IMO instruments

N.A.

---

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

# Safety Data Sheet

## ZEN ESSENCE DELHI



Regulation (EU) n. 2016/1179 (ATP 9 CLP)  
Regulation (EU) n. 2017/776 (ATP 10 CLP)  
Regulation (EU) n. 2018/669 (ATP 11 CLP)  
Regulation (EU) n. 2018/1480 (ATP 13 CLP)  
Regulation (EU) n. 2019/521 (ATP 12 CLP)  
Regulation (EU) n. 2020/217 (ATP 14 CLP)  
Regulation (EU) n. 2020/1182 (ATP 15 CLP)  
Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

Restriction 40

Restriction 75

Volatile Organic compounds - VOCs = 12.99 %

Volatile Organic compounds - VOCs = 129.90 g/Kg

Volatile Organic compounds - VOCs = 119.12 g/l

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out:

None

## SECTION 16: Other information

Text of phrases referred to under heading 3:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H302 Harmful if swallowed.

H226 Flammable liquid and vapour.

H332 Harmful if inhaled.

EUH066 Repeated exposure may cause skin dryness or cracking.

Hazard class and hazard category	Code	Description
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4

**Safety Data Sheet**  
**ZEN ESSENCE DELHI**



Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1A	3.4.2/1A	Skin Sensitisation, Category 1A
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Paragraphs modified from the previous revision:

- SECTION 1: Identification of the substance/mixture and of the company/undertaking
- SECTION 2: Hazards identification
- SECTION 3: Composition/information on ingredients
- SECTION 8: Exposure controls/personal protection
- SECTION 11: Toxicological information
- SECTION 12: Ecological information
- SECTION 14: Transport information
- SECTION 15: Regulatory information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

<b>Classification according to Regulation (EC) Nr. 1272/2008</b>	<b>Classification procedure</b>
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method
Skin Sens. 1, H317	Calculation method
Aquatic Chronic 3, H412	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

- ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities
- SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

## Safety Data Sheet

### ZEN ESSENCE DELHI



ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NA:	Not applicable
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.