

Safety Data Sheet dated 4/7/2019, version 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: Fresca Foglia DOG Citrus

Trade code: 1854

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Car air freshener

1.3. Details of the supplier of the safety data sheet

Supplier:

Arexons S.p.A.

via Antica di Cassano, 23, 20063

Cernusco sul Naviglio (MI), Italy

Arexons S.p.A.

Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306

Competent person responsible for the safety data sheet:

arexons@arexons.it

1.4. Emergency telephone number

Arexons S.p.A.

Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306

Centro Antiveleni di Pavia IRCCS- Fondazione Maugeri tel. +39 (0)382 24444 (h24; it, en)

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

In Ireland: Beaumont Hospital - National Poisons Information Centre 01 809 2166 (7days, 8:00 -

22:00)

In South Africa: Poison Information Helpline 0861 555 777

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP):

- Warning, Skin Irrit. 2, Causes skin irritation.
- Warning, Eye Irrit. 2, Causes serious eye irritation.
- Warning, Skin Sens. 1B, May cause an allergic skin reaction.
- Aquatic Chronic 2, Toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

1854/3

Page n. 1 of 11



P103 Read label before use.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

None

Contains

Linalool

d-limonene: May produce an allergic reaction.

CITRUS AURANTIUM DULCIS OIL: May produce an allergic reaction.

Nerol: May produce an allergic reaction.

Geranyl acetate: May produce an allergic reaction.

LITSEA CUBEBA FRUIT OIL: May produce an allergic reaction. Citrus Aurantium leaf Oil: May produce an allergic reaction.

GERANIOL: May produce an allergic reaction.

HYDROXYCITRONELLAL: May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

>= 10% - < 12.5% Linalool

REACH No.: 01-2119474016-42, CAS: 78-70-6, EC: 201-134-4

- ◆ 3.2/2 Skin Irrit. 2 H315
- 13.4.2/1B Skin Sens. 1B H317
- ◆ 3.3/2 Eye Irrit. 2 H319

>= 10% - < 12.5% Methoxymethylbutanol

REACH No.: 01-2119976333-33, CAS: 56539-66-3, EC: 260-252-4

◆ 3.3/2 Eye Irrit. 2 H319

>= 7% - < 10% d-limonene

REACH No.: 01-2119529223-47, Index number: 601-029-00-7, CAS: 5989-27-5, EC: 227-813-5

- 2.6/3 Flam. Liq. 3 H226
- ◆ 3.2/2 Skin Irrit. 2 H315
- ◆ 3.4.2/1B Skin Sens. 1B H317
- 4.1/A1 Aquatic Acute 1 H400
- 4.1/C1 Aquatic Chronic 1 H410

>= 7% - < 10% CITRUS AURANTIUM DULCIS OIL

REACH No.: 01-2119493353-35, CAS: 8008-57-9, EC: 232-433-8

- ♦ 2.6/3 Flam. Liq. 3 H226
- ♦ 3.10/1 Asp. Tox. 1 H304
- 4 3.2/2 Skin Irrit. 2 H315
- 4.1/C1 Aquatic Chronic 1 H410



>= 3% - < 5% 2-Acetonaphthone

REACH No.: 01-2119935927-23, CAS: 93-08-3, EC: 202-216-2

4.1/C2 Aquatic Chronic 2 H411

>= 2% - < 3% LITSEA CUBEBA FRUIT OIL

REACH No.: 05-2114288170-52, CAS: 68855-99-2, EC: 290-018-7

- ♦ 3.10/1 Asp. Tox. 1 H304
- 4 3.2/2 Skin Irrit. 2 H315
- 1 3.4.2/1 Skin Sens. 1 H317
- 4.1/C1 Aquatic Chronic 1 H410

>= 2% - < 3% alfa-terpineolo

REACH No.: 01-2119980717-23, CAS: 98-55-5, EC: 202-680-6

- 1 3.2/2 Skin Irrit. 2 H315
- ◆ 3.3/2 Eye Irrit. 2 H319

>= 2% - < 3% Geranyl acetate

REACH No.: 01-2119973480-35, CAS: 105-87-3, EC: 203-341-5

- 4.1/C3 Aquatic Chronic 3 H412
- 3.2/2 Skin Irrit. 2 H315
- ◆ 3.4.2/1 Skin Sens. 1 H317

>= 2% - < 3% Nerol

REACH No.: 01-2119983244-33, CAS: 106-25-2, EC: 203-378-7

- 4 3.2/2 Skin Irrit. 2 H315
- ◆ 3.3/2 Eye Irrit. 2 H319
- ◆ 3.4.2/1B Skin Sens. 1B H317

>= 1% - < 2% Citrus Aurantium leaf Oil

REACH No.: 01-2120060289-52, CAS: 8016-44-2, EC: 277-143-2

- ♦ 3.10/1 Asp. Tox. 1 H304
- 1.2/2 Skin Irrit. 2 H315
- ♦ 3.3/1 Eye Dam. 1 H318
- 3.4.2/1 Skin Sens. 1 H317
- 4.1/C2 Aquatic Chronic 2 H411

>= 1% - < 2% GERANIOL

REACH No.: 01-2119552430-49, CAS: 106-24-1, EC: 203-377-1

- ◆ 3.2/2 Skin Irrit. 2 H315
- ◆ 3.4.2/1 Skin Sens. 1 H317
- ♦ 3.3/1 Eye Dam. 1 H318

>= 0.5% - < 1% HYDROXYCITRONELLAL

REACH No.: 01-2119973482-31, CAS: 107-75-5, EC: 203-518-7

- 3.3/2 Eye Irrit. 2 H319
- ◆ 3.4.2/1-1A-1B Skin Sens. 1,1A,1B H317

>= 0.5% - < 1% BHT [Butyl hydroxy toluene]

REACH No.: 01-2119565113-46, CAS: 128-37-0, EC: 204-881-4

4.1/C1 Aquatic Chronic 1 H410

>= 0.5% - < 1% tridecene-2-nitrile

CAS: 22629-49-8, EC: 245-142-6

4.1/C1 Aquatic Chronic 1 H410



SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Appropriate Extinguishing Media:

Not Recommended Extinguishing Media:

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13



SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

BHT [Butyl hydroxy toluene] - CAS: 128-37-0

ACGIH - TWA(8h): 2 mg/m3 - Notes: (IFV), A4 - URT irr

DNEL Exposure Limit Values

N.A.

PNEC Exposure Limit Values

N.A.

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Liquid (impregnante) Yellow		
Odour:	agrumata, fiorita		
Odour threshold:	N.A.		

1854/3



pH:	7	
Melting point / freezing point:	N.A.	
Initial boiling point and boiling range:	N.A.	
Flash point:	62°C	
Evaporation rate:	N.A.	
Solid/gas flammability:	N.A.	
Upper/lower flammability or explosive limits:	N.A.	
Vapour pressure:	N.A.	
Vapour density:	N.A.	
Relative density:	0.882-0.902 g/ml	
Solubility in water:	N.A.	
Solubility in oil:	liposolubile	
Partition coefficient (n-octanol/water):	N.A.	
Auto-ignition temperature:	N.A.	
Decomposition temperature:	N.A.	
Viscosity:	N.A.	
Explosive properties:	N.A.	
Oxidizing properties:	N.A.	

9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	N.A.		
Fat Solubility:	N.A.		
Conductivity:	N.A.		
Substance Groups relevant properties	N.A.		

NA=not applicable



SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products
None

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the product:

Fresca Foglia DOG Citrus

a) acute toxicity

Based on available data, the classification criteria are not met

b) skin corrosion/irritation

The product is classified: Skin Irrit. 2 H315

c) serious eye damage/irritation

The product is classified: Eye Irrit. 2 H319

d) respiratory or skin sensitisation

The product is classified: Skin Sens. 1B H317

e) germ cell mutagenicity

Based on available data, the classification criteria are not met f) carcinogenicity

Based on available data, the classification criteria are not met g) reproductive toxicity

Based on available data, the classification criteria are not met h) STOT-single exposure

Based on available data, the classification criteria are not met i) STOT-repeated exposure

Based on available data, the classification criteria are not met j) aspiration hazard

Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product:

BHT [Butyl hydroxy toluene] - CAS: 128-37-0

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 6000 mg/kg - Duration: 24h Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Duration: 24h

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Route: Skin - Species: mam Positive - Notes: Leggermente irritante

f) carcinogenicity:

Test: Carcinogeneticy - Route: Oral - Species: Rat Negative



SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

BHT [Butyl hydroxy toluene] - CAS: 128-37-0

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae 0.758 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia 0.48 mg/l - Duration h: 48 Endpoint: NOEC - Species: Daphnia 0.15 mg/l - Duration h: 48 Endpoint: LC50 - Species: Fish 0.199 mg/l - Duration h: 96 Endpoint: EC50 - Species: fanghi 1.7 mg/l - Duration h: 24

12.2. Persistence and degradability

None

BHT [Butyl hydroxy toluene] - CAS: 128-37-0

Biodegradability: Non-readily biodegradable

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information



14.1. UN number

ADR-UN Number: 3082 IATA-UN Number: 3082 IMDG-UN Number: 3082

14.2. UN proper shipping name

ADR-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

IATA-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

IMDG-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

14.3. Transport hazard class(es)

ADR-Class: 9

ADR - Hazard identification number: 90

IATA-Class: 9
IATA-Label: 9
IMDG-Class: 9

14.4. Packing group

ADR-Packing Group: III IATA-Packing group: III IMDG-Packing group: III

14.5. Environmental hazards



ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No

14.6. Special precautions for user

ADR-Subsidiary hazards:

ADR-S.P.: 274 335 375 601 ADR-Transport category (Tunnel restriction code): 3 (E)

IATA-Passenger Aircraft: 964 IATA-Subsidiary hazards: -IATA-Cargo Aircraft: 964

IATA-S.P.: A97 A158 A197

IATA-ERG: 9L IMDG-EmS: F-A, S-F

IMDG-Subsidiary hazards: -

IMDG-Stowage and handling: Category A

IMDG-Segregation: -

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No

Limited Quantity: 5 L Exempted Quantity: E1

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) 2015/830

Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restriction's related to the product:

Restriction 3 Restriction 40

Restrictions related to the substances contained:

No restriction.

Pronto all'Uso

Volatile Organic compounds - VOCs = 22.97 % Volatile Organic compounds - VOCs = 229.69 g/Kg

Volatile CMR substances = 0.00 %

Halogenated VOCs which are assigned the risk phrase R40 = 0.00 %

Organic Carbon - C = 7.05

Where applicable, refer to the following regulatory provisions:

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)



Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 Product belongs to category: E2

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture. Substances for which a Chemical Safety Assessment has been carried out:

None

SECTION 16: Other information

Text of phrases referred to under heading 3:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H226 Flammable liquid and vapour.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H304 May be fatal if swallowed and enters airways.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

H318 Causes serious eye damage.

Hazard class and hazard category	Code	Description
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1,1A,1B	3.4.2/1-1A-1B	Skin Sensitisation, Category 1,1A,1B
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Paragraphs modified from the previous revision:

SECTION 2: Hazards identification

SECTION 3: Composition/information on ingredients

SECTION 7: Handling and storage SECTION 14: Transport information SECTION 15: Regulatory information



Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method
Skin Sens. 1B, H317	Calculation method
Aquatic Chronic 2, H411	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,

Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical

Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO)

IMDG: International Maritime Code for Dangerous Goods.INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

NA: Not applicable

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWA: Time-weighted average

1854/3

Page n. 11 of 11

WGK: German Water Hazard Class.

