



Safety Data Sheet dated 19/1/2022, version 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: Fresca Foglia DOG Talc

Trade code: 1856

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Car air freshener

1.3. Details of the supplier of the safety data sheet

Supplier:

Arexons S.p.A.

via Antica di Cassano, 23, 20063

Cernusco sul Naviglio (MI), Italy

Arexons S.p.A.

Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306

Competent person responsible for the safety data sheet:

arexons@arexons.it

1.4. Emergency telephone number

Arexons S.p.A.

Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

In Ireland: Beaumont Hospital - National Poisons Information Centre 01 809 2166 (7days, 8:00 - 22:00)

In South Africa: Poison Information Helpline 0861 555 777

In Malta: emergency number 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP):

⚠ Warning, Skin Irrit. 2, Causes skin irritation.

⚠ Warning, Eye Irrit. 2, Causes serious eye irritation.

⚠ Warning, Skin Sens. 1B, May cause an allergic skin reaction.

⚠ Aquatic Chronic 2, Toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

Safety Data Sheet

Fresca Foglia DOG Talc



P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.
P273 Avoid release to the environment.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

EUH208 Contains PARA-TERT-BUTYLCYCLOHEXYL ACETATE. May produce an allergic reaction.
EUH208 Contains 3,4,5,6,6,PENTAMETHYLHEPT-3-EN-2-ONE (and isomers). May produce an allergic reaction.
EUH208 Contains Coumarin. May produce an allergic reaction.
EUH208 Contains Linalool. May produce an allergic reaction.
EUH208 Contains GERANIOL. May produce an allergic reaction.
EUH208 Contains Nerol. May produce an allergic reaction.
EUH208 Contains 1-methyl-4-(6-methylhepta-2,5-dien-2-yl) cyclohexene. May produce an allergic reaction.
EUH208 Contains 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one. May produce an allergic reaction.
EUH208 Contains BENZYL SALICYLATE. May produce an allergic reaction.
EUH208 Contains Cinnamyl alcohol. May produce an allergic reaction.
EUH208 Contains ALPHA-ISOMETHYL IONONE. May produce an allergic reaction.
EUH208 Contains citral. May produce an allergic reaction.
EUH208 Contains CITRONELLOL. May produce an allergic reaction.

Contains

d-limonene

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

$\geq 7\%$ - $< 10\%$ Vanillin

CAS: 121-33-5, EC: 204-465-2

⚠ 3.3/2 Eye Irrit. 2 H319

$\geq 7\%$ - $< 10\%$ Linalyl acetate

REACH No.: 01-2119454789-19, CAS: 115-95-7, EC: 204-116-4

⚠ 3.2/2 Skin Irrit. 2 H315

⚠ 3.3/2 Eye Irrit. 2 H319

$\geq 5\%$ - $< 7\%$ d-limonene

REACH No.: 01-2119529223-47, CAS: 5989-27-5, EC: 227-813-5

⚠ 2.6/3 Flam. Liq. 3 H226

Safety Data Sheet

Fresca Foglia DOG Talc



- ⚠ 3.10/1 Asp. Tox. 1 H304
- ⚠ 3.2/2 Skin Irrit. 2 H315
- ⚠ 3.4.2/1B Skin Sens. 1B H317
- ⚠ 4.1/A1 Aquatic Acute 1 H400
- ⚠ 4.1/C1 Aquatic Chronic 1 H410

>= 3% - < 5% PARA-TERT-BUTYLCYCLOHEXYL ACETATE
REACH No.: 01-2119976286-24, CAS: 32210-23-4, EC: 250-954-9
⚠ 3.4.2/1B Skin Sens. 1B H317

>= 3% - < 5% 3,4,5,6,6,PENTAMETHYLHEPT-3-EN-2-ONE (and isomers)
REACH No.: 01-2119980043-42, CAS: 81786-75-6, EC: 279-825-5
⚠ 3.4.2/1 Skin Sens. 1 H317
⚠ 4.1/C2 Aquatic Chronic 2 H411

>= 3% - < 5% Coumarin
REACH No.: 01-2119943756-26, CAS: 91-64-5, EC: 202-086-7
⚠ 3.1/4/Oral Acute Tox. 4 H302
⚠ 3.4.2/1B Skin Sens. 1B H317

>= 3% - < 5% Linalool
REACH No.: 01-2119474016-42, CAS: 78-70-6, EC: 201-134-4
⚠ 3.2/2 Skin Irrit. 2 H315
⚠ 3.4.2/1B Skin Sens. 1B H317
⚠ 3.3/2 Eye Irrit. 2 H319

>= 2% - < 3% BENZYL ACETATE
REACH No.: 01-2119638272-42, CAS: 140-11-4, EC: 205-399-7
4.1/C3 Aquatic Chronic 3 H412

>= 1% - < 2% GERANIOL
REACH No.: 01-2119552430-49, CAS: 106-24-1, EC: 203-377-1
⚠ 3.2/2 Skin Irrit. 2 H315
⚠ 3.4.2/1 Skin Sens. 1 H317
⚠ 3.3/1 Eye Dam. 1 H318

>= 0.5% - < 1% Nerol
REACH No.: 01-2119983244-33, CAS: 106-25-2, EC: 203-378-7
⚠ 3.2/2 Skin Irrit. 2 H315
⚠ 3.3/2 Eye Irrit. 2 H319
⚠ 3.4.2/1B Skin Sens. 1B H317

>= 0.5% - < 1% 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one
REACH No.: 01-2119489989-04, CAS: 54464-57-2, EC: 259-174-3
⚠ 3.2/2 Skin Irrit. 2 H315
⚠ 3.4.2/1 Skin Sens. 1 H317
⚠ 4.1/C2 Aquatic Chronic 2 H411

>= 0.5% - < 1% BHT [2,6-di-tert-butyl-p-cresol]
REACH No.: 01-2119555270-46, CAS: 128-37-0, EC: 204-881-4
⚠ 4.1/A1 Aquatic Acute 1 H400
⚠ 4.1/C1 Aquatic Chronic 1 H410

>= 0.5% - < 1% 1-methyl-4-(6-methylhepta-2,5-dien-2-yl) cyclohexene
CAS: 17627-44-0, EC: 241-610-9
⚠ 3.10/1 Asp. Tox. 1 H304

Safety Data Sheet

Fresca Foglia DOG Talc



- ⚠ 3.2/2 Skin Irrit. 2 H315
- ⚠ 3.4.2/1 Skin Sens. 1 H317

>= 0.5% - < 1% BENZYL SALICYLATE

REACH No.: 01-2119969442-31, CAS: 118-58-1, EC: 204-262-9

- ⚠ 3.3/2 Eye Irrit. 2 H319
- ⚠ 3.4.2/1 Skin Sens. 1 H317
- 4.1/C3 Aquatic Chronic 3 H412

>= 0.25% - < 0.5% Cinnamyl alcohol

CAS: 104-54-1, EC: 203-212-3

- ⚠ 3.4.2/1-1A-1B Skin Sens. 1,1A,1B H317

>= 0.25% - < 0.5% ALPHA-ISOMETHYL IONONE

REACH No.: 01-2119471851-35, CAS: 127-51-5, EC: 215-635-0

- ⚠ 3.4.2/1 Skin Sens. 1 H317
- ⚠ 4.1/C2 Aquatic Chronic 2 H411

>= 0.1% - < 0.25% citral

REACH No.: 01-2119462829-23, CAS: 5392-40-5, EC: 226-394-6

- ⚠ 3.2/2 Skin Irrit. 2 H315
- ⚠ 3.4.2/1-1A-1B Skin Sens. 1,1A,1B H317
- ⚠ 3.3/2 Eye Irrit. 2 H319

>= 0.1% - < 0.25% CITRONELLOL

REACH No.: 01-2119453995-23, CAS: 106-22-9, EC: 203-375-0

- ⚠ 3.2/2 Skin Irrit. 2 H315
- ⚠ 3.3/2 Eye Irrit. 2 H319
- ⚠ 3.4.2/1B Skin Sens. 1B H317

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

Safety Data Sheet

Fresca Foglia DOG Talc



SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Appropriate Extinguishing Media:
 - To carbon dioxide.
 - To water.
 - Not Recommended Extinguishing Media:
- 5.2. Special hazards arising from the substance or mixture
 - Do not inhale explosion and combustion gases.
 - Burning produces heavy smoke.
- 5.3. Advice for firefighters
 - Use suitable breathing apparatus .
 - Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
 - Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
 - Wear personal protection equipment.
 - Remove persons to safety.
 - See protective measures under point 7 and 8.
- 6.2. Environmental precautions
 - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
 - Retain contaminated washing water and dispose it.
 - In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
 - Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
 - Wash with plenty of water.
- 6.4. Reference to other sections
 - See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
 - Avoid contact with skin and eyes, inhalation of vapours and mists.
 - Don't use empty container before they have been cleaned.
 - Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
 - See also section 8 for recommended protective equipment.
 - Advice on general occupational hygiene:
 - Contaminated clothing should be changed before entering eating areas.
 - Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities
 - Do not store this material near food and drinks.
 - Keep away from food, drink and feed.
 - None in particular.
 - Instructions as regards storage premises:
 - Adequately ventilated premises.
- 7.3. Specific end use(s)
 - None in particular

SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters
 - BENZYL ACETATE - CAS: 140-11-4
 - ACGIH - TWA(8h): 10 ppm - Notes: A4 - URT irr

Safety Data Sheet

Fresca Foglia DOG Talc



BHT [2,6-di-tert-butyl-p-cresol] - CAS: 128-37-0

ACGIH - TWA(8h): 2 mg/m³ - Notes: (IFV), A4 - URT irr

citral - CAS: 5392-40-5

ACGIH - TWA(8h): 5 ppm - Notes: (IFV), Skin, DSEN, A4 - Body weight eff, URT irr, eye dam

DNEL Exposure Limit Values

Linalyl acetate - CAS: 115-95-7

Worker Industry: 2.75 mg/m³ - Consumer: 0.68 mg/m³ - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects - Notes: ECHA

Worker Industry: 2.5 mg/kg - Consumer: 1.25 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects - Notes: ECHA

Consumer: 0.2 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

Linalool - CAS: 78-70-6

Worker Industry: 2.8 mg/m³ - Consumer: 0.7 mg/m³ - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Worker Industry: 2.5 mg/m³ - Consumer: 1.25 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects - Notes: ECHA

Consumer: 0.2 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

BENZYL ACETATE - CAS: 140-11-4

Worker Industry: 21.9 mg/m³ - Consumer: 5.5 mg/m³ - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects - Notes: ECHA

Worker Industry: 6.25 mg/kg - Consumer: 3.125 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects - Notes: ECHA

Consumer: 3.125 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

BHT [2,6-di-tert-butyl-p-cresol] - CAS: 128-37-0

Worker Industry: 5.80 mg/m³ - Consumer: 1.74 mg/m³ - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects - Notes: ECHA

Worker Industry: 8.30 mg/kg - Consumer: 5 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects - Notes: ECHA

Consumer: 0.25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

PNEC Exposure Limit Values

N.A.

8.2. Exposure controls

Eye protection:

Eye glasses with side protection.

Compliant with EN 166

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

PVC (polyvinyl chloride).

Neoprene.

Nitrile.

Compliant with EN 374.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

Safety Data Sheet

Fresca Foglia DOG Talc



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid	--	--
Colour:	Yellow	--	--
Odour:	N.A.	--	--
Melting point/freezing point:	N.A.	--	--
Boiling point or initial boiling point and boiling range:	N.A.	--	--
Flammability:	N.A.	--	--
Lower and upper explosion limit:	N.A.	--	--
Flash point:	>61°C	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
pH:	N.A.	--	--
Kinematic viscosity:	N.A.	--	--
Solubility in water:	N.A.	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient n-octanol/water (log value):	N.A.	--	--
Vapour pressure:	N.A.	--	--
Density and/or relative density:	1.014 g/cm3	--	--
Relative vapour density:	N.A.	--	--
Particle characteristics:			
Particle size:	N.A.	--	--

9.2. Other information

No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

1856/4

Page n. 7 of 15

Safety Data Sheet

Fresca Foglia DOG Talc



- Stable under normal conditions
- 10.2. Chemical stability
 - Stable under normal conditions
- 10.3. Possibility of hazardous reactions
 - None
- 10.4. Conditions to avoid
 - Stable under normal conditions.
- 10.5. Incompatible materials
 - None in particular.
- 10.6. Hazardous decomposition products
 - None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

Fresca Foglia DOG Talc

a) acute toxicity

Not classified

Based on available data, the classification criteria are not met

b) skin corrosion/irritation

The product is classified: Skin Irrit. 2 H315

c) serious eye damage/irritation

The product is classified: Eye Irrit. 2 H319

d) respiratory or skin sensitisation

The product is classified: Skin Sens. 1B H317

e) germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity

Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard

Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

Vanillin - CAS: 121-33-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 3980 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg

Linalyl acetate - CAS: 115-95-7

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 9000 mg/kg

Test: LD50 - Route: Oral - Species: Mouse = 12000 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg

d-limonene - CAS: 5989-27-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 3500 mg/kg

Safety Data Sheet

Fresca Foglia DOG Talc



Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg
PARA-TERT-BUTYLCYCLOHEXYL ACETATE - CAS: 32210-23-4
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat = 3370 mg/kg
Test: LD50 - Route: Skin - Species: Rabbit > 4680 mg/kg
3,4,5,6,6,PENTAMETHYLHEPT-3-EN-2-ONE (and isomers) - CAS: 81786-75-6
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat = 6100 mg/kg
Test: LD50 - Route: Oral - Species: Rat = 2400 mg/kg
Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg
Coumarin - CAS: 91-64-5
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat = 520
Linalool - CAS: 78-70-6
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat 2.790 mg/kg
Test: LD50 - Route: Oral - Species: Mouse 2.200 mg/kg
Test: LD50 - Route: Skin - Species: Rabbit 5.610 mg/kg
BENZYL ACETATE - CAS: 140-11-4
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat = 2490 mg/kg
Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg
Test: LC50 - Route: Inhalation - Species: Rat > 0.77 mg/l - Duration: 8h
g) reproductive toxicity:
Test: NOAEL 1000 mg/kg
GERANIOL - CAS: 106-24-1
a) acute toxicity:
Test: LD50 - Route: Oral 3600 mg/kg
g) reproductive toxicity:
Test: NOAEL 1000 mg/kg
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one - CAS: 54464-57-2
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg
Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg
BHT [2,6-di-tert-butyl-p-cresol] - CAS: 128-37-0
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg
Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg
BENZYL SALICYLATE - CAS: 118-58-1
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat 2227 mg/kg
Test: LD50 - Route: Skin - Species: Rabbit 14150 mg/kg
b) skin corrosion/irritation:
Test: Skin Corrosive - Route: Skin - Species: Rabbit Negative
ALPHA-ISOMETHYL IONONE - CAS: 127-51-5
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg
Test: LD50 - Route: Skin - Species: Rat > 5000 mg/kg
citral - CAS: 5392-40-5
a) acute toxicity:
Test: LD50 - Route: Skin - Species: Rabbit 2650 mg/kg
Test: LD50 - Route: Oral - Species: Rat 3450 mg/kg
CITRONELLOL - CAS: 106-22-9
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat 3450 mg/kg
Test: LD50 - Route: Skin - Species: Rabbit 2650 mg/kg

Safety Data Sheet

Fresca Foglia DOG Talc



b) skin corrosion/irritation:
Test: Skin Irritant Positive - Duration: 24h

- 11.2. Information on other hazards
Endocrine disrupting properties:
No endocrine disruptor substances present in concentration $\geq 0.1\%$

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Vanillin - CAS: 121-33-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 25.344 mg/l - Duration h: 96

Endpoint: NOEC - Species: Algae > 2 mg/l - Duration h: 72

Endpoint: EC50 - Species: Daphnia 36.79 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae 120 mg/l - Duration h: 72

Linalyl acetate - CAS: 115-95-7

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 11 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia = 15 mg/l - Duration h: 48

Endpoint: NOEC - Species: Algae = 9.6 mg/l - Duration h: 72

d-limonene - CAS: 5989-27-5

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia = 0.36 mg/l - Duration h: 48

Endpoint: LC50 - Species: Fish = 0.72 mg/l

PARA-TERT-BUTYLCYCLOHEXYL ACETATE - CAS: 32210-23-4

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia 5.3 mg/l

Endpoint: EC50 - Species: Fish 22 mg/l

Endpoint: EC50 - Species: Fish 8.6 mg/l

Endpoint: EC50 - Species: Fish 6.8 mg/l

3,4,5,6,6,PENTAMETHYLHEPT-3-EN-2-ONE (and isomers) - CAS: 81786-75-6

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 4.8 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia 6.1 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae 21 mg/l - Duration h: 72

Endpoint: NOEC - Species: Algae 12 mg/l

Coumarin - CAS: 91-64-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 2.94 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia = 24.3 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae = 1.45 mg/l - Duration h: 72

Linalool - CAS: 78-70-6

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 27.8 mg/l - Duration h: 96 - Notes: OECD 203

Endpoint: EC50 - Species: Daphnia 59 mg/l - Duration h: 48 - Notes: OECD TG 202

Endpoint: EC50 - Species: Algae 156.7 mg/l - Duration h: 96

BENZYL ACETATE - CAS: 140-11-4

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 4 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia = 17 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae = 92 mg/l - Duration h: 72

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish = 0.92 mg/l

BENZYL SALICYLATE - CAS: 118-58-1

a) Aquatic acute toxicity:

Safety Data Sheet

Fresca Foglia DOG Talc



- Endpoint: LC50 - Species: Fish 1.03 mg/l - Duration h: 96
Endpoint: EC50 - Species: Daphnia 2.25 mg/l - Duration h: 48
ALPHA-ISOMETHYL IONONE - CAS: 127-51-5
a) Aquatic acute toxicity:
Endpoint: LC50 - Species: Fish 10.9 mg/l - Duration h: 96
CITRONELLOL - CAS: 106-22-9
a) Aquatic acute toxicity:
Endpoint: LC50 - Species: Fish 14.66 mg/l - Duration h: 96
Endpoint: EC50 - Species: Daphnia 17.48 mg/l - Duration h: 48
- 12.2. Persistence and degradability
None
Linalyl acetate - CAS: 115-95-7
Biodegradability: Readily biodegradable - Test: BIOGDG06 - Duration: 28gg - %: 70
Linalool - CAS: 78-70-6
Biodegradability: Readily biodegradable - Test: BIOGDG08 - Duration: 28gg - %: 64.2
BENZYL SALICYLATE - CAS: 118-58-1
Biodegradability: Readily biodegradable - Test: BIOGDG10
- 12.3. Bioaccumulative potential
N.A.
- 12.4. Mobility in soil
N.A.
- 12.5. Results of PBT and vPvB assessment
vPvB Substances: None - PBT Substances: None
- 12.6. Endocrine disrupting properties
No endocrine disruptor substances present in concentration $\geq 0.1\%$
- 12.7. Other adverse effects
None

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods
Recover if possible. In so doing, comply with the local and national regulations currently in force.
Additional disposal information:
Reuse if possible. Act in accordance with the local and national laws in force.

SECTION 14: Transport information



- 14.1. UN number or ID number
ADR-UN Number: 3082
IATA-UN Number: 3082
IMDG-UN Number: 3082
- 14.2. UN proper shipping name
ADR-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(d-limonene, 3,4,5,6,6,PENTAMETHYLHEPT-3-EN-2-ONE (and isomers))
IATA-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(d-limonene, 3,4,5,6,6,PENTAMETHYLHEPT-3-EN-2-ONE (and isomers))
IMDG-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(d-limonene, 3,4,5,6,6,PENTAMETHYLHEPT-3-EN-2-ONE (and isomers))

Safety Data Sheet

Fresca Foglia DOG Talc



- 14.3. Transport hazard class(es)
ADR-Class: 9
ADR - Hazard identification number: 90
IATA-Class: 9
IATA-Label: 9
IMDG-Class: 9
- 14.4. Packing group
ADR-Packing Group: III
IATA-Packing group: III
IMDG-Packing group: III
- 14.5. Environmental hazards
ADR-Environmental Pollutant: Yes
IMDG-Marine pollutant: Marine Pollutant
IMDG-EmS: F-A,
S-F
- 14.6. Special precautions for user
ADR-Subsidiary hazards: -
ADR-S.P.: 274 335 375 601
ADR-Transport category (Tunnel restriction code): 3 (E)
IATA-Passenger Aircraft: 964
IATA-Subsidiary hazards: -
IATA-Cargo Aircraft: 964
IATA-S.P.: A97 A158 A197
IATA-ERG: 9L
IMDG-Subsidiary hazards: -
IMDG-Stowage and handling: Category A
IMDG-Segregation: -
- 14.7. Maritime transport in bulk according to IMO instruments
N.A.
Limited Quantity: 5 L
Exempted Quantity: E1

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) n. 2020/878
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)
Regulation (EU) n. 2018/669 (ATP 11 CLP)
Regulation (EU) n. 2018/1480 (ATP 13 CLP)
Regulation (EU) n. 2019/521 (ATP 12 CLP)
Regulation (EU) n. 2020/217 (ATP 14 CLP)
Regulation (EU) n. 2020/1182 (ATP 15 CLP)
Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC)

Safety Data Sheet

Fresca Foglia DOG Talc



1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

Restriction 40

Volatile Organic compounds - VOCs = 9.90 %

Volatile Organic compounds - VOCs = 99.00 g/Kg

Volatile Organic compounds - VOCs = 100.39 g/l

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

Product belongs to category: E2

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out:

None

SECTION 16: Other information

Text of phrases referred to under heading 3:

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H302 Harmful if swallowed.

H412 Harmful to aquatic life with long lasting effects.

H318 Causes serious eye damage.

Hazard class and hazard category	Code	Description
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1,1A,1B	3.4.2/1-1A-1B	Skin Sensitisation, Category 1,1A,1B

Safety Data Sheet

Fresca Foglia DOG Talc



Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method
Skin Sens. 1B, H317	Calculation method
Aquatic Chronic 2, H411	Calculation method

This document was prepared by a competent person who has received appropriate training.
Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).

Safety Data Sheet

Fresca Foglia DOG Talc



IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NA:	Not applicable
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.