

## Safety Data Sheet dated 2/12/2021, version 14

SECTION	1: Identification of the s	ubstance/mixture and of the company/undertaking
1.1. P	Product identifier	
	Mixture identification:	
	Trade name:	EXTREME TYRE RESTORER
	Trade code:	31021
1.2. F	Relevant identified uses of the	e substance or mixture and uses advised against
	mmended use:	
Produ	ict to renew tyres and rubber	parts
1.3. D	Details of the supplier of the s	afety data sheet
	Supplier:	
	Arexons S.p.A.	
	via Antica di Cassano, 23, 2	20063
	Cernusco sul Naviglio (MI),	Italy
	Arexons S.p.A.	
	Tel. +39 (0)2/924361 - Fax	+39 (0)2/92436306
Comp	petent person responsible for	the safety data sheet:
	arexons@arexons.it	
1.4. E	mergency telephone number	r
	Arexons S.p.A.	
	Tel. +39 (0)2/924361 - Fax	+39 (0)2/92436306
	In England and Wales: NHS	S 111 - dial 111
	In Scotland: NHS 24 - dial 1	11
	In Ireland: Beaumont Hospit	tal - National Poisons Information Centre 01 809 2166 (7days, 8:00 -
	22:00)	
	In South Africa: Poison Info	rmation Helpline 0861 555 777
	In Malta: emergency number	er 112
Adver 2.2. L The p Hazar Hazar Preca	rse physicochemical, human No other hazards abel elements roduct is not classified as da rd pictograms: None rd statements: None nutionary statements: None al Provisions:	CLP): d as dangerous according to Regulation EC 1272/2008 (CLP). health and environmental effects: ngerous according to Regulation EC 1272/2008 (CLP). isothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an
Speci		nex XVII of REACH and subsequent amendments:
opool	None	
	lation (EC) nr 648/2004 (det ict contents:	ergents).
31021/14		
Page n. 1 o	fQ	



Polycarboxylates, Non-ionic surfactants

< 5 %

LAURYLAMINE DIPROPYLENEDIAMINE, Pyridine-2-thiol 1-oxide, sodium salt., 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, 2-phenoxyethanol.

2.3. Other hazards

Preservatives:

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1% Other Hazards:

No other hazards

#### **SECTION 3: Composition/information on ingredients**

3.1. Substances

- N.A.
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification: >= 0.005% - < 0.01% 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one Index number: 613-088-00-6, CAS: 2634-33-5, EC: 220-120-9

♦ 3.1/4/Oral Acute Tox. 4 H302
 ♦ 3.2/2 Skin Irrit. 2 H315
 ♦ 3.3/1 Eye Dam. 1 H318

- 3.4.2/1 Skin Sens. 1 H317
- 4.1/A1 Aquatic Acute 1 H400
- 4.1/C2 Aquatic Chronic 2 H411

Specific Concentration Limits: C >= 0,005%: EUH208 C >= 0,05%: Skin Sens. 1 H317

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

- 4.3. Indication of any immediate medical attention and special treatment needed Treatment:
  - None

## **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Appropriate Extinguishing Media: To carbon dioxide. To dust. Foam

31021/14 Page n. 2 of 9



Water spray. Not Recommended Extinguishing Media: Do not use direct water jets.

- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove persons to safety. See protective measures under point 7 and 8.
- 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

- In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
- Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

## **SECTION 7: Handling and storage**

- 7.1. Precautions for safe handling
  - Avoid contact with skin and eyes, inhalation of vapours and mists. See also section 8 for recommended protective equipment. Advice on general occupational hygiene: Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed. None in particular. Instructions as regards storage premises: Adequately ventilated premises.
  7.3. Specific end use(s)
  - None in particular

#### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters No occupational exposure limit available
DNEL Exposure Limit Values N.A.
PNEC Exposure controls
Eye protection: Eye glasses with side protection. Compliant with EN 166
Protection for skin: No special precaution must be adopted for normal use.
Protection for hands:

31021/14 Page n. 3 of 9



Nitrile or Viton gloves. Compliant with EN 374. Respiratory protection: Not needed for normal use. Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

# SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid		
Colour:	White		
Odour:	Characteristic		
Melting point/freezing point:	N.A.		
Boiling point or initial boiling point and boiling range:	N.A.		
Flammability:	N.A.		
Lower and upper explosion limit:	N.A.		
Flash point:	>65°C		
Auto-ignition temperature:	N.A.		
Decomposition temperature:	N.A.		
pH:	9.7		
Kinematic viscosity:	N.A.		
Solubility in water:	Soluble		
Solubility in oil:	N.A.		
Partition coefficient n- octanol/water (log value):	N.A.		
Vapour pressure:	N.A.		
Density and/or relative density:	1,010		
Relative vapour density:	N.A.		
	Particle cha	racteristics:	



Particle size: N.A		
--------------------	--	--

9.2. Other information No other relevant information

#### **SECTION 10: Stability and reactivity**

- 10.1. Reactivity
- Stable under normal conditions
- 10.2. Chemical stability
  - Stable under normal conditions
- 10.3. Possibility of hazardous reactions
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

#### **SECTION 11: Toxicological information**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information of the product: EXTREME TYRE RESTORER a) acute toxicity Not classified Based on available data, the classification criteria are not met b) skin corrosion/irritation Not classified Based on available data, the classification criteria are not met c) serious eye damage/irritation Not classified Based on available data, the classification criteria are not met d) respiratory or skin sensitisation Not classified Based on available data, the classification criteria are not met e) germ cell mutagenicity Not classified Based on available data, the classification criteria are not met f) carcinogenicity Not classified Based on available data, the classification criteria are not met g) reproductive toxicity Not classified Based on available data, the classification criteria are not met h) STOT-single exposure Not classified Based on available data, the classification criteria are not met i) STOT-repeated exposure Not classified Based on available data, the classification criteria are not met j) aspiration hazard Not classified Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product: 31021/14 Page n. 5 of 9



1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat 1193 mg/kg

- Test: LD50 Route: Skin Species: Rat 4115 mg/kg
- b) skin corrosion/irritation:
- Test: Skin Irritant Positive
- c) serious eye damage/irritation:
  - Test: Eye Corrosive Positive
- d) respiratory or skin sensitisation:
  - Test: Skin Sensitization Route: Skin Positive

11.2. Information on other hazards
 Endocrine disrupting properties:
 No endocrine disruptor substances present in concentration >= 0.1%

## **SECTION 12: Ecological information**

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

- 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one CAS: 2634-33-5
- a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 2.18 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia 2.94 mg/l - Duration h: 48 Endpoint: CE6 - Species: Algae 0.11 mg/l - Duration h: 72

12.2. Persistence and degradability

None

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5 Biodegradability: Readily biodegradable - Test: BIOGDG06

- 12.3. Bioaccumulative potential
- N.A. 12.4. Mobility in soil
  - N.A.
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
- 12.6. Endocrine disrupting properties
- No endocrine disruptor substances present in concentration  $\geq 0.1\%$  12.7. Other adverse effects
  - None None

## **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

## **SECTION 14: Transport information**

14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

N.A.

- 14.3. Transport hazard class(es)
  - N.A.
- 14.4. Packing group N.A.

31021/14 Page n. 6 of 9



- 14.5. Environmental hazards ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No
- 14.6. Special precautions for user N.A.
- 14.7. Maritime transport in bulk according to IMO instruments N.A.

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: No restriction. Restrictions related to the substances contained: Restriction 40 **Restriction 57 Restriction 75** Volatile Organic compounds - VOCs = 0.04 % Volatile Organic compounds - VOCs = 0.40 g/Kg Volatile Organic compounds - VOCs = 0.40 g/l Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None 15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture. Substances for which a Chemical Safety Assessment has been carried out: None 31021/14 Page n. 7 of 9



#### **SECTION 16: Other information**

Text of phrases referred to under heading 3:

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

EUH208 Contains (name of sensitising substance). May produce an allergic reaction.

Hazard class and hazard category	Code	Description
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2

Paragraphs modified from the previous revision:

SECTION 1: Identification of the substance/mixture and of the company/undertaking SECTION 2: Hazards identification SECTION 3: Composition/information on ingredients SECTION 14: Transport information

SECTION 15: Regulatory information

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of
	Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.

31021/14 Page n. 8 of 9



GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport
	Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NA:	Not applicable
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.