

## Safety Data Sheet dated 4/7/2019, version 7

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: Shampoo with wax

Trade code: 34013

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Product to wash external car surfaces.

1.3. Details of the supplier of the safety data sheet

Supplier:

Arexons S.p.A.

via Antica di Cassano, 23, 20063

Cernusco sul Naviglio (MI), Italy

Arexons S.p.A.

Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306

Competent person responsible for the safety data sheet:

arexons@arexons.it

1.4. Emergency telephone number

Arexons S.p.A.

Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306

Centro Antiveleni di Pavia IRCCS- Fondazione Maugeri tel. +39 (0)382 24444 (h24; it, en)

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

In Ireland: Beaumont Hospital - National Poisons Information Centre 01 809 2166 (7days, 8:00 -

22:00)

In South Africa: Poison Information Helpline 0861 555 777

#### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP):

◆ Warning, Eye Irrit. 2, Causes serious eye irritation.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P264 Wash hands thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

34013/7



P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with applicable regulations.

**Special Provisions:** 

None

Contains

Amides, C8-18 even numbered, N-[3-(dimethylamino)propyl]: May produce an allergic reaction. 2-Methyl-2H-isothiazol-3-one: May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

Regulation (EC) nr 648/2004 (detergents).

Product contents:

Non-ionic surfactants

Preservatives: 1,2-benzisothiazol-3(2H)-one, LAURYLAMINE

DIPROPYLENEDIAMINE, 2-Methyl-2H-isothiazol-3-one, 1,2-

< 5 %

benzisothiazol-3(2H)-one

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

## **SECTION 3: Composition/information on ingredients**

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

>= 2% - < 3% Laureth-7; Alcohols, C9-11-iso-, C10-rich, ethoxylated

CAS: 78330-20-8

- 1 3.1/4/Oral Acute Tox. 4 H302
- ♦ 3.3/1 Eye Dam. 1 H318
- >= 1% < 2% Siloxanes and Silicones, di-Me, 3-[3-[(3-coco amidopropyl)dimethylammonio]-2-hyd CAS: 134737-05-6
  - 4.1/A1 Aquatic Acute 1 H400
  - 4 1/C1 Aquatic Chronic 1 H410
- >= 0.5% < 1% Amines, C12-14(even numbered)-alkyldimethyl, N-oxides

REACH No.: 01-2119490061-47, CAS: 1643-20-5, EC: 216-700-6

- 3.1/4/Oral Acute Tox. 4 H302
- ◆ 3.2/2 Skin Irrit. 2 H315
- ♦ 3.3/1 Eye Dam. 1 H318
- 4.1/A1 Aquatic Acute 1 H400
- 4.1/C2 Aquatic Chronic 2 H411
- >= 0.02% < 0.05% Amides, C8-18 even numbered, N-[3-(dimethylamino)propyl]

REACH No.: 01-2119435524-42, EC: 930-947-3

- 3.1/4/Oral Acute Tox. 4 H302
- ♦ 3.2/1A Skin Corr. 1A H314
- ♦ 3.3/1 Eye Dam. 1 H318
- ◆ 3.4.2/1A Skin Sens. 1A H317
- ♦ 4.1/A1 Aquatic Acute 1 H400
- 4.1/C2 Aquatic Chronic 2 H411

>= 0.01% - < 0.02% 2-Methyl-2H-isothiazol-3-one

34013/7

Page n. 2 of 12



CAS: 2682-20-4, EC: 220-239-6

- 3.1/3/Oral Acute Tox. 3 H301
- ♦ 3.1/3/Dermal Acute Tox. 3 H311
- ♦ 3.1/2/Inhal Acute Tox. 2 H330
- ◆ 3.4.2/1A Skin Sens. 1A H317
- ♦ 3.2/1B Skin Corr. 1B H314
- **1** 3.8/3 STOT SE 3 H335
- ♦ 4.1/A1 Aquatic Acute 1 H400
- 4.1/C2 Aquatic Chronic 2 H411

Specific Concentration Limits:

C >= 0,01%: EUH208

>= 0.01% - < 0.02% LAURYLAMINE DIPROPYLENEDIAMINE

CAS: 2372-82-9, EC: 219-145-8

- ♦ 3.1/3/Oral Acute Tox. 3 H301
- ♦ 3.2/1B Skin Corr. 1B H314
- **♦** 3.9/2 STOT RE 2 H373
- ♦ 4.1/A1 Aquatic Acute 1 H400 M=10.
- ♦ 4.1/C1 Aquatic Chronic 1 H410 M=1.

## **SECTION 4: First aid measures**

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

## **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Appropriate Extinguishing Media:

To carbon dioxide.

To dust.

Foam

Water spray.

Not Recommended Extinguishing Media:

34013/7

Page n. 3 of 12



Do not use direct water jets.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains

Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

## **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

#### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

No occupational exposure limit available

**DNEL Exposure Limit Values** 

Amines, C12-14(even numbered)-alkyldimethyl, N-oxides - CAS: 1643-20-5

Worker Professional: 6.2 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Professional: 11 mg/kg - Consumer: 5.5 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, local effects

Consumer: 11 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects LAURYLAMINE DIPROPYLENEDIAMINE - CAS: 2372-82-9

34013/7



Worker Professional: 2.35 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term,

systemic effects

Worker Professional: 0.91 mg/kg - Exposure: Human Dermal - Frequency: Long Term,

systemic effects

PNEC Exposure Limit Values

Amines, C12-14(even numbered)-alkyldimethyl, N-oxides - CAS: 1643-20-5

Target: Fresh Water - Value: 0.034 mg/l Target: Marine water - Value: 0.003 mg/l

Target: Freshwater sediments - Value: 5.24 mg/kg Target: Marine water sediments - Value: 0.524 mg/kg

Target: 09 - Value: 24 mg/l

LAURYLAMINE DIPROPYLENEDIAMINE - CAS: 2372-82-9

Target: Fresh Water - Value: 0.001 mg/l
Target: Marine water - Value: 0.0001 mg/l
Target: Freshwater sediments - Value: 8.5 mg/kg
Target: Marine water sediments - Value: 0.85 mg/l

Target: Microorganisms in sewage treatments - Value: 1.33 mg/l

8.2. Exposure controls

Eye protection:

Eye glasses with side protection.

Compliant with EN 166

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Nitrile or Viton gloves.

Compliant with EN 374.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Liquid beige		
Odour:	Characteristic		
Odour threshold:	N.A.		
pH:	7		
Melting point / freezing point:	N.A.		
Initial boiling point and boiling range:	N.A.		
Flash point:	N.A.		



Evaporation rate:	N.A.	 
Solid/gas flammability:	N.A.	 
Upper/lower flammability or explosive limits:	N.A.	 
Vapour pressure:	N.A.	 
Vapour density:	N.A.	 
Relative density:	1,005 g/cm3	 
Solubility in water:	Soluble	 
Solubility in oil:	N.A.	 
Partition coefficient (n-octanol/water):	N.A.	 
Auto-ignition temperature:	N.A.	 
Decomposition temperature:	N.A.	 
Viscosity:	N.A.	 
Explosive properties:	N.A.	 
Oxidizing properties:	N.A.	 

## 9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	N.A.		
Fat Solubility:	N.A.		
Conductivity:	N.A.		
Substance Groups relevant properties	N.A.		

NA=not applicable

## **SECTION 10: Stability and reactivity**

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials None in particular.



 Hazardous decomposition products None.

## **SECTION 11: Toxicological information**

11.1. Information on toxicological effects Toxicological information of the product:

WASH & WAX L 1

a) acute toxicity

Based on available data, the classification criteria are not met b) skin corrosion/irritation

Based on available data, the classification criteria are not met c) serious eye damage/irritation

The product is classified: Eye Irrit. 2 H319

d) respiratory or skin sensitisation

Based on available data, the classification criteria are not met e) germ cell mutagenicity

Based on available data, the classification criteria are not met f) carcinogenicity

Based on available data, the classification criteria are not met g) reproductive toxicity

Based on available data, the classification criteria are not met h) STOT-single exposure

Based on available data, the classification criteria are not met i) STOT-repeated exposure

Based on available data, the classification criteria are not met j) aspiration hazard

Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product:

Amines, C12-14(even numbered)-alkyldimethyl, N-oxides - CAS: 1643-20-5

g) reproductive toxicity:

Test: NOEL - Route: Oral 100 mg/kg - Source: OECD 422

Test: arx1 - Route: Oral 25 mg/kg

i) STOT-repeated exposure:

Test: NOAEL - Route: Oral 88 mg/kg

2-Methyl-2H-isothiazol-3-one - CAS: 2682-20-4

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat 120 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat 0.11 mg/l - Duration: 4h

Test: LD50 - Route: Skin - Species: Rabbit 242 mg/kg

b) skin corrosion/irritation:

Test: Skin Corrosive - Route: Skin - Species: Rabbit Positive

c) serious eye damage/irritation:

Test: Eye Corrosive - Route: EYE - Species: Rabbit Positive

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Route: Skin - Species: IND Positive

f) carcinogenicity:

Test: Carcinogeneticy Negative

h) STOT-single exposure:



Test: oecd 11 3

LAURYLAMINE DIPROPYLENEDIAMINE - CAS: 2372-82-9

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat 261 mg/kg

b) skin corrosion/irritation:

Test: OECD TG 404 - Route: Skin - Species: Rabbit Positive

c) serious eye damage/irritation:

Test: Eye Corrosive - Route: EYE Positive

d) respiratory or skin sensitisation:

Test: OECD TG 406 - Species: IND Negative

e) germ cell mutagenicity:

Test: oecd Negative

g) reproductive toxicity:

Test: Reproductive Toxicity Negative

i) STOT-repeated exposure:

Test: oecd 16 Positive

Test: NOAEL(C) - Route: Oral - Species: Rat 9 mg/kg - Duration: 90gg

### **SECTION 12: Ecological information**

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Laureth-7; Alcohols, C9-11-iso-, C10-rich, ethoxylated - CAS: 78330-20-8

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1 mg/l - Notes: OECD TG 203

Endpoint: EC50 - Species: Daphnia > 1 mg/l - Notes: OECD TG 202

Endpoint: EC50 - Species: Algae > 1 mg/l - Notes: OECD TG 201

Amines, C12-14(even numbered)-alkyldimethyl, N-oxides - CAS: 1643-20-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 1.26 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia 2.9 mg/l - Duration h: 24

Endpoint: CE6 - Species: Algae 0.19 mg/l - Duration h: 72

Endpoint: CE5 - Species: fanghi 24 mg/l - Duration h: 18

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Algae 0.067 mg/l - Duration h: 672

Endpoint: NOEC - Species: Fish 0.42 mg/l

Endpoint: NOEC - Species: Daphnia 0.7 mg/l - Duration h: 504

2-Methyl-2H-isothiazol-3-one - CAS: 2682-20-4

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 4.77 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia 1.415 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae 0.158 mg/l - Duration h: 72

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Daphnia 0.04 mg/l - Duration h: 504

LAURYLAMINE DIPROPYLENEDIAMINE - CAS: 2372-82-9

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 0.45 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia 0.073 mg/l - Duration h: 48

Endpoint: CE5 - Species: Algae 0.012 mg/l - Duration h: 72

12.2. Persistence and degradability

None

Laureth-7; Alcohols, C9-11-iso-, C10-rich, ethoxylated - CAS: 78330-20-8

Biodegradability: Readily biodegradable

Amines, C12-14(even numbered)-alkyldimethyl, N-oxides - CAS: 1643-20-5

Biodegradability: Readily biodegradable - Duration: 28gg - %: 80

2-Methyl-2H-isothiazol-3-one - CAS: 2682-20-4

Biodegradability: 4 - %: 0.38



LAURYLAMINE DIPROPYLENEDIAMINE - CAS: 2372-82-9

Biodegradability: Readily biodegradable - Duration: 28gg - %: 79

12.3. Bioaccumulative potential

Laureth-7; Alcohols, C9-11-iso-, C10-rich, ethoxylated - CAS: 78330-20-8

Bioaccumulation: Not bioaccumulative

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

None

### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

## **SECTION 14: Transport information**

#### 14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No

14.6. Special precautions for user

Ň.A

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) 2015/830

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:



Restrictions related to the product:

Restriction 3

Restriction 40

Restrictions related to the substances contained:

Restriction 70

Volatile Organic compounds - VOCs = 0.00 %

Volatile Organic compounds - VOCs = 0.00 g/Kg

Volatile Organic compounds - VOCs = 0.00 g/l

Where applicable, refer to the following regulatory provisions:

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

#### 15.2. Chemical safety assessment

No Chemical Šafety Assessment has been carried out for the mixture. Substances for which a Chemical Safety Assessment has been carried out:

None

#### **SECTION 16: Other information**

Text of phrases referred to under heading 3:

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H315 Causes skin irritation.

H411 Toxic to aquatic life with long lasting effects.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.

EUH208 Contains (name of sensitising substance). May produce an allergic reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

Hazard class and hazard category	Code	Description
Acute Tox. 2	3.1/2/Inhal	Acute toxicity (inhalation), Category 2
Acute Tox. 3	3.1/3/Dermal	Acute toxicity (dermal), Category 3
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2



Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1A	3.4.2/1A	Skin Sensitisation, Category 1A
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
STOT RE 2	3.9/2	Specific target organ toxicity - repeated exposure, Category 2
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Paragraphs modified from the previous revision:

SECTION 3: Composition/information on ingredients

SECTION 7: Handling and storage

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Eye Irrit. 2, H319	Calculation method
Aquatic Chronic 3, H412	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

specific use intended.

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical

Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

34013/7

Page n. 11 of 12



GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Áviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

NA: Not applicable

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWA: Time-weighted average
WGK: German Water Hazard Class.