



**Safety Data Sheet dated 4/7/2019, version 7**

---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

1.1. Product identifier

Mixture identification:

Trade name: CERA METAL

Trade code: 8271

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Bodywork wax

1.3. Details of the supplier of the safety data sheet

Supplier:

Arexons S.p.A.

via Antica di Cassano, 23, 20063

Cernusco sul Naviglio (MI), Italy

Arexons S.p.A.

Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306

Competent person responsible for the safety data sheet:

arexons@arexons.it

1.4. Emergency telephone number

Arexons S.p.A.

Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306

Centro Antiveleni di Pavia IRCCS- Fondazione Maugeri tel. +39 (0)382 24444 (h24; it, en)

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

In Ireland: Beaumont Hospital - National Poisons Information Centre 01 809 2166 (7days, 8:00 - 22:00)

In South Africa: Poison Information Helpline 0861 555 777

---

**SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP):

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

None

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

# Safety Data Sheet

## CERA METAL



### SECTION 3: Composition/information on ingredients

- 3.1. Substances  
N.A.
- 3.2. Mixtures  
Hazardous components within the meaning of the CLP regulation and related classification:  
>= 20% - < 25% Hydrocarbons isoparaffinic mixture  
REACH No.: 01-2119480162-45, EC: 927-285-2  
⚠ 3.10/1 Asp. Tox. 1 H304  
EUH066
- >= 2% - < 3% PEG 15 COCAMINE DEA (GifraxilCO 15 ) Ammina grassa etossilata T.non ionico  
CAS: 61791-14-8  
⚠ 3.1/4/Oral Acute Tox. 4 H302  
⚠ 3.3/2 Eye Irrit. 2 H319

---

### SECTION 4: First aid measures

- 4.1. Description of first aid measures  
In case of skin contact:  
Wash with plenty of water and soap.  
In case of eyes contact:  
In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
In case of Ingestion:  
Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.  
In case of Inhalation:  
Remove casualty to fresh air and keep warm and at rest.
- 4.2. Most important symptoms and effects, both acute and delayed  
None
- 4.3. Indication of any immediate medical attention and special treatment needed  
Treatment:  
None

---

### SECTION 5: Firefighting measures

- 5.1. Extinguishing media  
Appropriate Extinguishing Media:  
Not Recommended Extinguishing Media:
- 5.2. Special hazards arising from the substance or mixture  
Do not inhale explosion and combustion gases.  
Burning produces heavy smoke.
- 5.3. Advice for firefighters  
Use suitable breathing apparatus .  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Move undamaged containers from immediate hazard area if it can be done safely.

---

### SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures  
Wear personal protection equipment.  
Remove persons to safety.  
See protective measures under point 7 and 8.
- 6.2. Environmental precautions  
Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

## Safety Data Sheet

### CERA METAL



Retain contaminated washing water and dispose it.  
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

#### 6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

#### 6.4. Reference to other sections

See also section 8 and 13

---

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Do not eat or drink while working.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

#### 7.3. Specific end use(s)

None in particular

---

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Hydrocarbons isoparaffinic mixture

TLV TWA - 1660 mg/m<sup>3</sup>

DNEL Exposure Limit Values

N.A.

PNEC Exposure Limit Values

N.A.

#### 8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

---

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Paste white	--	--
Odour:	Characteristic	--	--

**Safety Data Sheet**  
**CERA METAL**



Odour threshold:	N.A.	--	--
pH:	N.A.	--	--
Melting point / freezing point:	N.A.	--	--
Initial boiling point and boiling range:	>100°C	--	--
Flash point:	N.A.	--	--
Evaporation rate:	N.A.	--	--
Solid/gas flammability:	N.A.	--	--
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	N.A.	--	--
Vapour density:	N.A.	--	--
Relative density:	0,932	08	--
Solubility in water:	Soluble	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient (n-octanol/water):	N.A.	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
Viscosity:	Not applicable	--	--
Explosive properties:	N.A.	--	--
Oxidizing properties:	N.A.	--	--

9.2. Other information

<b>Properties</b>	<b>Value</b>	<b>Method:</b>	<b>Notes:</b>
Miscibility:	N.A.	--	--
Fat Solubility:	N.A.	--	--
Conductivity:	N.A.	--	--
Substance Groups relevant properties	N.A.	--	--

NA=not applicable

# Safety Data Sheet

## CERA METAL



### SECTION 10: Stability and reactivity

- 10.1. Reactivity  
Stable under normal conditions
- 10.2. Chemical stability  
Stable under normal conditions
- 10.3. Possibility of hazardous reactions  
None
- 10.4. Conditions to avoid  
Stable under normal conditions.
- 10.5. Incompatible materials  
None in particular.
- 10.6. Hazardous decomposition products  
None.

---

### SECTION 11: Toxicological information

- 11.1. Information on toxicological effects  
Toxicological information of the product:

CERA METAL  
a) acute toxicity

Based on available data, the classification criteria are not met  
b) skin corrosion/irritation

Based on available data, the classification criteria are not met  
c) serious eye damage/irritation

Based on available data, the classification criteria are not met  
d) respiratory or skin sensitisation

Based on available data, the classification criteria are not met  
e) germ cell mutagenicity

Based on available data, the classification criteria are not met  
f) carcinogenicity

Based on available data, the classification criteria are not met  
g) reproductive toxicity

Based on available data, the classification criteria are not met  
h) STOT-single exposure

Based on available data, the classification criteria are not met  
i) STOT-repeated exposure

Based on available data, the classification criteria are not met  
j) aspiration hazard

Based on available data, the classification criteria are not met  
Toxicological information of the main substances found in the product:

Hydrocarbons isoparaffinic mixture

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg - Notes: OECD TG 401

Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg - Notes: OECD TG 402

Test: LC50 - Route: Inhalation - Species: Rat > 5000 mg/m<sup>3</sup> - Notes: OECD TG 403

b) skin corrosion/irritation:

Test: OECD TG 404 - Route: Skin - Species: Rabbit Negative - Notes: NOT IRRITANT

c) serious eye damage/irritation:

## Safety Data Sheet

### CERA METAL



- Test: OECD TG 405 - Route: EYE - Species: Rabbit Negative - Notes: NOT IRRITANT
- d) respiratory or skin sensitisation:  
Test: OECD TG 406 - Route: Skin - Species: IND Negative - Notes: NOT SENS
- e) germ cell mutagenicity:  
Test: oecd 2 - Species: vitro Negative - Notes: NOT MUTA  
Test: OECD TG 47 - Species: Mouse Negative - Notes: NOT MUTA
- f) carcinogenicity:  
Test: NOAEC - Species: Rat 183 mg/m<sup>3</sup> - Notes: male  
Test: NOAEC - Species: Rat > 2200 mg/m<sup>3</sup> - Notes: female

---

## SECTION 12: Ecological information

- 12.1. Toxicity  
Adopt good working practices, so that the product is not released into the environment.  
Hydrocarbons isoparaffinic mixture
- a) Aquatic acute toxicity:  
Endpoint: LL50 - Species: Fish > 1000 mg/l - Duration h: 96  
Endpoint: LL50 - Species: Daphnia > 1000 mg/l - Duration h: 48  
Endpoint: EL50 - Species: Algae > 1000 mg/l - Duration h: 72
- b) Aquatic chronic toxicity:  
Endpoint: NOEC - Species: Fish 0.103 mg/l - Duration h: 672  
Endpoint: NOEC - Species: Daphnia 1 mg/l - Duration h: 504
- c) Bacteria toxicity:  
Endpoint: EL50 - Species: tetra > 1000 mg/l - Duration h: 48
- 12.2. Persistence and degradability  
None  
Hydrocarbons isoparaffinic mixture  
Biodegradability: Readily biodegradable - Test: BIOGDG10
- 12.3. Bioaccumulative potential  
N.A.
- 12.4. Mobility in soil  
N.A.
- 12.5. Results of PBT and vPvB assessment  
vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects  
None

---

## SECTION 13: Disposal considerations

- 13.1. Waste treatment methods  
Recover if possible. In so doing, comply with the local and national regulations currently in force.

---

## SECTION 14: Transport information

- 14.1. UN number  
Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name  
N.A.
- 14.3. Transport hazard class(es)  
N.A.
- 14.4. Packing group  
N.A.
- 14.5. Environmental hazards  
ADR-Environmental Pollutant: No

## Safety Data Sheet

### CERA METAL



- IMDG-Marine pollutant: No
- 14.6. Special precautions for user  
N.A.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code  
No

---

#### SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
- Dir. 98/24/EC (Risks related to chemical agents at work)
  - Dir. 2000/39/EC (Occupational exposure limit values)
  - Regulation (EC) n. 1907/2006 (REACH)
  - Regulation (EC) n. 1272/2008 (CLP)
  - Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
  - Regulation (EU) 2015/830
  - Regulation (EU) n. 286/2011 (ATP 2 CLP)
  - Regulation (EU) n. 618/2012 (ATP 3 CLP)
  - Regulation (EU) n. 487/2013 (ATP 4 CLP)
  - Regulation (EU) n. 944/2013 (ATP 5 CLP)
  - Regulation (EU) n. 605/2014 (ATP 6 CLP)
  - Regulation (EU) n. 2015/1221 (ATP 7 CLP)
  - Regulation (EU) n. 2016/918 (ATP 8 CLP)
  - Regulation (EU) n. 2016/1179 (ATP 9 CLP)
  - Regulation (EU) n. 2017/776 (ATP 10 CLP)
- Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:
- Restrictions related to the product:
    - Restriction 40
  - Restrictions related to the substances contained:
    - Restriction 57
- Volatile Organic compounds - VOCs = 21.00 %  
Volatile Organic compounds - VOCs = 210.01 g/Kg  
Volatile Organic compounds - VOCs = 195.73 g/l
- Where applicable, refer to the following regulatory provisions :
- Directive 2012/18/EU (Seveso III)
  - Regulation (EC) nr 648/2004 (detergents).
  - Dir. 2004/42/EC (VOC directive)
- Provisions related to directive EU 2012/18 (Seveso III):
- Seveso III category according to Annex 1, part 1
  - None
- 15.2. Chemical safety assessment
- No Chemical Safety Assessment has been carried out for the mixture.
  - Substances for which a Chemical Safety Assessment has been carried out:
    - None

---

#### SECTION 16: Other information

- Text of phrases referred to under heading 3:
- H304 May be fatal if swallowed and enters airways.
  - EUH066 Repeated exposure may cause skin dryness or cracking.
  - H302 Harmful if swallowed.
  - H319 Causes serious eye irritation.

## Safety Data Sheet

### CERA METAL



Hazard class and hazard category	Code	Description
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2

Paragraphs modified from the previous revision:

#### SECTION 7: Handling and storage

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,  
Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van  
Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NA:	Not applicable
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.



**Safety Data Sheet**  
**CERA METAL**



TWA: Time-weighted average  
WGK: German Water Hazard Class.