



**Safety Data Sheet dated 6/12/2024, version 24**

---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- 1.1. Product identifier  
Mixture identification:  
Trade name: MOTORSIL D  
Trade code: 0096
- 1.2. Relevant identified uses of the substance or mixture and uses advised against  
Recommended use:  
self-levelling silicone seal  
Uses advised against:  
Strictly adhere to the recommended uses.
- 1.3. Details of the supplier of the safety data sheet  
Supplier:  
Arexons S.p.A.  
via Antica di Cassano, 23, 20063  
Cernusco sul Naviglio (MI), Italy  
Arexons S.p.A.  
Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306  
Competent person responsible for the safety data sheet:  
arexons@arexons.it
- 1.4. Emergency telephone number  
Arexons S.p.A.  
Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306  
In England and Wales: NHS 111 - dial 111  
In Scotland: NHS 24 - dial 111  
In Ireland: emergency number 112  
In South Africa: Poison Information Helpline 0861 555 777  
In Malta: emergency number 112

---

**SECTION 2: Hazards identification**

- 2.1. Classification of the substance or mixture  
EC regulation criteria 1272/2008 (CLP):  
⚠ Warning, Eye Irrit. 2, Causes serious eye irritation.  
Adverse physicochemical, human health and environmental effects:  
No other hazards
- 2.2. Label elements  
Hazard pictograms:



- Warning  
Hazard statements:  
H319 Causes serious eye irritation.  
Precautionary statements:  
P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read carefully and follow all instructions.  
P264 Wash hands thoroughly after handling.  
P280 Wear protective gloves/clothing and eye/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## Safety Data Sheet

### MOTORSIL D



P337+P313 If eye irritation persists: Get medical advice/attention.

Special Provisions:

None

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

#### 2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration  $\geq 0.1\%$

Other Hazards:

No hazards identified as the maximum bio-available concentration of octamethylcyclotetrasiloxane (D4) in the aquatic environment is below the expected threshold for the NOEC. Experimental analyzes have shown that the mixture is not dangerous for the environment.

No other hazards

## SECTION 3: Composition/information on ingredients

#### 3.1. Substances

N.A.

#### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

| stta                         | Name                          | Ident. Number  | Classification  |
|------------------------------|-------------------------------|--|---|
| $\geq 2\%$ -<br>$< 3\%$      | Methylsilanetriyl triacetate  | CAS: 4253-34-3<br>EC: 224-221-9<br>REACH No.: 01-2119987097-22 | ⚠ 3.1/4/Oral Acute Tox. 4 H302<br>⚠ 3.2/1B Skin Corr. 1B H314   |
| $\geq 2\%$ -<br>$< 3\%$      | acetic acid...%               | CAS: 64-19-7<br>EC: 200-580-7<br>REACH No.: 01-2119475328-30   | ⚠ 2.6/3 Flam. Liq. 3 H226<br>⚠ 3.2/1A Skin Corr. 1A H314<br>Specific Concentration Limits:<br>10% $\leq C < 25\%$ : Skin Irrit. 2 H315<br>10% $\leq C < 25\%$ : Eye Irrit. 2 H319<br>25% $\leq C < 90\%$ : Skin Corr. 1B H314<br>C $\geq 90\%$ : Skin Corr. 1A H314 |
| $\geq 0,05\%$ -<br>$< 0,1\%$ | Dodecamethylcyclohexasiloxane | CAS: 540-97-6<br>EC: 208-762-8<br>REACH No.: 01-2119517435-42  | The product is not classified as hazardous according to Regulation EC 1272/2008 (CLP).  |
| $\geq 0,05\%$ -<br>$< 0,1\%$ | Decamethylcyclopentasiloxane  | CAS: 541-02-6<br>EC: 208-764-9<br>REACH No.: 01-2119511367-43  | The product is not classified as hazardous according to Regulation EC 1272/2008 (CLP).  |
| $\geq 0,05\%$ -<br>$< 0,1\%$ | Octamethylcyclotetrasiloxane  | CAS: 556-67-2<br>EC: 209-136-7<br>REACH No.: 01-2119529238-36  | ⚠ 3.7/2 Repr. 2 H361f<br>⚠ 4.1/C1 Aquatic Chronic 1 H410<br>⚠ 2.6/3 Flam. Liq. 3 H226   |

## Safety Data Sheet

### MOTORSIL D



SVHC, PBT, vPvB, endocrine disruptor substances:

- >= 0,05% - < 0,1% Dodecamethylcyclohexasiloxane  
REACH No.: 01-2119517435-42, CAS: 540-97-6, EC: 208-762-8  
PBT, vPvB, SVHC
- >= 0,05% - < 0,1% Decamethylcyclopentasiloxane  
REACH No.: 01-2119511367-43, CAS: 541-02-6, EC: 208-764-9  
PBT, vPvB, SVHC
- >= 0,05% - < 0,1% Octamethylcyclotetrasiloxane  
REACH No.: 01-2119529238-36, CAS: 556-67-2, EC: 209-136-7  
PBT, vPvB, SVHC

---

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

##### 4.2. Most important symptoms and effects, both acute and delayed

In case of contact with eyes: rinse with plenty of running water. Contact a physician if the irritation persists.

In case of contact with skin: wash with soap and water and rinse with plenty of water.

In case of inhalation: move the patient to a well-ventilated area and keep at rest.

In case of ingestion: do not induce vomiting. Rinse mouth thoroughly with water.

##### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

---

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

Appropriate Extinguishing Media:

Foam

To carbon dioxide.

To dust.

Not Recommended Extinguishing Media:

To water.

##### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

##### 5.3. Advice for firefighters

Normal fire-fighting clothing, such as an open-circuit compressed air breathing apparatus (EN 137), flame-resistant suit (EN469), flame-resistant gloves (EN 659) and firefighter's boots (HO A29 or A30).



---

## **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures
  - Wear personal protection equipment.
  - Remove persons to safety.
  - See protective measures under point 7 and 8.
- 6.2. Environmental precautions
  - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
  - Retain contaminated washing water and dispose it.
  - In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
  - Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
  - For cleaning up:
    - Avoid flame and/or spark near leak and produced waste. Do not smoke. In case of large spills dike,
    - absorb and shovel up into suitable containers for disposal. Contain small spills with absorbent material.
    - Put dirty material in suitable container. Dispose of dirty material in accordance with local or national regulations.
- 6.4. Reference to other sections
  - See also section 8 and 13

---

## **SECTION 7: Handling and storage**

- 7.1. Precautions for safe handling
  - Avoid contact with skin and eyes, inhalation of vapours and mists.
  - Don't use empty container before they have been cleaned.
  - Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
  - See also section 8 for recommended protective equipment.
  - Advice on general occupational hygiene:
    - Contaminated clothing should be changed before entering eating areas.
    - Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities
  - Only store in the original container.
  - Store in a dry place.
  - Avoid contact with eyes, skin and clothing. Wear protective clothing and goggles.
  - Keep away from food, drink and feed.
  - Incompatible materials:
    - None in particular.
  - Instructions as regards storage premises:
    - Adequately ventilated premises.
- 7.3. Specific end use(s)
  - None in particular

---

## **SECTION 8: Exposure controls/personal protection**

- 8.1. Control parameters
  - acetic acid...% - CAS: 64-19-7
    - EU - TWA(8h): 25 mg/m<sup>3</sup>, 10 ppm - STEL: 50 mg/m<sup>3</sup>, 20 ppm
    - ACGIH - TWA(8h): 10 ppm - STEL: 15 ppm - Notes: URT and eye irr, pulm func
  - Octamethylcyclotetrasiloxane - CAS: 556-67-2
    - 20101.04 - TWA: 120 mg/m<sup>3</sup>, 10 ppm
- DNEL Exposure Limit Values
  - N.A.
- PNEC Exposure Limit Values

## Safety Data Sheet

### MOTORSIL D



N.A.

#### 8.2. Exposure controls

Eye protection:

Safety goggles.

Compliant with EN 166

Protection for skin:

protective clothing

Protection for hands:

We recommend using rubber gloves.

Compliant with EN 374.

Respiratory protection:

In case of insufficient ventilation, use adequate respiratory protection equipment.

Mask with filter "E", yellow colour

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

The normal (mechanical) ventilation of the room should be sufficient for work not extended with the product. For more extensive activities with it (or if necessary to ensure the well-being of the worker), a local mechanical air extractor should be provided.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

| Properties  | Value                               | Method: | Notes: |
|---|-------------------------------------|---------|--------|
| Physical state:   | Liquid                              | --      | --     |
| Colour:   | Red                                 | --      | --     |
| Odour:  | Characteristic                      | --      | --     |
| Melting point/freezing point:                             | N.A.                                | --      | --     |
| Boiling point or initial boiling point and boiling range: | N.A.                                | --      | --     |
| Flammability:   | N.A.                                | --      | --     |
| Lower and upper explosion limit:                          | N.A.                                | --      | --     |
| Flash point:  | > 120°C approx.                     | 11      | --     |
| Auto-ignition temperature:                                | N.A.                                | --      | --     |
| Decomposition temperature:                                | N.A.                                | --      | --     |
| pH:   | N.A.                                | --      | --     |
| Kinematic viscosity:                                      | > 20,5 mm <sup>2</sup> /sec (40 °C) | --      | --     |
| Solubility in water:                                      | Insoluble                           | --      | --     |

## Safety Data Sheet

### MOTORSIL D



|   |                              |                 |    |
|---|------------------------------|-----------------|----|
| Solubility in oil:                                      | N.A.                         | --              | -- |
| Partition coefficient n-octanol/water (log value):      | N.A.                         | --              | -- |
| Vapour pressure:  | N.A.                         | --              | -- |
| Density and/or relative density:                        | 1,12 @20°C                   | Internal method | -- |
| Relative vapour density:                                | N.A.                         | --              | -- |
| Particle characteristics:                               |                              |                 |    |
| Particle size:  | N.A.                         | --              | -- |
| 9.2. Other information<br>No other relevant information |                              |                 |    |
| Viscosity:  | 225 mm <sup>2</sup> /s @25°C | internal method | -- |

#### SECTION 10: Stability and reactivity

- 10.1. Reactivity  
Vulcanizes at room temperature in contact with humid air.
- 10.2. Chemical stability  
Stable at room temperature, not in contact with air.
- 10.3. Possibility of hazardous reactions  
None
- 10.4. Conditions to avoid  
Stable under normal conditions.
- 10.5. Incompatible materials  
Strong oxidising agents. Water.
- 10.6. Hazardous decomposition products  
Thermal decomposition or combustion can release carbon oxides and other toxic gases and vapours. Amorphous silica.  
May produce hazardous substances during use or in contact with water.

#### SECTION 11: Toxicological information

- 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008  
Toxicological information of the product:  
MOTORSIL D
  - a) acute toxicity  
Not classified  
Based on available data, the classification criteria are not met  
Test: oecd 10 - Route: Oral 64855.81 mg/kg
  - b) skin corrosion/irritation  
Not classified  
Test: Skin Irritant - Route: Skin Negative - Notes: Risultati ottenuti su prodotto simile. -  
Based on available data, the classification criteria are not met
  - c) serious eye damage/irritation  
The product is classified: Eye Irrit. 2 H319
  - d) respiratory or skin sensitisation  
Not classified  
Based on available data, the classification criteria are not met
  - e) germ cell mutagenicity

## Safety Data Sheet

### MOTORSIL D



- Not classified  
Based on available data, the classification criteria are not met
- f) carcinogenicity  
Not classified  
Based on available data, the classification criteria are not met
- g) reproductive toxicity  
Not classified  
Based on available data, the classification criteria are not met
- h) STOT-single exposure  
Not classified  
Based on available data, the classification criteria are not met
- i) STOT-repeated exposure  
Not classified  
Based on available data, the classification criteria are not met
- j) aspiration hazard  
Not classified  
Based on available data, the classification criteria are not met
- Toxicological information of the main substances found in the product:
- Methylsilanetriyl triacetate - CAS: 4253-34-3
- d) respiratory or skin sensitisation:  
Test: Skin Sensitization - Species: CAVIA Negative - Notes: OECD 406
- e) germ cell mutagenicity:  
Test: oecd Negative
- f) carcinogenicity:  
Test: NOAEC - Route: Inhalation - Species: Rat > 8.492 mg/l
- g) reproductive toxicity:  
Test: NOAEL - Route: Inhalation - Species: Rat > 1000 mg/kg - Notes: Metodo: OECD 422
- acetic acid...% - CAS: 64-19-7
- a) acute toxicity:  
Test: LC50 - Route: Inhalation - Species: Rat > 40 mg/l
- e) germ cell mutagenicity:  
Test: oecd - Species: vitro Negative
- g) reproductive toxicity:  
Test: arx1 - Route: Oral - Species: Rat 1600 mg/kg
- Dodecamethylcyclohexasiloxane - CAS: 540-97-6
- d) respiratory or skin sensitisation:  
Test: Skin Sensitization - Species: CAVIA Negative - Notes: OECD 406
- e) germ cell mutagenicity:  
Test: Mutagenesis - Species: vitro Negative - Notes: OECD 476
- g) reproductive toxicity:  
Test: NOAEL - Route: Oral - Species: Rat > 1000 mg/kg - Notes: OECD 422  
Test: arx1 - Species: Rabbit > 1000 mg/kg - Notes: OECD 414
- h) STOT-single exposure:  
Test: oecd 11 Negative
- i) STOT-repeated exposure:  
Negative
- Decamethylcyclopentasiloxane - CAS: 541-02-6
- d) respiratory or skin sensitisation:  
Test: Skin Sensitization Negative
- e) germ cell mutagenicity:  
Test: Mutagenesis - Species: vitro Negative
- f) carcinogenicity:  
Test: NOAEC - Route: Inhalation - Species: Rat > 2.42 mg/l
- g) reproductive toxicity:  
Test: NOAEL - Route: Inhalation - Species: Rat > 2.496 mg/l - Notes: OECD 416
- Octamethylcyclotetrasiloxane - CAS: 556-67-2
- d) respiratory or skin sensitisation:



## Safety Data Sheet

### MOTORSIL D



- Test: Skin Sensitization - Route: Skin - Species: CAVIA Negative
- e) germ cell mutagenicity:  
Test: Mutagenesis - Species: vitro Negative
- f) carcinogenicity:  
Test: NOAEC - Route: Inhalation - Species: Rat > 8.492 mg/l - Notes: OECD 453
- g) reproductive toxicity:  
Test: NOAEL - Route: Inhalation - Species: Rat 3.64 mg/l - Notes: OECD 416  
Test: arx1 - Route: Inhalation - Species: Rat > 6.066 mg/l - Notes: OECD 414

#### 11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration  $\geq 0.1\%$

## SECTION 12: Ecological information

### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Methylsilanetriyl triacetate - CAS: 4253-34-3

#### a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 100 mg/l - Duration h: 96

Endpoint: LC50 - Species: Daphnia > 100 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae = 660 mg/l - Duration h: 96

acetic acid...% - CAS: 64-19-7

#### a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia > 1000 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae > 1000 mg/l

#### b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Algae = 1000 mg/l

Dodecamethylcyclohexasiloxane - CAS: 540-97-6

#### a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia > 0.0029 mg/l - Duration h: 504

Endpoint: NOEC - Species: Algae > 0.002 mg/l - Duration h: 72

Endpoint: CE6 - Species: Algae > 0.002 mg/l - Duration h: 72

Endpoint: LC50 - Species: Fish > 0.016 mg/l - Duration h: 96

#### b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish > 0.014 mg/l - Duration h: 2160

Endpoint: NOEC - Species: Daphnia > 0.0046 mg/l - Duration h: 504

Decamethylcyclopentasiloxane - CAS: 541-02-6

#### a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 0.016 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia > 0.0029 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae > 0.012 mg/l - Duration h: 96

#### b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish > 0.014 mg/l - Duration h: 96

Endpoint: NOEC - Species: Daphnia > 0.015 mg/l - Duration h: 48

Endpoint: NOEC - Species: Algae > 0.012 mg/l - Duration h: 96

Octamethylcyclotetrasiloxane - CAS: 556-67-2

#### a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 0.022 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia > 0.015 mg/l - Duration h: 48

Endpoint: CE6 - Species: Algae > 0.022 mg/l - Duration h: 96

#### b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish > 0.0044 mg/l - Duration h: 2232

Endpoint: NOEC - Species: Daphnia 0.0015 mg/l - Duration h: 504

### 12.2. Persistence and degradability

None

Methylsilanetriyl triacetate - CAS: 4253-34-3



## Safety Data Sheet

### MOTORSIL D



- Biodegradability: 4 - Duration: 21GG - %: 74  
acetic acid...% - CAS: 64-19-7  
Biodegradability: Readily biodegradable - Duration: 20dd - %: 96  
Dodecamethylcyclohexasiloxane - CAS: 540-97-6  
Biodegradability: Non-readily biodegradable - Test: OECD TG 310 - Duration: 28gg - %: 4.5  
Decamethylcyclopentasiloxane - CAS: 541-02-6  
Biodegradability: Non-readily biodegradable - Duration: 28gg - %: 0.14  
Octamethylcyclotetrasiloxane - CAS: 556-67-2  
Biodegradability: Non-readily biodegradable - Duration: 28gg - %: 3.7
- 12.3. Bioaccumulative potential  
acetic acid...% - CAS: 64-19-7  
Test: BCF - Bioconcentration factor 3.16  
Dodecamethylcyclohexasiloxane - CAS: 540-97-6  
Bioaccumulation: Bioaccumulative - Test: BCF - Bioconcentration factor 2860  
Decamethylcyclopentasiloxane - CAS: 541-02-6  
Test: BCF - Bioconcentration factor 16200  
Octamethylcyclotetrasiloxane - CAS: 556-67-2  
Test: BCF - Bioconcentration factor 14900
- 12.4. Mobility in soil  
N.A.
- 12.5. Results of PBT and vPvB assessment  
PBT Substances:  
>= 0,05% - < 0,1% Dodecamethylcyclohexasiloxane - CAS: 540-97-6  
>= 0,05% - < 0,1% Decamethylcyclopentasiloxane - CAS: 541-02-6  
>= 0,05% - < 0,1% Octamethylcyclotetrasiloxane - CAS: 556-67-2  
vPvB Substances:  
>= 0,05% - < 0,1% Dodecamethylcyclohexasiloxane - CAS: 540-97-6  
>= 0,05% - < 0,1% Decamethylcyclopentasiloxane - CAS: 541-02-6  
>= 0,05% - < 0,1% Octamethylcyclotetrasiloxane - CAS: 556-67-2
- 12.6. Endocrine disrupting properties  
No endocrine disruptor substances present in concentration >= 0.1%
- 12.7. Other adverse effects  
None

---

## SECTION 13: Disposal considerations

- 13.1. Waste treatment methods  
Recover if possible. In so doing, comply with the local and national regulations currently in force.
- Additional disposal information:  
"Use in accordance with good working practices, avoiding dispersal in the environment.  
Do not discharge into drains, ground water or water courses. Comply with current legislation on the protection of water and soil from pollution (Legislative Decree No. 152 of 3/4/2006).  
Dispose of used product and containers by handing them over to authorised companies, in accordance with the provisions of  
Legislative Decree No. 152/2006 (Consolidated Environmental Act, which replaced the Ronchi Decree) as amended.  
The used product is to be considered special waste to be classified in accordance with Directive No. 2008/98/EC on waste and related matters. Recover if possible. Send to authorised disposal plants or incineration under controlled conditions (152/2006 art. 184).  
Act in accordance with the local and national laws in force.  
Contaminated packaging must be emptied as far as possible. After cleaning, send to an authorised centre for recycling or disposal."

---

## SECTION 14: Transport information

0096/24

Page n. 9 of 12



14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

IMDG-Marine pollutant: Marine Pollutant

14.6. Special precautions for user

N.A.

14.7. Maritime transport in bulk according to IMO instruments

N.A.

---

**SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2021/849 (ATP 17 CLP)

Regulation (EU) n. 2022/692 (ATP 18 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

Restriction 40

Restriction 70

Volatile Organic compounds - VOCs = 3.40 %

Volatile Organic compounds - VOCs = 34.00 g/Kg

Volatile Organic compounds - VOCs = 38.08 g/l

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

## Safety Data Sheet

### MOTORSIL D



Dir. 2004/42/EC (VOC directive)  
SVHC Substances:  
Substances in candidate list (Art. 59 Reg. 1907/2006, REACH):  
Dodecamethylcyclohexasiloxane  
PBT, vPvB  
Decamethylcyclopentasiloxane  
PBT, vPvB  
Octamethylcyclotetrasiloxane  
PBT, vPvB  
Provisions related to directive EU 2012/18 (Seveso III):  
Seveso III category according to Annex 1, part 1  
None

15.2. Chemical safety assessment  
No Chemical Safety Assessment has been carried out for the mixture.  
Substances for which a Chemical Safety Assessment has been carried out:  
None

#### SECTION 16: Other information

Text of phrases referred to under heading 3:  
H361f Suspected of damaging the unborn child.  
H410 Very toxic to aquatic life with long lasting effects.  
H226 Flammable liquid and vapour.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.

| Hazard class and hazard category | Code       | Description                                    |
|----------------------------------|------------|--|
| Flam. Liq. 3                     | 2.6/3      | Flammable liquid, Category 3                   |
| Acute Tox. 4                     | 3.1/4/Oral | Acute toxicity (oral), Category 4              |
| Skin Corr. 1A                    | 3.2/1A     | Skin corrosion, Category 1A                    |
| Skin Corr. 1B                    | 3.2/1B     | Skin corrosion, Category 1B                    |
| Skin Irrit. 2                    | 3.2/2      | Skin irritation, Category 2                    |
| Eye Irrit. 2                     | 3.3/2      | Eye irritation, Category 2                     |
| Repr. 2                          | 3.7/2      | Reproductive toxicity, Category 2              |
| Aquatic Chronic 1                | 4.1/C1     | Chronic (long term) aquatic hazard, category 1 |

Paragraphs modified from the previous revision:

SECTION 9: Physical and chemical properties

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

## Safety Data Sheet

### MOTORSIL D



|  |                                 |
|--|---------------------------------|
| <b>Classification according to Regulation (EC) Nr. 1272/2008</b> | <b>Classification procedure</b> |
| Eye Irrit. 2, H319   | Calculation method              |

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,  
Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van  
Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

|             |  |
|-------------|--|
| ADR:        | European Agreement concerning the International Carriage of Dangerous Goods by Road. |
| ATE:        | Acute Toxicity Estimate  |
| ATEmix:     | Acute toxicity Estimate (Mixtures)   |
| CAS:        | Chemical Abstracts Service (division of the American Chemical Society).              |
| CLP:        | Classification, Labeling, Packaging.   |
| DNEL:       | Derived No Effect Level.   |
| EINECS:     | European Inventory of Existing Commercial Chemical Substances.                       |
| GefStoffVO: | Ordinance on Hazardous Substances, Germany.  |
| GHS:        | Globally Harmonized System of Classification and Labeling of Chemicals.              |
| IATA:       | International Air Transport Association.   |
| IATA-DGR:   | Dangerous Goods Regulation by the "International Air Transport Association" (IATA).  |
| ICAO:       | International Civil Aviation Organization.   |
| ICAO-TI:    | Technical Instructions by the "International Civil Aviation Organization" (ICAO).    |
| IMDG:       | International Maritime Code for Dangerous Goods.                                     |
| INCI:       | International Nomenclature of Cosmetic Ingredients.                                  |
| KSt:        | Explosion coefficient.   |
| LC50:       | Lethal concentration, for 50 percent of test population.                             |
| LD50:       | Lethal dose, for 50 percent of test population.                                      |
| NA:         | Not applicable   |
| PNEC:       | Predicted No Effect Concentration.   |
| RID:        | Regulation Concerning the International Transport of Dangerous Goods by Rail.        |
| STEL:       | Short Term Exposure limit.   |
| STOT:       | Specific Target Organ Toxicity.  |
| TLV:        | Threshold Limiting Value.  |
| TWA:        | Time-weighted average  |
| WGK:        | German Water Hazard Class.   |