

Safety Data Sheet dated 14/10/2024, version 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: Geyser - Stain Remover Ultra

Trade code: 8108

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Detergent for fabric surfaces

Uses advised against:

Strictly adhere to the recommended uses.

1.3. Details of the supplier of the safety data sheet

Supplier:

Arexons S.p.A.

via Antica di Cassano, 23, 20063

Cernusco sul Naviglio (MI), Italy

Arexons S.p.A.

Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306

Competent person responsible for the safety data sheet:

arexons@arexons.it

1.4. Emergency telephone number

Arexons S.p.A.

Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306 In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111
In Ireland: emergency number 112

In South Africa: Poison Information Helpline 0861 555 777

In Malta: emergency number 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP):

Warning, Eye Irrit. 2, Causes serious eye irritation.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P264 P264.1

P280 Wear protective gloves/clothing and eye/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



Special Provisions:

EUH208 Contains reaction mass of

alfa-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omegahydroxypoly(oxyethylene) and

alfa-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene). May produce an allergic reaction.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

Regulation (EC) nr 648/2004 (detergents).

Product contents:

Anionic surfactants

The product also contains: Perfumes

Allergens: linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool

Preservatives: LAURYLAMINE DIPROPYLENEDIAMINE, 1,2-benzisothiazol-3(2H)-

one; 1,2-benzisothiazolin-3-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1), 2-phenoxyethanol, 1,2-

< 5 %

benzisothiazol-

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1% Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

stta	Name	Ident. Numb	er	Classification
>= 2% - < 3%	Sodium Laureth Sulfate	CAS:	9004-82-4	 \$\daggeq 3.2/2 \text{ Skin Irrit. 2 H315} \$\daggeq 3.3/1 \text{ Eye Dam. 1 H318} \$\daggeq 1.1/C3 \text{ Aquatic Chronic 3 H412}
>= 0,5% - < 1%	Sodium Lauroyl Sarcosinate (tensioattivo anionico)	CAS: EC: REACH No.:	137-16-6 205-281-5 01- 2119527780 -39	 ♦ 3.2/2 Skin Irrit. 2 H315 ♦ 3.3/1 Eye Dam. 1 H318 ♦ 3.1/2/Inhal Acute Tox. 2 H330 Specific Concentration Limits: C >= 34,5%: Acute Tox. 2 H330 0% <= C < 34,5%: Acute Tox. 4 H332 C >= 30%: Skin Irrit. 2 H315



				10:400 H 3:000
				C >= 30%: Eye Dam. 1 H318 Acute Toxicity Estimate: ATE - Inhalation (Vapours) 0,501 mg/l
>= 0,05% - < 0,1%	reaction mass of alfa-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl) propionyl-omega-hydroxypoly(oxyethylen e) and alfa-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl) propionyl-omega-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl) propionyloxypoly(oxyethylene)	Index number: EC:	607-176-00-3 400-830-7	 ♣ 3.4.2/1A Skin Sens. 1A H317 ♣ 4.1/C2 Aquatic Chronic 2 H411
>= 0,001% - < 0, 005%	1,2-benzisothiazol- 3(2H)-one; 1,2- benzisothiazolin-3-one	Index number: CAS: EC:	613-088-00-6 2634-33-5 220-120-9	⇒ 3.1/2/Inhal Acute Tox. 2 H330 • 3.1/4/Oral Acute Tox. 4 H302 • 3.2/2 Skin Irrit. 2 H315 • 3.3/1 Eye Dam. 1 H318 • 3.4.2/1A Skin Sens. 1A H317 • 4.1/A1 Aquatic Acute 1 H400 • 4.1/C1 Aquatic Chronic 1 H410 Specific Concentration Limits: C >= 0,036%: Skin Sens. 1A H317 Acute Toxicity Estimate: ATE - Oral 450 mg/kg bw ATE - Inhalation (Dust/mist) 0,21 mg/l
>= 0,001% - < 0, 005%	31,2-benzisothiazol- 3(2H)-one; 1,2- benzisothiazolin-3-one	Index number: CAS: EC:	613-088-00-6 2634-33-5 220-120-9	\$\square\$ 3.1/4/Oral Acute Tox. 4 H302 \$\square\$ 3.1/2/Inhal Acute Tox. 2 H330 \$\square\$ 3.2/2 Skin Irrit. 2 H315 \$\square\$ 3.4.2/1A Skin Sens. 1A H317 \$\square\$ 3.3/1 Eye Dam. 1 H318 \$\square\$ 4.1/A1 Aquatic Acute 1 H400 \$\square\$ 4.1/C1 Aquatic Chronic 1 H410 Specific Concentration Limits: \$C >= 0,036%: Skin Sens. 1A H317 \$Acute Toxicity Estimate: \$ATE - Oral 450 mg/kg bw \$ATE - Inhalation (Dust/mist) 0,21 \$mg/l\$
1 ppm	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-	Index number:	613-167-00-5	♦ 3.1/3/Oral Acute Tox. 3 H301



isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)	CAS: EC:	55965-84-9 611-341-5	 ⇒ 3.1/2/Inhal Acute Tox. 2 H330 ⇒ 3.1/2/Dermal Acute Tox. 2 H310 ⇒ 3.2/1C Skin Corr. 1C H314 ⇒ 3.3/1 Eye Dam. 1 H318 ⊕ 3.4.2/1A Skin Sens. 1A H317 ⇒ 4.1/A1 Aquatic Acute 1 H400 M=100. ⇒ 4.1/C1 Aquatic Chronic 1 H410 M=100. EUH071 Specific Concentration Limits: C >= 6%: Skin Corr. 1C H314 0,06% <= C < 0.6%: Skin Irrit. 2 H315 C >= 6%: Eye Dam. 1 H318 0,06% <= C < 0.6%: Eye Irrit. 2 H319 C >= 0,0015%: Skin Sens. 1 H317
---	-------------	-------------------------	---

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Appropriate Extinguishing Media:

To carbon dioxide.

To dust.

Foam

Water spray.

Not Recommended Extinguishing Media:

Do not use direct water jets.



5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Normal fire-fighting clothing, such as an open-circuit compressed air breathing apparatus (EN 137), flame-resistant suit (EN469), flame-resistant gloves (EN 659) and firefighter's boots (HO A29 or A30).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

For cleaning up:

Avoid flame and/or spark near leak and produced waste. Do not smoke. In case of large spills dike.

absorb and shovel up into suitable containers for disposal. Contain small spills with absorbent material.

Put dirty material in suitable container. Dispose of dirty material in accordance with local or national

regulations.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Only store in the original container.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5



```
ACGIH - TWA: 0.06 mg/m3 - STEL: 0.1 mg/m3
      reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H
      -isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2-
      methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-4-isothiazolin-3- one [EC no.
      220-239-6] (3:1) - CAS: 55965-84-9
             ACGIH - TWA: 0.075 mg/m3 - STEL: 1.5 mg/m3
DNEL Exposure Limit Values
      Sodium Laureth Sulfate - CAS: 9004-82-4
            Worker Professional: 175 mg/m3 - Consumer: 52 mg/m3 - Exposure: Human Inhalation
            Worker Professional: 2750 mg/kg - Consumer: 1650 mg/kg - Exposure: Human Dermal
            Consumer: 15 mg/kg - Exposure: Human Oral
      reaction mass of
      alfa-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-
      hydroxypoly(oxyethylene) and
      alfa-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2H-
      benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene) - Index number:
      607-176-00-3
            Worker Professional: 0.35 mg/m3 - Consumer: 0.085 mg/m3 - Exposure: Human
            Inhalation - Frequency: Long Term, systemic effects
            Worker Professional: 0.5 mg/kg - Consumer: 0.25 mg/kg - Exposure: Human Dermal -
            Frequency: Long Term, systemic effects
            Consumer: 0.025 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic
            effects
      1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5
            Worker Professional: 6.81 mg/m3 - Consumer: 1.2 mg/m3 - Exposure: Human Inhalation
            - Frequency: Long Term, systemic effects
            Worker Professional: 0.966 mg/kg - Consumer: 0.345 mg/kg - Exposure: Human Dermal
            - Frequency: Long Term, systemic effects
PNEC Exposure Limit Values
      Sodium Laureth Sulfate - CAS: 9004-82-4
            Target: Fresh Water - Value: 0.24 mg/l
            Target: Marine water - Value: 0.024 mg/l
            Target: Freshwater sediments - Value: 0.917 mg/kg
            Target: Marine water sediments - Value: 0.092 mg/kg
            Target: 09 - Value: 10000 mg/l
      reaction mass of
      alfa-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-
      hydroxypoly(oxyethylene) and
      alfa-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2H-
      benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene) - Index number:
      607-176-00-3
             Target: Fresh Water - Value: 0.0023 mg/l
            Target: Marine water - Value: 0.00023 mg/l
            Target: Freshwater sediments - Value: 3.06 mg/kg
            Target: Marine water sediments - Value: 0.306 mg/kg
             Target: 09 - Value: 10 mg/l
      1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5
Target: Fresh Water - Value: 4.03 03
Target: Marine water - Value: 0.403 03
            Target: Freshwater sediments - Value: 49.9 µg/kg
            Target: Marine water sediments - Value: 4.99 µg/kg
            Target: Soil (agricultural) - Value: 3 mg/kg
8.2. Exposure controls
Eye protection:
      Eye glasses with side protection.
      Compliant with EN 166
Protection for skin:
      protective clothing
```



Protection for hands:

Nitrile or Viton gloves. Compliant with EN 374.

Thickness: Cuff 0.10 mm; Palm 0.12 mm; Fingers 0.145 mm

Respiratory protection:

Use a suitable respiratory protection device.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid		
Colour:	Colourless		
Odour:	Characteristic		
Melting point/freezing point:	N.A.		
Boiling point or initial boiling point and boiling range:	N.A.		
Flammability:	N.A.		
Lower and upper explosion limit:	N.A.		
Flash point:	45°C	ADR Test L.2 (2009)	
Auto-ignition temperature:	N.A.		
Decomposition temperature:	N.A.		
pH:	8.8	ASTM D1287	
Kinematic viscosity:	N.A.		
Solubility in water:	N.A.		
Solubility in oil:	N.A.		
Partition coefficient n-octanol/water (log value):	N.A.		
Vapour pressure:	N.A.		
Density and/or relative density:	0.955 g/cm3	ASTM D 4052-96	



Relative vapour density:	N.A.			
Particle characteristics:				
Particle size:	N.A.			

9.2. Other information

No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information of the product:

GEYSER - Detergente Tessuti 400 ml

a) acute toxicity

Not classified

Based on available data, the classification criteria are not met

b) skin corrosion/irritation

Not classified

Based on available data, the classification criteria are not met

c) serious eye damage/irritation

The product is classified: Eye Irrit. 2 H319

d) respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

e) germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity

Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard

Not classified



Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product:

Sodium Laureth Sulfate - CAS: 9004-82-4

a) acute toxicity:

Test: LD50 - Route: Oral > 2000 mg/kg

Sodium Lauroyl Sarcosinate (tensioattivo anionico) - CAS: 137-16-6

a) acute toxicity

ATE - Inhalation (Vapours) 0,501 mg/l

reaction mass of

alfa-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-

hydroxypoly(oxyethylene) and

alfa-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2H-

benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene) - Index number: 607-176-00-3

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat > 5.8 mg/l - Duration: 4h

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5

a) acute toxicity

ATE - Oral 450 mg/kg bw

ATE - Inhalation (Dust/mist) 0,21 mg/l Test: LD50 - Route: Oral 1193 mg/kg Test: LD50 - Route: Skin 4115 mg/kg

b) skin corrosion/irritation:

Test: Skin Irritant Yes

c) serious eye damage/irritation:

Test: Eye Corrosive Yes

d) respiratory or skin sensitisation:

Test: Skin Sensitization Yes

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5

a) acute toxicity

ATE - Oral 450 mg/kg bw

ATE - Inhalation (Dust/mist) 0,21 mg/l

Test: LD50 - Route: Oral - Species: Rat 1193 mg/kg

Test: LD50 - Route: Skin - Species: Rat 4115 mg/kg

b) skin corrosion/irritation:

Test: Skin Irritant Positive

c) serious eye damage/irritation:

Test: Eye Corrosive Positive

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Route: Skin Positive

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Sodium Laureth Sulfate - CAS: 9004-82-4

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia 7.2 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae 7.5 mg/l - Duration h: 72

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish 1 mg/l - Duration h: 1080



```
Endpoint: NOEC - Species: Daphnia 0.18 mg/l - Duration h: 504
      reaction mass of
      alfa-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-
      hydroxypoly(oxyethylene) and
      alfa-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2H-
      benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene) - Index number:
      607-176-00-3
      a) Aquatic acute toxicity:
            Endpoint: LC50 - Species: Fish 2.8 mg/l - Duration h: 96
            Endpoint: EC50 - Species: Daphnia 4 mg/l - Duration h: 48
            Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72
            Endpoint: CE5 - Species: Algae 10 mg/l - Duration h: 72
      d) Terrestrial toxicity:
            Endpoint: NOEC 100 mg/kg - Duration h: 1344
      1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5
      a) Aquatic acute toxicity:
            Endpoint: LC50 - Species: Fish 2.18 mg/l - Duration h: 96
            Endpoint: EC50 - Species: Daphnia 2.94 mg/l - Duration h: 48
            Endpoint: EC50 - Species: Algae 0.1 mg/l - Duration h: 72
      1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5
      a) Aquatic acute toxicity:
            Endpoint: LC50 - Species: Fish 2.18 mg/l - Duration h: 96
            Endpoint: EC50 - Species: Daphnia 2.94 mg/l - Duration h: 48
            Endpoint: CE6 - Species: Algae 0.11 mg/l - Duration h: 72
12.2. Persistence and degradability
      None
      Sodium Laureth Sulfate - CAS: 9004-82-4
            Biodegradability: Readily biodegradable
      reaction mass of
      alfa-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-
      hydroxypoly(oxyethylene) and
      alfa-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2H-
      benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene) - Index number:
      607-176-00-3
            Biodegradability: Non-readily biodegradable - Test: BIOGDG06 - Duration: 28gg - %: 24
      1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5
            Biodegradability: Readily biodegradable - Test: BIOGDG06
12.3. Bioaccumulative potential
      Sodium Laureth Sulfate - CAS: 9004-82-4
            Bioaccumulation: Not bioaccumulative
      reaction mass of
      alfa-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-
      hydroxypoly(oxyethylene) and
      alfa-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2H-
      benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene) - Index number:
      607-176-00-3
            Bioaccumulation: Not bioaccumulative - Test: arx01 34
      1,2-benzisothiazol-3(2H)-one: 1,2-benzisothiazolin-3-one - CAS: 2634-33-5
            Bioaccumulation: Not bioaccumulative
12.4. Mobility in soil
12.5. Results of PBT and vPvB assessment
      vPvB Substances: None - PBT Substances: None
12.6. Endocrine disrupting properties
      No endocrine disruptor substances present in concentration >= 0.1%
12.7. Other adverse effects
```

None



SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force. Additional disposal information:

"Use in accordance with good working practices, avoiding dispersal in the environment. Do not discharge into drains, ground water or water courses. Comply with current legislation on the protection of water and soil from pollution (Legislative Decree No. 152 of 3/4/2006). Dispose of used product and containers by handing them over to authorised companies, in accordance with the provisions of

Legislative Decree No. 152/2006 (Consolidated Environmental Act, which replaced the Ronchi Decree) as amended.

The used product is to be considered special waste to be classified in accordance with Directive No. 2008/98/EC on waste and related matters. Recover if possible. Send to authorised disposal plants or incineration under

controlled conditions (152/2006 art. 184).

Act in accordance with the local and national laws in force.

Contaminated packaging must be emptied as far as possible. After cleaning, send to an authorised centre for recycling or disposal."

SECTION 14: Transport information

14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No

14.6. Special precautions for user

N.A

14.7. Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)



Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP) Regulation (EU) n. 2021/849 (ATP 17 CLP) Regulation (EU) n. 2022/692 (ATP 18 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

Restriction 40 Restriction 75

Volatile Organic compounds - VOCs = 0.41 % Volatile Organic compounds - VOCs = 4.09 g/Kg Volatile Organic compounds - VOCs = 4.07 g/l Where applicable, refer to the following regulatory provisions:

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

Product belongs to category: P5c

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture. Substances for which a Chemical Safety Assessment has been carried out:

SECTION 16: Other information

Text of phrases referred to under heading 3:

H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

H330 Fatal if inhaled.

H332 Harmful if inhaled.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

H302 Harmful if swallowed.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

EUH071 Corrosive to the respiratory tract.

H319 Causes serious eye irritation.



Hazard class and hazard category	Code	Description
nazaru category		
Acute Tox. 2	3.1/2/Dermal	Acute toxicity (dermal), Category 2
Acute Tox. 2	3.1/2/Inhal	Acute toxicity (inhalation), Category 2
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1C	3.2/1C	Skin corrosion, Category 1C
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1A	3.4.2/1A	Skin Sensitisation, Category 1A
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Paragraphs modified from the previous revision:

SECTION 2: Hazards identification

SECTION 3: Composition/information on ingredients

SECTION 5: Firefighting measures

SECTION 6: Accidental release measures

SECTION 7: Handling and storage

SECTION 8: Exposure controls/personal protection

SECTION 9: Physical and chemical properties

SECTION 10: Stability and reactivity

SECTION 11: Toxicological information

SECTION 12: Ecological information

SECTION 13: Disposal considerations

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Eye Irrit. 2, H319	Calculation method



This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical

Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.
INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

NA: Not applicable

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWA: Time-weighted average
WGK: German Water Hazard Class.