



**Safety Data Sheet dated 31/10/2024, version 8**

---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- 1.1. Product identifier  
Mixture identification:  
Trade name: MOTOR CLEAN  
Trade code: 9874
- 1.2. Relevant identified uses of the substance or mixture and uses advised against  
Recommended use:  
Engine oil additive  
Uses advised against:  
Strictly adhere to the recommended uses.
- 1.3. Details of the supplier of the safety data sheet  
Supplier:  
Arexons S.p.A.  
via Antica di Cassano, 23, 20063  
Cernusco sul Naviglio (MI), Italy  
Arexons S.p.A.  
Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306  
Competent person responsible for the safety data sheet:  
arexons@arexons.it
- 1.4. Emergency telephone number  
Arexons S.p.A.  
Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306  
In England and Wales: NHS 111 - dial 111  
In Scotland: NHS 24 - dial 111  
In Ireland: emergency number 112  
In South Africa: Poison Information Helpline 0861 555 777  
In Malta: emergency number 112

---

**SECTION 2: Hazards identification**

- 2.1. Classification of the substance or mixture  
EC regulation criteria 1272/2008 (CLP):  
Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.  
Adverse physicochemical, human health and environmental effects:  
No other hazards
- 2.2. Label elements  
Hazard pictograms:  
None  
Hazard statements:  
H412 Harmful to aquatic life with long lasting effects.  
Precautionary statements:  
P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read carefully and follow all instructions.  
P273 Avoid release to the environment.  
P501 Dispose of contents/container in accordance with applicable regulations.
- Special Provisions:  
None  
Special provisions according to Annex XVII of REACH and subsequent amendments:  
None

## Safety Data Sheet

### MOTOR CLEAN



#### 2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration  $\geq 0.1\%$

#### Other Hazards:

No other hazards

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

N.A.

### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

stta	Name	Ident. Number	Classification
$\geq 0,05\%$ - $< 0,1\%$	phenol, (tetrapropenyl) derivatives	Index number: 604-092-00-9 CAS: 74499-35-7 EC: 616-100-8	3.7/1B Repr. 1B H360F 3.2/1 Skin Corr. 1 H314 3.3/1 Eye Dam. 1 H318 4.1/A1 Aquatic Acute 1 H400 M=10. 4.1/C1 Aquatic Chronic 1 H410 M=10.

SVHC, PBT, vPvB, endocrine disruptor substances:

$\geq 0,05\%$  -  $< 0,1\%$  phenol, (tetrapropenyl) derivatives

Index number: 604-092-00-9, CAS: 74499-35-7, EC: 616-100-8

SVHC, Endocrine disruptor

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

### 4.2. Most important symptoms and effects, both acute and delayed

None

### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Appropriate Extinguishing Media:

To carbon dioxide.

To dust.

Foam

Water spray.

Not Recommended Extinguishing Media:

### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

### 5.3. Advice for firefighters

## Safety Data Sheet

### MOTOR CLEAN



Normal fire-fighting clothing, such as an open-circuit compressed air breathing apparatus (EN 137), flame-resistant suit (EN469), flame-resistant gloves (EN 659) and firefighter's boots (HO A29 or A30).

---

#### SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
  - Wear personal protection equipment.
  - Remove persons to safety.
  - See protective measures under point 7 and 8.
- 6.2. Environmental precautions
  - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
  - Retain contaminated washing water and dispose it.
  - In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
  - Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
  - For cleaning up:
    - Avoid flame and/or spark near leak and produced waste. Do not smoke. In case of large spills dike,
    - absorb and shovel up into suitable containers for disposal. Contain small spills with absorbent material.
    - Put dirty material in suitable container. Dispose of dirty material in accordance with local or national regulations.
- 6.4. Reference to other sections
  - See also section 8 and 13

---

#### SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
  - Avoid contact with skin and eyes, inhalation of vapours and mists.
  - Don't use empty container before they have been cleaned.
  - Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
  - See also section 8 for recommended protective equipment.
  - Advice on general occupational hygiene:
    - Contaminated clothing should be changed before entering eating areas.
    - Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities
  - Only store in the original container.
  - Keep away from food, drink and feed.
  - None in particular.
  - Instructions as regards storage premises:
    - Adequately ventilated premises.
- 7.3. Specific end use(s)
  - None in particular

---

#### SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters
  - No occupational exposure limit available
- DNEL Exposure Limit Values
  - phenol, (tetrapropenyl) derivatives - CAS: 74499-35-7
    - Consumer: 0.25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects
    - Consumer: 0.053 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term,

## Safety Data Sheet

### MOTOR CLEAN



systemic effects  
PNEC Exposure Limit Values  
N.A.  
8.2. Exposure controls  
Eye protection:  
Safety goggles.  
Compliant with EN 166  
Protection for skin:  
protective clothing  
Protection for hands:  
cat. III  
Compliant with EN 374.  
Thickness: Cuff 0.10 mm; Palm 0.12 mm; Fingers 0.145 mm  
Respiratory protection:  
If the recommended exposure limits are exceeded:  
Filter for organic vapours. Type A. (EN14387)  
Thermal Hazards:  
None  
Environmental exposure controls:  
None  
Appropriate engineering controls:  
None

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid	--	--
Colour:	Dark brown	--	--
Odour:	Characteristic	--	--
Melting point/freezing point:	N.A.	--	--
Boiling point or initial boiling point and boiling range:	N.A.	--	--
Flammability:	N.A.	--	--
Lower and upper explosion limit:	N.A.	--	--
Flash point:	>65°C	IP 170	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
pH:	N.A.	--	--
Kinematic viscosity:	> 20,5 mm <sup>2</sup> /sec (40 °C)	--	--
Solubility in water:	N.A.	--	--

## Safety Data Sheet

### MOTOR CLEAN



Solubility in oil:	N.A.	--	--
Partition coefficient n-octanol/water (log value):	N.A.	--	--
Vapour pressure:	N.A.	--	--
Density and/or relative density:	0.880 g/ml	ASTM D 4052-96	--
Relative vapour density:	N.A.	--	--
Particle characteristics:			
Particle size:	N.A.	--	--

#### 9.2. Other information

Properties	Value	Method:	Notes:
Viscosity:	6 cSt @100°C	07	--

## SECTION 10: Stability and reactivity

- 10.1. Reactivity  
Stable under normal conditions
- 10.2. Chemical stability  
Stable at normal ambient temperatures and when used as recommended.
- 10.3. Possibility of hazardous reactions  
None
- 10.4. Conditions to avoid  
Stable under normal conditions.
- 10.5. Incompatible materials  
None in particular.
- 10.6. Hazardous decomposition products  
None.

## SECTION 11: Toxicological information

- 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

MOTOR CLEAN ML 300

- a) acute toxicity

Not classified

Based on available data, the classification criteria are not met

Test: LD50 - Route: Oral > 2000 mg/kg

Test: LD50 - Route: Skin > 2000 mg/kg

- b) skin corrosion/irritation

Not classified

Based on available data, the classification criteria are not met

- c) serious eye damage/irritation

Not classified

Based on available data, the classification criteria are not met

- d) respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

- e) germ cell mutagenicity

## Safety Data Sheet

### MOTOR CLEAN



- Not classified  
Based on available data, the classification criteria are not met
- f) carcinogenicity  
Not classified  
Based on available data, the classification criteria are not met
- g) reproductive toxicity  
Not classified  
Based on available data, the classification criteria are not met
- h) STOT-single exposure  
Not classified  
Based on available data, the classification criteria are not met
- i) STOT-repeated exposure  
Not classified  
Based on available data, the classification criteria are not met
- j) aspiration hazard  
Not classified  
Based on available data, the classification criteria are not met
- Toxicological information of the main substances found in the product:  
phenol, (tetrapropenyl) derivatives - CAS: 74499-35-7
- a) acute toxicity:  
Test: LD50 - Route: Oral - Species: Rat 2200 mg/kg  
Test: LD50 - Route: Skin - Species: Rabbit 15000 mg/kg

- 11.2. Information on other hazards  
Endocrine disrupting properties:  
No endocrine disruptor substances present in concentration  $\geq 0.1\%$

---

## SECTION 12: Ecological information

- 12.1. Toxicity  
Adopt good working practices, so that the product is not released into the environment.  
phenol, (tetrapropenyl) derivatives - CAS: 74499-35-7
- a) Aquatic acute toxicity:  
Endpoint: LC50 - Species: Fish 40 mg/l - Duration h: 96  
Endpoint: EC50 - Species: Daphnia 0.037 mg/l - Duration h: 48  
Endpoint: EC50 - Species: Algae 0.36 mg/l - Duration h: 72
- b) Aquatic chronic toxicity:  
Endpoint: NOEC - Species: Daphnia 0.0037 mg/l  
Endpoint: NOEC - Species: Algae 0.07 mg/l
- 12.2. Persistence and degradability  
None  
phenol, (tetrapropenyl) derivatives - CAS: 74499-35-7  
Biodegradability: Non-readily biodegradable - Test: BIOGDG06 - Duration: 28gg - %: 25
- 12.3. Bioaccumulative potential  
N.A.
- 12.4. Mobility in soil  
N.A.
- 12.5. Results of PBT and vPvB assessment  
vPvB Substances: None - PBT Substances: None
- 12.6. Endocrine disrupting properties  
No endocrine disruptor substances present in concentration  $\geq 0.1\%$
- 12.7. Other adverse effects  
None

---

## SECTION 13: Disposal considerations

- 13.1. Waste treatment methods  
Recover if possible. In so doing, comply with the local and national regulations currently in force.  
Additional disposal information:

9874/8

## Safety Data Sheet

### MOTOR CLEAN



"Use in accordance with good working practices, avoiding dispersal in the environment.

Do not discharge into drains, ground water or water courses. Comply with current legislation on the protection of water and soil from pollution (Legislative Decree No. 152 of 3/4/2006).

Dispose of used product and containers by handing them over to authorised companies, in accordance with the provisions of

Legislative Decree No. 152/2006 (Consolidated Environmental Act, which replaced the Ronchi Decree) as amended.

The used product is to be considered special waste to be classified in accordance with Directive No. 2008/98/EC on waste and related matters. Recover if possible. Send to authorised disposal plants or incineration under controlled conditions (152/2006 art. 184).

Act in accordance with the local and national laws in force.

Contaminated packaging must be emptied as far as possible. After cleaning, send to an authorised centre for recycling or disposal."

Contaminated packaging must be emptied as far as possible. After cleaning, send to an authorised centre for recycling or disposal.

---

## SECTION 14: Transport information

### 14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

### 14.2. UN proper shipping name

N.A.

### 14.3. Transport hazard class(es)

N.A.

### 14.4. Packing group

N.A.

### 14.5. Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

### 14.6. Special precautions for user

N.A.

### 14.7. Maritime transport in bulk according to IMO instruments

N.A.

---

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)



## Safety Data Sheet

### MOTOR CLEAN



Regulation (EU) n. 2018/1480 (ATP 13 CLP)  
Regulation (EU) n. 2019/521 (ATP 12 CLP)  
Regulation (EU) n. 2020/217 (ATP 14 CLP)  
Regulation (EU) n. 2020/1182 (ATP 15 CLP)  
Regulation (EU) n. 2021/643 (ATP 16 CLP)  
Regulation (EU) n. 2021/849 (ATP 17 CLP)  
Regulation (EU) n. 2022/692 (ATP 18 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

Restriction 30

Restriction 75

Volatile Organic compounds - VOCs = 0.00 %

Volatile Organic compounds - VOCs = 0.00 g/Kg

Volatile Organic compounds - VOCs = 0.00 g/l

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

SVHC Substances:

Substances in candidate list (Art. 59 Reg. 1907/2006, REACH):

phenol, (tetrapropenyl) derivatives

Toxic to reproduction, Endocrine disruptor (Environment), Endocrine disruptor (human health)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

#### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out:

None

## SECTION 16: Other information

Text of phrases referred to under heading 3:

H360F May damage fertility.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Skin Corr. 1	3.2/1	Skin corrosion, Category 1
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Repr. 1B	3.7/1B	Reproductive toxicity, Category 1B
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1



## Safety Data Sheet

### MOTOR CLEAN



Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3
-------------------	--------	--

Paragraphs modified from the previous revision:

SECTION 1: Identification of the substance/mixture and of the company/undertaking  
 SECTION 5: Firefighting measures  
 SECTION 6: Accidental release measures  
 SECTION 7: Handling and storage  
 SECTION 8: Exposure controls/personal protection  
 SECTION 9: Physical and chemical properties  
 SECTION 10: Stability and reactivity  
 SECTION 13: Disposal considerations

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

<b>Classification according to Regulation (EC) Nr. 1272/2008</b>	<b>Classification procedure</b>
Aquatic Chronic 3, H412	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,  
 Commission of the European Communities  
 SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van  
 Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
 ATE: Acute Toxicity Estimate  
 ATEmix: Acute toxicity Estimate (Mixtures)  
 CAS: Chemical Abstracts Service (division of the American Chemical Society).  
 CLP: Classification, Labeling, Packaging.  
 DNEL: Derived No Effect Level.  
 EINECS: European Inventory of Existing Commercial Chemical Substances.  
 GefStoffVO: Ordinance on Hazardous Substances, Germany.  
 GHS: Globally Harmonized System of Classification and Labeling of Chemicals.  
 IATA: International Air Transport Association.  
 IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).  
 ICAO: International Civil Aviation Organization.  
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).  
 IMDG: International Maritime Code for Dangerous Goods.  
 INCI: International Nomenclature of Cosmetic Ingredients.  
 KSt: Explosion coefficient.  
 LC50: Lethal concentration, for 50 percent of test population.

## Safety Data Sheet

### MOTOR CLEAN



LD50:	Lethal dose, for 50 percent of test population.
NA:	Not applicable
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.