

Safety Data Sheet

Fresca Foglia London



Safety Data Sheet dated 4/7/2019, version 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: Fresca Foglia London
Trade code: 1397

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Car air freshener

Uses advised against:

Strictly adhere to the recommended uses.

1.3. Details of the supplier of the safety data sheet

Supplier:

Arexons S.p.A.
via Antica di Cassano, 23, 20063
Cernusco sul Naviglio (MI), Italy
Arexons S.p.A.
Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306

Competent person responsible for the safety data sheet:

arexons@arexons.it

1.4. Emergency telephone number

Arexons S.p.A.
Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306
Centro Antiveleni di Pavia IRCCS- Fondazione Maugeri tel. +39 (0)382 24444 (h24; it, en)
In England and Wales: NHS 111 - dial 111
In Scotland: NHS 24 - dial 111
In Ireland: Beaumont Hospital - National Poisons Information Centre 01 809 2166 (7days, 8:00 - 22:00)
In South Africa: Poison Information Helpline 0861 555 777

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP):

- ⚠ Warning, Skin Irrit. 2, Causes skin irritation.
- ⚠ Warning, Eye Irrit. 2, Causes serious eye irritation.
- ⚠ Warning, Skin Sens. 1A, May cause an allergic skin reaction.
- ⚠ Aquatic Chronic 2, Toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

Safety Data Sheet

Fresca Foglia London



- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.
- P273 Avoid release to the environment.
- P280 Wear protective gloves and eye/face protection.
- P391 Collect spillage.
- P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

None

Contains

DELTA DAMASCONE

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one: May produce an allergic reaction.

3,7-dimethyl-3-octanol: May produce an allergic reaction.

ETHANONE, 1-(HEXAHYDRO-TETRAMETHYL-METHANONAZULENYL): May produce an allergic reaction.

CITRONELLOL: May produce an allergic reaction.

d-limonene: May produce an allergic reaction.

Coumarin: May produce an allergic reaction.

DIHYDRO-PENTHAMETHYL INDANONE: May produce an allergic reaction.

3,4,5,6,6-PENTAMETHYLHEPT-3-EN-2-ONE (and isomers): May produce an allergic reaction.

DAMASCONE ALFA: May produce an allergic reaction.

PARA-TERT-BUTYLCYCLOHEXYL ACETATE: May produce an allergic reaction.

Linalool: May produce an allergic reaction.

GERANIOL: May produce an allergic reaction.

citral: May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

>= 25% - < 30% DIPROPYLENEGLYCOL MONOMETHYLEETHER

REACH No.: 01-2119450011-60, CAS: 34590-94-8, EC: 252-104-2

Substance with a Union workplace exposure limit.

>= 15% - < 20% 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one

CAS: 54464-57-2, EC: 259-174-3

⚠ 3.2/2 Skin Irrit. 2 H315

⚠ 3.4.2/1 Skin Sens. 1 H317

⚠ 4.1/C2 Aquatic Chronic 2 H411

>= 3% - < 5% Linalyl acetate

REACH No.: 01-2119454789-19, CAS: 115-95-7, EC: 204-116-4

⚠ 3.2/2 Skin Irrit. 2 H315

⚠ 3.3/2 Eye Irrit. 2 H319

>= 3% - < 5% 2,6-dimethyloct-7-en-2-ol

Safety Data Sheet

Fresca Foglia London



REACH No.: 01-2119457274-37, CAS: 18479-58-8, EC: 242-362-4

⚠ 3.2/2 Skin Irrit. 2 H315

⚠ 3.3/2 Eye Irrit. 2 H319

>= 3% - < 5% ETHANONE , 1-(HEXAHYDRO-TETRAMETHYL-METHANONAZULENY

REACH No.: 01-2119969651-28, CAS: 32388-55-9, EC: 251-020-3

⚠ 3.4.2/1 Skin Sens. 1 H317

⚠ 4.1/A1 Aquatic Acute 1 H400

⚠ 4.1/C1 Aquatic Chronic 1 H410

>= 3% - < 5% 2,6-Dimethyl-2-heptanol

REACH No.: 01-2120275178-48, CAS: 13254-34-7, EC: 236-244-1

⚠ 3.2/2 Skin Irrit. 2 H315

⚠ 3.3/2 Eye Irrit. 2 H319

>= 3% - < 5% 3,7-dimethyl-3-octanol

REACH No.: 01-2119454788-21, CAS: 78-69-3, EC: 201-133-9

⚠ 3.2/2 Skin Irrit. 2 H315

⚠ 3.4.2/1 Skin Sens. 1 H317

⚠ 3.3/2 Eye Irrit. 2 H319

>= 3% - < 5% Ethylene undecanedicarboxylate

REACH No.: 01-2119976314-33, CAS: 105-95-3, EC: 203-375-0

⚠ 4.1/C2 Aquatic Chronic 2 H411

>= 2% - < 3% CITRONELLOL

REACH No.: 01-2119453995-23, CAS: 106-22-9, EC: 203-375-0

⚠ 3.2/2 Skin Irrit. 2 H315

⚠ 3.3/2 Eye Irrit. 2 H319

⚠ 3.4.2/1B Skin Sens. 1B H317

>= 1% - < 2% d-limonene

REACH No.: 01-2119529223-47, CAS: 5989-27-5, EC: 227-813-5

⚠ 2.6/3 Flam. Liq. 3 H226

⚠ 3.10/1 Asp. Tox. 1 H304

⚠ 3.2/2 Skin Irrit. 2 H315

⚠ 3.4.2/1B Skin Sens. 1B H317

⚠ 4.1/A1 Aquatic Acute 1 H400

⚠ 4.1/C1 Aquatic Chronic 1 H410

>= 1% - < 2% Coumarin

REACH No.: 01-2119943756-26, CAS: 91-64-5, EC: 202-086-7

⚠ 3.1/4/Oral Acute Tox. 4 H302

⚠ 3.4.2/1B Skin Sens. 1B H317

>= 0.5% - < 1% DIHYDRO-PENTHAMETHYL INDANONE

REACH No.: 01-2119977131-40, CAS: 33704-61-9, EC: 251-649-3

⚠ 3.2/2 Skin Irrit. 2 H315

⚠ 3.4.2/1 Skin Sens. 1 H317

⚠ 3.3/2 Eye Irrit. 2 H319

⚠ 4.1/C2 Aquatic Chronic 2 H411

>= 0.5% - < 1% PARA-TERT-BUTYLCYCLOHEXYL ACETATE

REACH No.: 01-2119976286-24, CAS: 32210-23-4, EC: 250-954-9

⚠ 3.4.2/1B Skin Sens. 1B H317

>= 0.5% - < 1% 3,4,5,6,6,PENTAMETHYLHEPT-3-EN-2-ONE (and isomers)

REACH No.: 01-2119980043-42, CAS: 81786-75-6, EC: 279-825-5

Safety Data Sheet

Fresca Foglia London



- ⚠ 3.4.2/1 Skin Sens. 1 H317
- ⚠ 4.1/C2 Aquatic Chronic 2 H411

>= 0.5% - < 1% Alpha-cedrene

CAS: 469-61-4, EC: 207-418-4

- ⚠ 3.10/1 Asp. Tox. 1 H304
- ⚠ 4.1/A1 Aquatic Acute 1 H400
- ⚠ 4.1/C1 Aquatic Chronic 1 H410

>= 0.5% - < 1% 3-Decen-5-ol, 4-methyl-

REACH No.: 01-2119983528-21, CAS: 81782-77-6, EC: 279-815-0

- ⚠ 4.1/A1 Aquatic Acute 1 H400

>= 0.5% - < 1% DAMASCONE ALFA

CAS: 24720-09-0, EC: 246-430-4

- ⚠ 3.1/4/Oral Acute Tox. 4 H302
- ⚠ 3.4.2/1B Skin Sens. 1B H317

>= 0.5% - < 1% DELTA DAMASCONE

CAS: 57378-68-4, EC: 260-709-8

- ⚠ 3.1/4/Oral Acute Tox. 4 H302
- ⚠ 3.2/2 Skin Irrit. 2 H315
- ⚠ 3.4.2/1A Skin Sens. 1A H317
- ⚠ 4.1/A1 Aquatic Acute 1 H400
- ⚠ 4.1/C1 Aquatic Chronic 1 H410

>= 0.5% - < 1% Linalool

REACH No.: 01-2119474016-42, CAS: 78-70-6, EC: 201-134-4

- ⚠ 3.2/2 Skin Irrit. 2 H315
- ⚠ 3.4.2/1B Skin Sens. 1B H317
- ⚠ 3.3/2 Eye Irrit. 2 H319

>= 0.1% - < 0.25% GERANIOL

REACH No.: 01-2119552430-49, CAS: 106-24-1, EC: 203-377-1

- ⚠ 3.2/2 Skin Irrit. 2 H315
- ⚠ 3.4.2/1 Skin Sens. 1 H317
- ⚠ 3.3/1 Eye Dam. 1 H318

>= 0.1% - < 0.25% citral

REACH No.: 01-2119462829-23, CAS: 5392-40-5, EC: 226-394-6

- ⚠ 3.2/2 Skin Irrit. 2 H315
- ⚠ 3.4.2/1B Skin Sens. 1B H317
- ⚠ 3.3/2 Eye Irrit. 2 H319

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

Safety Data Sheet

Fresca Foglia London



After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Appropriate Extinguishing Media:

To carbon dioxide.

To water.

Not Recommended Extinguishing Media:

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Safety Data Sheet

Fresca Foglia London



Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Do not store this material near food and drinks.

Keep away from food, drink and feed.

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DIPROPYLENEGLYCOL MONOMETHYLETHER - CAS: 34590-94-8

EU - TWA(8h): 308 mg/m³, 50 ppm - Notes: Skin

ACGIH - TWA(8h): 100 ppm - STEL: 150 ppm - Notes: Skin - Eye and URT irr, CNS impair

citral - CAS: 5392-40-5

ACGIH - TWA(8h): 5 ppm - Notes: (IFV), Skin, DSEN, A4 - Body weight eff, URT irr, eye dam

DNEL Exposure Limit Values

Linalyl acetate - CAS: 115-95-7

Worker Industry: 2.75 mg/m³ - Consumer: 0.68 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA

Worker Industry: 2.5 mg/kg - Consumer: 1.25 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects - Notes: ECHA

Consumer: 0.2 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: ECHA

2,6-dimethyloct-7-en-2-ol - CAS: 18479-58-8

Worker Industry: 73.5 mg/m³ - Consumer: 21.7 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA

Worker Industry: 20.8 mg/kg - Consumer: 12.5 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects - Notes: ECHA

Consumer: 12.5 mg/kg - Exposure: Human Oral - Notes: ECHA

Linalool - CAS: 78-70-6

Worker Industry: 2.8 mg/m³ - Consumer: 0.8 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 2.5 mg/m³ - Consumer: 1.25 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects - Notes: ECHA

PNEC Exposure Limit Values

N.A.

8.2. Exposure controls

Eye protection:

Compliant with EN 166

Eye glasses with side protection.

Protection for skin:

protective clothing

Protection for hands:

Compliant with EN 374.

Neoprene.

Neoprene.

PVC (polyvinyl chloride).

Respiratory protection:

Not required under normal conditions of use.

Thermal Hazards:

None

Safety Data Sheet
Fresca Foglia London



Environmental exposure controls:
 None
 Appropriate engineering controls:
 None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Deodorante in cartonfeltro	--	--
Odour:	Characteristic	--	--
Odour threshold:	N.A.	--	--
pH:	N.A.	--	--
Melting point / freezing point:	N.A.	--	--
Initial boiling point and boiling range:	N.A.	--	--
Flash point:	>61°C	--	--
Evaporation rate:	N.A.	--	--
Solid/gas flammability:	N.A.	--	--
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	N.A.	--	--
Vapour density:	N.A.	--	--
Relative density:	0939	--	--
Solubility in water:	N.A.	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient (n-octanol/water):	N.A.	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
Viscosity:	N.A.	--	--
Explosive properties:	N.A.	--	--
Oxidizing properties:	N.A.	--	--

Safety Data Sheet

Fresca Foglia London



9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	N.A.	--	--
Fat Solubility:	N.A.	--	--
Conductivity:	N.A.	--	--
Substance Groups relevant properties	N.A.	--	--

NA=not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the product:

Fresca Foglia London

a) acute toxicity

Based on available data, the classification criteria are not met

b) skin corrosion/irritation

The product is classified: Skin Irrit. 2 H315

c) serious eye damage/irritation

The product is classified: Eye Irrit. 2 H319

d) respiratory or skin sensitisation

The product is classified: Skin Sens. 1A H317

e) germ cell mutagenicity

Based on available data, the classification criteria are not met

f) carcinogenicity

Based on available data, the classification criteria are not met

g) reproductive toxicity

Based on available data, the classification criteria are not met

h) STOT-single exposure

Based on available data, the classification criteria are not met

i) STOT-repeated exposure

Based on available data, the classification criteria are not met

Safety Data Sheet

Fresca Foglia London



j) aspiration hazard

- Based on available data, the classification criteria are not met
Toxicological information of the main substances found in the product:
- DIPROPYLENEGLYCOL MONOMETHYLETHER - CAS: 34590-94-8
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg
Test: LD50 - Route: Skin - Species: Rabbit = 9510 mg/kg
- 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one - CAS: 54464-57-2
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg
Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg
- Linalyl acetate - CAS: 115-95-7
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat > 9000 mg/kg
Test: LD50 - Route: Oral - Species: Mouse = 12000 mg/kg
Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg
- 2,6-dimethyloct-7-en-2-ol - CAS: 18479-58-8
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat = 3600 mg/kg
Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg
- ETHANONE, 1-(HEXAHYDRO-TETRAMETHYL-METHANONAZULENY - CAS: 32388-55-9
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg
Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg
- 3,7-dimethyl-3-octanol - CAS: 78-69-3
c) serious eye damage/irritation:
Test: Eye Irritant Positive
- d) respiratory or skin sensitisation:
Test: OECD TG 403 - Route: Inhalation = 0.885 mg/m3
- e) germ cell mutagenicity:
Test: NOAEL - Species: esseri umani 500 mg/kg - Notes: maternal
Test: NOAEL - Species: esseri umani 1000 mg/kg - Notes: foetal
- g) reproductive toxicity:
Test: NOAEL 500 mg/kg
- CITRONELLOL - CAS: 106-22-9
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat 3450 mg/kg
Test: LD50 - Route: Skin - Species: Rabbit 2650 mg/kg
- b) skin corrosion/irritation:
Test: Eye Irritant Positive
- d) respiratory or skin sensitisation:
Test: Skin Sensitization Positive
- d-limonene - CAS: 5989-27-5
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat = 3500 mg/kg
Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg
- Coumarin - CAS: 91-64-5
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat = 520
- PARA-TERT-BUTYLCYCLOHEXYL ACETATE - CAS: 32210-23-4
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat = 3370
Test: LD50 - Route: Skin - Species: Rabbit > 4680
- 3,4,5,6,6,PENTAMETHYLHEPT-3-EN-2-ONE (and isomers) - CAS: 81786-75-6
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat = 6100 mg/kg
Test: LD50 - Route: Oral - Species: Rat = 2400 mg/kg

Safety Data Sheet

Fresca Foglia London



- Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg
3-Decen-5-ol, 4-methyl- - CAS: 81782-77-6
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat > 8000 mg/kg
Linalool - CAS: 78-70-6
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat 2.790 mg/kg
Test: LD50 - Route: Oral - Species: Mouse 2.200 mg/kg
Test: LD50 - Route: Skin - Species: Rabbit 5.610 mg/kg
GERANIOL - CAS: 106-24-1
b) skin corrosion/irritation:
Test: Skin Corrosive Positive
c) serious eye damage/irritation:
Test: Eye Irritant Positive
e) germ cell mutagenicity:
Test: Mutagenesis - Species: vitro Negative
citral - CAS: 5392-40-5
a) acute toxicity:
Test: LD50 - Route: Skin - Species: Rabbit 2250 mg/kg
Test: LD50 - Route: Oral - Species: Rat 4960 mg/kg - Duration: 24h

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

DIPROPYLENEGLYCOL MONOMETHYLETHER - CAS: 34590-94-8

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96

Endpoint: LC50 - Species: Daphnia = 1919 mg/l - Duration h: 48

Linalyl acetate - CAS: 115-95-7

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 11 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia = 15 mg/l - Duration h: 48

Endpoint: NOEC - Species: Algae = 9.6 mg/l - Duration h: 72

2,6-dimethyloct-7-en-2-ol - CAS: 18479-58-8

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 4.81 mg/l - Duration h: 96

Endpoint: LC50 - Species: Daphnia = 5.70 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae = 3.88 mg/l - Duration h: 72

CITRONELLOL - CAS: 106-22-9

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 14.66 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia 17.48 mg/l - Duration h: 48

Endpoint: CE6 - Species: Algae 2.4 mg/l - Duration h: 72

d-limonene - CAS: 5989-27-5

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia = 0.36 mg/l - Duration h: 48

Endpoint: LC50 - Species: Fish = 0.72 mg/l

Coumarin - CAS: 91-64-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 2.94 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia = 24.3 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae = 1.45 mg/l - Duration h: 72

PARA-TERT-BUTYLCYCLOHEXYL ACETATE - CAS: 32210-23-4

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia 5.3 mg/l

Endpoint: EC50 - Species: Fish 22 mg/l

Safety Data Sheet

Fresca Foglia London



- Endpoint: EC50 - Species: Fish 8.6 mg/l
Endpoint: EC50 - Species: Fish 6.8 mg/l
3,4,5,6,6,PENTAMETHYLHEPT-3-EN-2-ONE (and isomers) - CAS: 81786-75-6
a) Aquatic acute toxicity:
Endpoint: LC50 - Species: Fish 4.8 mg/l - Duration h: 96
Endpoint: EC50 - Species: Daphnia 6.1 mg/l - Duration h: 48
Endpoint: EC50 - Species: Algae 21 mg/l - Duration h: 72
Endpoint: NOEC - Species: Algae 12 mg/l
3-Decen-5-ol, 4-methyl- - CAS: 81782-77-6
a) Aquatic acute toxicity:
Endpoint: LC50 - Species: Fish 3 mg/l - Duration h: 96
Endpoint: EC50 - Species: Daphnia 0.4 mg/l - Duration h: 48
Endpoint: EC50 - Species: Algae 3.6 mg/l - Duration h: 72
Linalool - CAS: 78-70-6
a) Aquatic acute toxicity:
Endpoint: LC50 - Species: Fish 27.8 mg/l - Duration h: 96 - Notes: OECD 203
Endpoint: EC50 - Species: Daphnia 59 mg/l - Duration h: 48 - Notes: OECD TG 202
Endpoint: EC50 - Species: Algae 156.7 mg/l - Duration h: 96
citral - CAS: 5392-40-5
a) Aquatic acute toxicity:
Endpoint: EC50 - Species: Algae 103.8 mg/l - Duration h: 72
Endpoint: LC50 - Species: Fish 6.78 mg/l - Duration h: 96
Endpoint: EC50 - Species: Daphnia 6.8 mg/l - Duration h: 48
- 12.2. Persistence and degradability
None
Linalyl acetate - CAS: 115-95-7
Biodegradability: Readily biodegradable - Test: BIOGDG06 - Duration: 28gg - %: 70
2,6-dimethyloct-7-en-2-ol - CAS: 18479-58-8
Biodegradability: Readily biodegradable - Test: BIOGDG06 - Duration: 28gg - %: 72.1
ETHANONE , 1-(HEXAHYDRO-TETRAMETHYL-METHANONAZULENY - CAS: 32388-55-9
Biodegradability: Non-readily biodegradable - %: 36 - Notes: Direttiva 67/548/CEE
Allegato V, C.4.C
CITRONELLOL - CAS: 106-22-9
Biodegradability: Readily biodegradable
3-Decen-5-ol, 4-methyl- - CAS: 81782-77-6
Biodegradability: Readily biodegradable - Test: BIOGDG10 - %: 73
Linalool - CAS: 78-70-6
Biodegradability: Readily biodegradable - Test: BIOGDG08 - Duration: 28gg - %: 64.2
citral - CAS: 5392-40-5
Biodegradability: Readily biodegradable
- 12.3. Bioaccumulative potential
N.A.
- 12.4. Mobility in soil
N.A.
- 12.5. Results of PBT and vPvB assessment
vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects
None

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods
Recover if possible. In so doing, comply with the local and national regulations currently in force.
Additional disposal information:
Reuse if possible. Act in accordance with the local and national laws in force.

SECTION 14: Transport information

1397/4

Page n. 11 of 15

Safety Data Sheet Fresca Foglia London



- 14.1. UN number
ADR-UN Number: 3082
IATA-UN Number: 3082
IMDG-UN Number: 3082
- 14.2. UN proper shipping name
ADR-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, Ethylene undecanedicarboxylate)
IATA-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, Ethylene undecanedicarboxylate)
IMDG-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, Ethylene undecanedicarboxylate)
- 14.3. Transport hazard class(es)
ADR-Class: 9
ADR - Hazard identification number: 90
IATA-Class: 9
IATA-Label: 9
IMDG-Class: 9
- 14.4. Packing group
ADR-Packing Group: III
IATA-Packing group: III
IMDG-Packing group: III
- 14.5. Environmental hazards
ADR-Environmental Pollutant: Yes
IMDG-Marine pollutant: Marine Pollutant
- 14.6. Special precautions for user
ADR-Subsidiary hazards: -
ADR-S.P.: 274 335 375 601
ADR-Transport category (Tunnel restriction code): 3 (-)
IATA-Passenger Aircraft: 964
IATA-Subsidiary hazards: -
IATA-Cargo Aircraft: 964
IATA-S.P.: A97 A158 A197
IATA-ERG: 9L
IMDG-EmS: F-A,
S-F
IMDG-Subsidiary hazards: -
IMDG-Stowage and handling: Category A
IMDG-Segregation: -
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code
No
Limited Quantity: 5 L
Exempted Quantity: E1

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)

Safety Data Sheet

Fresca Foglia London



Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) 2015/830
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 40

Restrictions related to the substances contained:

No restriction.

Volatile Organic compounds - VOCs = 4.90 %

Volatile Organic compounds - VOCs = 49.00 g/Kg

Volatile Organic compounds - VOCs = 46.01 g/l

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

Product belongs to category: E2

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out:

None

SECTION 16: Other information

Text of phrases referred to under heading 3:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

Hazard class and hazard category	Code	Description
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1

Safety Data Sheet
Fresca Foglia London



Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1A	3.4.2/1A	Skin Sensitisation, Category 1A
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2

Paragraphs modified from the previous revision:

- SECTION 2: Hazards identification
- SECTION 3: Composition/information on ingredients
- SECTION 7: Handling and storage
- SECTION 11: Toxicological information
- SECTION 12: Ecological information
- SECTION 14: Transport information
- SECTION 15: Regulatory information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method
Skin Sens. 1A, H317	Calculation method
Aquatic Chronic 2, H411	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

- ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities
- SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

Safety Data Sheet

Fresca Foglia London



ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NA:	Not applicable
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.